



The GNU Pascal Manual

Jan-Jaap van der Heijden,

Peter Gerwinski,

Frank Heckenbach,

Berend de Boer,

Dominik Freche,

and others

Last updated May 2002

for version 20020510 (GCC 2.95.x)

Copyright © 1988-2002 Free Software Foundation, Inc.

For GPC 20020510 (GCC 2.95.x)

Published by the Free Software Foundation
59 Temple Place - Suite 330
Boston, MA 02111-1307, USA

Permission is granted to make and distribute verbatim copies of this manual provided the copyright notice and this permission notice are preserved on all copies.

Permission is granted to copy and distribute modified versions of this manual under the conditions for verbatim copying, provided also that the sections entitled “GNU General Public License”, “The GNU Project”, “The GNU Manifesto” and “Funding for Free Software” are included exactly as in the original, and provided that the entire resulting derived work is distributed under the terms of a permission notice identical to this one.

Permission is granted to copy and distribute translations of this manual into another language, under the above conditions for modified versions, except that the sections entitled “GNU General Public License”, “The GNU Project”, “The GNU Manifesto” and “Funding for Free Software” and this permission notice, may be included in translations approved by the Free Software Foundation instead of in the original English.

GNU Pascal

This manual documents how to run, install and maintain the GNU Pascal Compiler (GPC), as well as its new features and incompatibilities, and how to report bugs. It corresponds to GPC 20020510 (GCC 2.95.x).

Welcome to GNU Pascal . . .

. . . the free 32/64-bit Pascal compiler of the GNU Compiler Collection (GNU CC or GCC). It combines a Pascal front-end with the proven GCC back-end for code generation and optimization. Other compilers in the collection currently include compilers for the Ada, C, C++, Objective C, Chill, FORTRAN, and Java languages. Unlike utilities such as p2c, this is a true compiler, not just a converter.

This version of GPC corresponds to GCC version 2.95.x.

The purpose of the GNU Pascal project is to produce a Pascal compiler (called GNU Pascal or GPC) which

- combines the clarity of Pascal with powerful tools suitable for real-life programming,
- supports both the Pascal standard and the Extended Pascal standard as defined by ISO, ANSI and IEEE (ISO 7185:1990, ISO/IEC 10206:1991, ANSI/IEEE 770X3.160-1989),
- supports other Pascal standards (UCSD Pascal, Borland Pascal, parts of Borland Delphi and Pascal-SC) in so far as this serves the goal of clarity and usability,
- may be distributed under GNU license conditions, and
- can generate code for and run on any computer for which the GNU C compiler can generate code and run on.

Pascal was originally designed for teaching. GNU Pascal provides a smooth way to proceed to challenging programming tasks without learning a completely different language.

The current release implements Standard Pascal (ISO 7185, levels 0 and 1), a large subset of Extended Pascal (ISO 10206, aiming for full compliance), is highly compatible to Borland Pascal (version 7.0) with some Delphi extensions, and provides a lot of useful GNU extensions.

This manual contains

- an overview of some of GPC's most interesting features, see [Chapter 1 \[Highlights\]](#), page 5,
- a list of new features since the last release, see [Chapter 2 \[News\]](#), page 9,
- the GNU Pascal Frequently Asked Questions List, see [Chapter 3 \[FAQ\]](#), page 23,
- installation instructions, see [Chapter 4 \[Installation\]](#), page 35,
- a QuickStart Guide for programmers used to the Turbo Pascal/Borland Pascal compiler, see [Chapter 5 \[Borland Pascal\]](#), page 43,
- a list of command-line options to invoke the compiler, see [Chapter 6 \[Invoking GPC\]](#), page 63,
- the Programmer's Guide to GPC, describing the Pascal programming language in general and GPC specific aspects, see [Chapter 7 \[Programming\]](#), page 73,
- the alphabetical GPC language reference, see [Chapter 8 \[Reference\]](#), page 257,
- a list of keywords and operators supported by GNU Pascal, see [Chapter 9 \[Keywords\]](#), page 427,
- information on how to report bugs in GNU Pascal and how to get support, see [Chapter 10 \[Support\]](#), page 433,
- the list of known bugs and things to do, also listing bugs fixed and features implemented recently, see [Chapter 11 \[To Do\]](#), page 439,
- some information for those who are interested in how GNU Pascal works internally, see [Chapter 12 \[Internals\]](#), page 475,
- a list of contributors which tells you who developed and is maintaining GNU Pascal, see [Appendix A \[Contributors\]](#), page 487,
- the GNU General Public License which informs you about your rights and responsibilities when using, modifying and distributing GNU Pascal, see [Appendix C \[Copying\]](#), page 495,

- and other texts about Free Software and the GNU Project intended to answer questions like “what is GNU?” you might have in mind now, see [Appendix E \[GNU\]](#), [page 509](#).

If you are familiar with Standard Pascal (ISO 7185) programming, you can probably just go ahead and try to compile your programs. Also, most of the ISO Extended Pascal Standard (ISO 10206) is implemented into GNU Pascal. The Extended Pascal features still missing from GPC are **qualified** module import, **protected** module export variables, set types with variable bounds, structured value initializers and expressions as subrange lower bounds.

If you are a Borland Pascal programmer, you should probably start reading the QuickStart guide from BP to GNU Pascal, see [Chapter 5 \[Borland Pascal\]](#), [page 43](#). If you are curious about the new features GPC offers, you can get an idea in the overview of GPC highlights (see [Chapter 1 \[Highlights\]](#), [page 5](#)), and read in more detail about them in the Programmer’s Guide to GPC (see [Chapter 7 \[Programming\]](#), [page 73](#)) and in the alphabetical GPC Language Reference (see [Chapter 8 \[Reference\]](#), [page 257](#)).

And, please, think about how you can contribute to the GNU Pascal project, too. Please support our work by contributing yours in form of example programs, bug reports, documentation, or even actual improvements of the compiler.

All trademarks used in this manual are properties of their respective owners.

1 Some of GPC's most interesting features.

The GNU Pascal Compiler (GPC) is, as the name says, the Pascal compiler of the GNU family (see [Appendix E \[GNU\], page 509](#)). This means:

- GPC is a 32/64 bit compiler,
- does not have limits like the 64 kB or 640 kB limit known from certain operating systems – even on those systems –,
- runs on all operating systems supported by GNU C, including
 - **Linux** on Intel, Alpha, S390, and all other supported types of hardware,
 - the BSD family: **FreeBSD**, **NetBSD**, **OpenBSD**,
 - DOS with 32 bits, using **DJGPP** or **EMX**,
 - MS-Windows 9x/NT, using **CygWin** or **mingw**,
 - OS/2 with **EMX**,
 - MIPS-SGI-IRIX,
 - Alpha-DEC-OSF,
 - Sparc-Sun-Solaris,
 - HP/UX

and more,

- can act as a native or as a cross compiler between all supported systems,
- produces highly optimized code for all these systems,
- is **Free Software** (**Open-Source Software**) according to the **GNU General Public License** ([Appendix E \[GNU\], page 509](#), for remarks and translations),
- is compatible to other GNU languages and tools such as GNU C and the GNU debugger.

The compiler supports the following language standards and quasi-standards:

- ISO-7185 Pascal (see [Appendix B \[Resources\], page 491](#)),
- most of ISO-10206 Extended Pascal,
- Borland Pascal 7.0,
- parts of Borland Delphi and Pascal-SC (PXSC).

Some highlights:

- From Standard Pascal: Many popular Pascal compilers claim to extend Standard Pascal but miss these important features.
 - Conformant array parameters – the standardized and comfortable way to pass arrays of varying size to procedures and functions. [Example (conformantdemo.pas)]
 - Passing local procedures as procedural parameters – with full access to all variables of the “parent” procedure. [Example (iteratordemo.pas)]
 - Automatic file buffers and standard ‘Get’ and ‘Put’ procedures. Read ahead from files without temporary variables. [Example (filebuf1demo.pas)] This allows you, for instance, to validate numeric input from text files before reading without conversion through strings. [Example (filebuf2demo.pas)]
 - True packed records and arrays. Pack 8 Booleans into 1 byte. [Example (packdemo.pas)]
 - Internal files. You don’t have to worry about creating temporary file names and erasing the files later. [Example (intfiledemo.pas)]
 - Global ‘goto’. (Yes, ‘goto’ has its place when it is not restricted to the current routine.) [Example (parserdemo.pas)]

- Automatically set discriminants of variant records in `'New'`. [Example (variant-demo.pas)]
- Sets of arbitrary size. [Example (bigsetsdemo.pas)]
- From Extended Pascal:
 - Strings of arbitrary length. [Example (stringschemademo.pas)]
 - `'ReadStr'` and `'WriteStr'`. Read from and write to strings with the full comfort of `'ReadLn'`/`'WriteLn'`. [Example (rwstringdemo.pas)]
 - System-independent date/time routines. [Example (datetimedemo.pas)]
 - Set member iteration: `'for Ch in ['A' .. 'Z', 'a' .. 'z'] do ...'` [Example (bigsetsdemo.pas)]
 - Set extensions (symmetric difference, `'Card'`)
 - Generalized `'Succ'` and `'Pred'` functions (`foo := Succ (bar, 5);`).
 - Complex numbers. [Example (mandelbrot.pas)] [Example (parserdemo.pas)]
 - Exponentiation operators (`'pow'` and `'**'`) for real and complex numbers.
 - Initialized variables. [Example (initvardemo.pas)]
 - Functions can return array or record values.
 - Return value variables. [Example (returnvardemo.pas)]
 - Modules.
 - Non-decimal numbers in base 2 through 36: `'base#number'`.
 - `'MinReal'`, `'MaxReal'`, `'EpsReal'`, `'MaxChar'` constants.
 - Schemata – the Pascal way to get dynamic arrays without dirty tricks. [Example (schemademo.pas)]
 - Local variables may have dynamic size. [Example (dynamicarraydemo.pas)]
 - Array Slice Acces – access parts of an array as a smaller array, even on the left side of an assignment [Example (arrayslicedemo.pas)]
- Compatible to Borland Pascal 7.0 with objects (BP):
 - Supports units, objects, . . . , and makes even things like `'absolute'` variables portable. [Example (absdemo.pas)]
 - Comes with portable versions of the BP standard units with full source.
 - True network-transparent CRT unit: You can run your CRT applications locally or while being logged in remotely, without any need to worry about different terminal types. Compatible to BP's unit, but with many extensions, such as overlapping windows. [Example (crtdemo.pas)]
 - Fully functional GUI (X11) version of CRT (also completely network transparent).
 - The `'Random'` function can produce the same sequence of pseudo-random numbers as BP does – if you need that instead of the much more elaborate default algorithm.
 - Supports BP style procedural variables as well as Standard Pascal's procedural parameters. [Example (procvardemo.pas)]
 - A `'Ports'` unit lets you access CPU I/O ports on systems where this makes sense. [Example (portdemo.pas)]
 - Special compatibility features to help migrating from BP to GPC, like a `'GPC for BP'` unit which provides some of GPC's features for BP, and some routines to access sets of large memory blocks in a uniform way under GPC and BP (even in real mode). [Example (bigmemdemo.pas)]
 - Comes with a BP compatible `'binobj'` utility. [Example (binobjdemo.pas)]
- From Borland Delphi:

- ‘**abstract**’ object types and methods
- ‘**is**’ and ‘**as**’ operators to test object type membership
- Comments with ‘//’
- A ‘**SetLength**’ procedure for strings makes it unnecessary to use dirty tricks like assignments to the “zeroth character”.
- ‘**Initialize**’ and ‘**Finalize**’ for low-level handling of variables.
- From Pascal-SC (PXSC):
 - User-definable operators. Add your vectors with ‘+’.
- Carefully designed GNU extensions help you to make your real-world programs portable:
 - 64-bit signed and unsigned integer types.
 - Special types guarantee compatibility to other GNU languages such as GNU C. Directives like ‘**{ \$L foo.c }**’ make it easy to maintain projects written in multiple languages, e.g., including code written in other languages into Pascal programs [Example (Pascal part) (c_gpc.pas)] [Example (C part) (c_gpc_c.c)],
 - or including Pascal code into programs written in other languages. [Example (Pascal part) (gpc_c_pas.pas)] [Example (Pascal unit) (gpc_c_unit.pas)] [Example (C part) (gpc_c_c.c)]
 - Extensions like ‘**BitSizeOf**’ and ‘**ConvertFromBigEndian**’ help you to deal with different data sizes and endiannesses. [Example (endiandemo.pas)]
 - Little somethings like ‘**DirSeparator**’, ‘**PathSeparator**’, ‘**GetTempDirectory**’ help you to write programs that look and feel “at home” on all operating systems.
 - The ‘**PExecute**’ routine lets you execute child processes in a portable way that takes full advantage of multitasking environments. [Example (pexecutedemo.pas)]
 - The GNU GetOpt routines give you comfortable access to Unix-style short and long command-line options with and without arguments. [Example (getoptdemo.pas)]
 - Routines like ‘**FSplit**’ or ‘**FSearch**’ or ‘**FExpand**’ know about the specifics of the various different operating systems. [Example (fexpanddemo.pas)]
 - The ‘**FormatTime**’ function lets you format date and time values, according to various formatting rules. [Example (formattimedemo.pas)]
- Useful and portable GNU standard units:
 - A ‘**Pipe**’ unit gives you inter-process communication even under plain DOS. [Example (pipedemo.pas)] [Demo process for the example (demoproc.pas)]
 - With the ‘**RegEx**’ unit you can do searches with *regular expressions*. [Example (regexdemo.pas)]
 - The GNU MultiPrecision (‘**GMP**’) unit allows you to do arithmetics with integer, real, and rational numbers of arbitrary precision. [Example: factorial (factorial.pas)] [Example: fibonacci (fibonacci.pas)] [Example: power (power.pas)] [Example: real power (realpower.pas)] [Example: pi (pi.pas)]
 - Posix functions like ‘**ReadDir**’, ‘**StatFS**’ or ‘**FileLock**’ provide an efficient, easy-to-use and portable interface to the operating system. [Example (readdirdemo.pas)] [Example (statfsdemo.pas)] [Example (filelockdemo.pas)]
 - A ‘**DosUnix**’ unit compensates for some of the incompatibilities between two families of operating systems. [Example (dosunixdemo.pas)]
 - An ‘**MD5**’ unit to compute MD5 message digests, according to RFC 1321. [Example (md5demo.pas)]
 - A ‘**FileUtils**’ unit which provides some higher-level file and directory handling routines. [Example (findfilesdemo.pas)]

- A ‘**StringUtils**’ unit which provides some higher-level string handling routines. [Example (stringhashdemo.pas)]
- An ‘**Intl**’ unit for internationalization. [Example (gettextdemo.pas)] [Example (localedemo.pas)]
- A ‘**Trap**’ unit to trap runtime errors and handle them within your program. [Example (trapdemo.pas)]
- A ‘**HeapMon**’ unit to help you find memory leaks in your programs.

The demo programs mentioned above are available both on the WWW and in GPC source and binary distributions.

Disadvantages:

- The GNU debugger (GDB) does not yet understand Pascal syntax and types; you have to use C syntax when debugging Pascal programs with GDB.
- With GPC you get longer compilation times than with, e.g., Borland Pascal.

Co-workers welcome!

Able, committed programmers are always welcome in the GNU Pascal team. If you want to be independent of companies that you must pay for getting a compiler with more restrictive licensing conditions that only runs on *one* operating system, be invited to join the development team, [Appendix A \[Contributors\]](#), [page 487](#).

2 New Features of GNU Pascal.

There's a number of new or changed features which are listed in the following sections. Features without further description refer to new routines or options.

2.1 General Changes And Possible Incompatibilities with Previous Versions

This release of GPC has been cleaned up substantially. Consequently, a few old and obsolete features have been dropped or replaced by cleaner, more flexible or otherwise more useful ones. This might lead to minor problems with old programs, but we suppose they're very rare (many programmers might not even know about the old features) and easy to overcome. The most important ones are listed here, the rest of them is contained in the following sections and marked with '(Q)'.

- The executables 'bpc', 'pc' and 'epc' as well as the dialect specific behaviour if GPC is invoked by those names have been dropped. What they did was equivalent to 'gpc --borland-pascal', 'gpc --classic-pascal' or 'gpc --extended-pascal', respectively, and you can use these forms now. If you need them often, you can put them in scripts or aliases called 'bpc' etc., of course.
- 'asmname' in variable and constant declarations must now come after the type (e.g. 'var foo: Integer = 42; asmname 'bar';'). Furthermore, 'asmname' doesn't imply 'external' anymore for variables.
- The internal file handling in the RTS was changed from using 'FILE *' pointers to integer file handles, to make it more efficient and to get rid of some problems. Accordingly, the 'CFile' field in 'BindingType' was replaced by a 'Handle' field, the 'AssignCFile' procedure by an 'AssignHandle' procedure, and the 'GetFile' function was removed (a substitute is the function 'FileHandle' which has already existed in previous releases).
- The option '--no-nested-comments' (to allow comments like '{ *}') as the standard requires) has been renamed to '--mixed-comments' (note the inverted value). Accordingly, the compiler directives '{\$N+}' and '{\$N-}' have been renamed to '{\$no-mixed-comments}' and '{\$mixed-comments}'. The default, when no dialect options are given, is still '--no-mixed-comments' (i.e., what used to be '--nested-comments').
- A new option '--nested-comments' to allow real nested comments like '{ { } }' (also available as a compiler switch, like almost all command-line options). Note the new meaning of this switch, so if you used it before, you'll probably have to change it to '--no-mixed-comments' (see above). If nested comments are enabled, comments are also allowed within compiler directives and macros – however, compiler directives within other compiler directives are still not allowed, and compiler directives within comments are, of course, still ignored.
- C style character escapes ('\n', '\007' etc.) are now the default for strings enclosed in double quotes, while single quoted strings do not allow them (according to the standard). Accordingly, a verbatim '"' in a double quoted string is now obtained with '\"' rather than '\"' (but a verbatim '' in a single quoted string still with '', of course). Therefore, the option '--[no-]char-escapes' and the compiler directives '{\$E+}'/'{\$E-}' have been dropped. If you used these features, please change to the appropriate kind of quotes.
- Macros are no more expanded in '--borland-pascal' and '--delphi' modes. Expanding them causes a few problems with strange sources written for BP which use the same name for a conditional define and an identifier. Macros can be turned on/off, independently of the dialect, with the new switches '--[no-]macros'. (B)
- Macros and conditionals defined with '{\$define}' are now case-insensitive. (B) Macros and conditionals defined with '--define' on the command line are still case-sensitive for compatibility to other GNU compilers. In addition, GPC provides '{\$csdefine}' or '--csdefine'

and ‘`{${c}define}`’ or ‘`--cdefine`’ to define case sensitive or insensitive macros or conditionals, respectively. If you have defined macros or conditionals with ‘`{${d}define}`’ and rely on them being case-sensitive, change it to ‘`{${c}sdefine}`’ now.

- The mechanism for including GPC code into code written in other languages has changed and is now more robust. A header `gpc-in-c.h` is provided for inclusion of GPC code into C programs, and a demo program `GPC_C_Pas` (together with C code calling it) is supplied to demonstrate this. (Including C code into GPC programs works as before.)
- The preprocessor is now called ‘`gpcpp`’ (it was ‘`gpc-cpp`’ before). If you have installed an older GPC version, please remove `gpc-cpp` now. If you have any scripts that refer to `gpc-cpp` directly, change the reference to `gpcpp`. If you use DJGPP, and you added the GPC specific sections to `djgpp.env` as described in the FAQ, please change ‘`[gpc-cpp]`’ to ‘`[gpcpp]`’.
- In ‘`--borland-pascal`’ mode, GPC now ignores everything after ‘`end.`’. (This also takes care of “~Z” characters at the end of Dos text files). In particular, multiple units or modules in one file don’t work anymore in ‘`--borland-pascal`’ mode. (B)
- GPC has introduced a few new keywords which may break programs that use those names as identifiers. Most of them are only “conditionally reserved”, i.e. they act as keywords only in those situations where the keyword makes sense, and can be used as identifiers elsewhere. While this does not eliminate all possible conflicts, it avoids a number of them. Among the new keywords are ‘`attribute`’, ‘`class`’ and ‘`published`’. (D, partly)

2.2 Command Line Options and Compiler Directives

(Here are GPC’s *new* options. For an overview of the options, see [Chapter 6 \[Invoking GPC\]](#), [page 63](#).)

- ‘`-x Pascal`’/‘`--language=Pascal`’ works now; new option ‘`-x Preprocessed-Pascal`’/‘`--language=Preprocessed-Pascal`’ to compile without preprocessing
- ‘`{${ifopt}}`’ works now, with short directives like in BP (‘`{${ifopt} X+}`’) (B) and also with long directives (‘`{${ifopt} extended-syntax}`’)
- Local compiler directives and defines can be specified with ‘`{${local}}`’ and ‘`{${endlocal}}`’.
- Delphi (or C++) style ‘`//`’ comments in default and ‘`--delphi`’ modes, and a switch ‘`--[no-]delphi-comments`’ to turn them on/off explicitly. (D)
- ‘`-W[no-]implicit-abstract`’ (warn if an object type not declared ‘`abstract`’ contains an abstract method)
- ‘`-W[no-]inherited-abstract`’ (warn if an abstract object type inherits from a non-abstract one)
- ‘`-W[no-]typed-const`’ (warn about BP style misuse of typed constants)
- ‘`-W[no-]near-far`’ (warn about use of the obsolete BP compatible ‘`near`’ and ‘`far`’ directives)
- ‘`-W[no-]underscore`’ (warn about double/leading/trailing underscores in identifiers)
- ‘`-W[no-]mixed-comments`’ (warn about use of mixed comments)
- ‘`-W[no-]nested-comments`’ (warn about use of nested comments)
- ‘`-W[no-]semicolon`’ (warn about a semicolon after ‘`then`’, ‘`else`’ or ‘`do`’)
- ‘`-W[no-]field-name-problem`’ (don’t warn about a problem with field names)
- ‘`-W[no-]object-directives`’ (don’t warn about unimplemented ‘`private`’, ‘`protected`’ and ‘`public`’ directives)
- ‘`-W[no-]warnings`’ (enable/disable warnings)
- All ‘`-Wfoo`’ warning options also work as ‘`{${W} foo}`’ compiler directives. In contrast to the last alpha release, there must now be a space after the ‘`W`’. (@)

- ‘--no-default-paths’ (disable standard unit etc. paths)
- ‘--no-unit-path’, ‘--no-object-path’ (disable any unit/object paths given so far)
- ‘--[no-]read-base-specifier’ (in read statements, allow non-decimal input with ‘n#’)
- ‘--[no-]read-hex’ (in read statements, allow hexadecimal input with ‘\$’)
- ‘--[no-]read-white-space’ (in read statements, require whitespace after numbers)
- ‘--[no-]io-checking’ (same as ‘{\$I+}’, ‘{\$I-}’)
- ‘--[no-]double-quoted-strings’
- ‘--[no-]stack-checking’, also as compiler directives ‘{\$[no-]stack-checking}’ or ‘{\$S+}’/‘{\$S-}’ (B)
- ‘--[no-]typed-address’, also as compiler directives ‘{\$[no-]typed-address}’ or ‘{\$T+}’/‘{\$T-}’ (B)
- ‘--[no-]transparent-file-names’ (derive the external file names from the file variable names)
- ‘--[no-]progress-messages’, ‘--[no-]progress-bar’ (output information to give progress messages or display a progress bar while compiling, using suitable utilities)
- ‘--init-modules=foo:bar’ (initialize the named modules in addition to those imported regularly; kind of a kludge)
- ‘{\$[no-]debug-statement[=foo]}’ (call a procedure automatically before each statement for debugging)
- ‘--big-endian’, ‘--little-endian’, ‘--print-needed-options’ for targets whose endianness can vary
- The ‘--[no-]c-numbers’ switch has been removed. If you really used C style octal or hex numbers (‘0400’, ‘0xf00’), you can easily convert them to the Extended Pascal notation (‘8#400’, ‘16#f00’) or (hex only) to the Borland Pascal notation (‘\$foo’). (@)
- ‘{\$gnu-pascal}’ is now completely equivalent to ‘--gnu-pascal’; ‘{\$gnu-pascal}’ has been added to all units shipped with GPC, so they can also be compiled when ‘--borland-pascal’ or other dialect options are given on the command line.
- ‘{\$if}’ directives now understand Pascal operators like ‘and’, ‘or’, ‘not’ (C operators are also still understood).
- ‘{\$P+}’/‘{\$P-}’ was replaced by ‘{\$[no-]pedantic}’ (or ‘--[no-]pedantic’ on the command line)
- The single-letter compiler directives are now BP compatible. Those that are not meaningful or not necessary in GPC (e.g. ‘{\$F+}’, ‘{\$O...}’, or ‘{\$M}’ with only numbers following) are ignored in ‘--borland-pascal’ mode and warned about otherwise. (B) Note: ‘{\$W+}’/‘{\$W-}’ is now also ignored in ‘--borland-pascal’ mode (it is the only single-letter directive left that has a different meaning in BP and in GPC, and besides, the BP meaning can be safely ignored in GPC). To enable/disable warnings in ‘--borland-pascal’ mode, you can use ‘{\$W [no-]warnings}’ now. (@)
- The RTS command line options are now also available as long options; new RTS options ‘--version’ (print RTS version and exit), ‘--abort-on-error’ (abort with SIGABRT on runtime error), ‘--error-file’, ‘--error-fd’ (dump runtime error messages and stack trace to given file name or FD).
- RTS command line options are now recognized after ‘--gpc-rtts’ instead of ‘-Grts’. Also, a single option can be given with ‘--gpc-rtts=option’. This is allowed multiple times. (@)
- The items of ‘--field-widths’ are now delimited by ‘:’ rather than ‘,’ so they can be distinguished from the ‘,’ used to delimit several compiler options. (@)
- Files with ‘.pp’ or ‘.dpr’ extension are recognized as Pascal sources. (D)

- New options ‘--classic-pascal’ and ‘--classic-pascal-level-1’ (equivalent to ‘--standard-pascal’ and ‘--standard-pascal-level-1’, and meaning to supersede the latter in the future)
- New predefined symbol ‘__GPC_VERSION__’

2.3 Compiler and RTS Built-in Declarations

- Syntax:
 - New operators ‘is’ and ‘as’ for objects
 - ‘shl’ and ‘shr’ can also be used as procedures now.
 - ‘mod’ with negative right operand now works like in BP. (B)
 - Expressions like ‘-2 * +3’ are now allowed without parentheses. (B)
 - The alternative address operator ‘&’ was removed. (‘@’ is still there.) (@)
 - ‘register’ directive
 - ‘asmname’ and ‘uses ... in’ now allow concatenated strings
 - ‘asmname’ for programs, units and module interfaces
 - Directives with double underscores like ‘__asmname__’, ‘__inline__’ have been dropped. The same directives without underscores have been available for a long time. Furthermore, GPC now supports ‘^const’ to create a pointer to a constant (which could be done in a C like fashion with the ‘__const__’ directive before). (@)
- Types:
 - Abstract methods and object types
 - PObjectType with fields ‘Size’, ‘NegatedSize’, ‘Parent’ and ‘Name’, returned by ‘TypeOf’ and required by ‘SetType’
 - ByteBool, ShortBool, WordBool, MedBool, LongBool, LongestBool, Boolean(42) (D?)
 - Type qualifiers like ‘__byte__’ or ‘__unsigned__’ have been dropped. GPC has been supporting “real” type names like ‘Byte’ or ‘ByteWord’ for a long time, and it’s easy to change to them. Similar for ‘__cstring__’ and ‘__void__’ where ‘CString’ and ‘Void’ are available. (@)
 - ‘nil’ is accepted as a value of any procedural/functional type (B)

Some of the following declarations are built into the compiler, others are declared in the ‘GPC’ module.

- Files and I/O:
 - SeekEOF, SeekEOLn (B)
 - IOErrorFile
 - New parameter ‘ElementSize’ to ReverseBytes, ConvertFromLittleEndian, ConvertFromBigEndian, ConvertToLittleEndian, ConvertToBigEndian, BlockReadLittleEndian, BlockReadBigEndian, BlockWriteLittleEndian, BlockWriteBigEndian (@)
 - ReadStringLittleEndian
 - ReadStringBigEndian
 - WriteStringLittleEndian
 - WriteStringBigEndian
 - GetTempFileNameInDirectory
 - PathExists
 - DataDirectoryName
 - AssignBinary

- HasWildCardsOrBraces
- BraceExpand
- MultiFileNameMatch
- GlobOn
- MultiGlob
- MultiGlobOn
- QuoteFileName
- UnQuoteFileName
- ReadLink
- FExpandQuoted
- ForceAddDirSeparator
- FindNonQuotedChar
- FindNonQuotedStr
- NameExtFromPath
- SystemInfo
- GetMountPoint
- FileMove
- ChMod
- ChOwn
- IOSelect
- IOSelectRead
- FileNameLoCase
- FileNamesCaseSensitive (constant)
- DirRoot (constant)
- MaskNoStdDir (constant)
- QuotingCharacter (constant)
- EnvVarChars (constant)
- EnvVarCharsFirst (constant)
- WildCardChars (constant)
- FileNameSpecialChars (constant)
- ShellExecCommand (constant)
- DataReady renamed to CanRead (@)
- FileLock, FileUnlock
- MemoryMap, MemoryUnMap
- RuntimeErrorErrNo
- InOutResCErrorString
- CStringStrError
- ‘StatFS’ is now a function rather than a procedure. (@)
- ‘InOutResStr’ was renamed to ‘InOutResString’, is now a ‘PString’ rather than a ‘CString’, and is now in the ‘GPC’ module rather than built into the compiler. (@)
- New parameter ‘ErrNoFlag’ to ‘IOError’, ‘IOErrorInteger’, ‘IOErrorCString’ and ‘IOErrorFile’ (@)
- New parameter ‘Quoted’ to RelativePath (@)
- New parameter ‘Prefix’ to ConfigFileName (@)

- New parameter ‘*AccessTime*’ to *SetFileName* (@)
- *ExpandEnvironment* recognizes ‘~user’
- Each of the parameters ‘*Dir*’, ‘*Name*’ and ‘*Ext*’ to ‘*FSplit*’ may now be ‘*Null*’.
- New fields ‘*User*’, ‘*Group*’, ‘*Mode*’, ‘*Device*’, ‘*Inode*’, ‘*Links*’, ‘*SymLink*’, ‘*TextBinary*’ and ‘*Special*’, ‘*CloseFlag*’ in ‘*BindingType*’
- The variable ‘*TextFilesBinary*’ has been dropped. Instead, you can now use the procedure ‘*AssignBinary*’ or the field ‘*TextBinary*’ in ‘*BindingType*’. (@)
- File sizes can now be bigger than ‘*Integer*’ (e.g. 64 bit files on 32 bit machines) if supported by the OS via *lseek64()* or *llseek()* (e.g. Linux, Solaris, IRIX).
- Renamed the file mode constants from ‘*fmfoo*’ to ‘*fm_foo*’. (@)
- ‘*GetIOErrorMessage*’ now returns a string rather than a ‘*CString*’. (@)
- In ‘*GlobBuffer*’, the fields ‘*Count*’ and ‘*Result*’ (pointer to an array of ‘*CString*’s, 0 based) were replaced by ‘*Result*’, a pointer to an array of pointers to strings, 1 based). (@)
- Strings:
 - *FormatString*
 - *FormatStringTransformPtr*
 - *Integer2String*
 - *IsUpCase*
 - *IsLoCase*
 - *IsAlpha*
 - *IsAlphaNum*
 - *IsAlphaNumUnderscore*
 - *IsSpace*
 - *IsPrintable*
 - Renamed the *CString* routines in the RTS so they get a ‘*CString*’ prefix, moved the BP compatibility identifiers for the same routines into the ‘*Strings*’ unit (B) (@)
 - *MemCompCase*
 - *StrEqualCase*
 - *PosCase*
 - *LastPosCase*
 - *PosFromCase*
 - *LastPosTillCase*
 - *IsPrefixCase*
 - *IsSuffixCase*
 - *LTrim* (VS/Pascal compatibility :–)
 - *LineBreak* (constant)
 - *SetEnv* (makes obsolete *libc*’s *PutEnv* (@))
 - *UnSetEnv*
 - *GetCEnvironment*
 - *DisposePPStrings*
 - ‘*SetLength*’ does not require extended syntax anymore.
 - The environment variable management is now implemented in Pascal, so it’s independent of *libc* differences (e.g. the presence or not of ‘*environ*’). Access via ‘*GetEnv*’ etc. works unchanged.

- The ‘**Environment**’ variable is now a schema which contains the environment variables as CStrings. (@)
 - Empty and case-sensitive environment variables are allowed within GPC programs even under Dos.
- Random:
 - SeedRandom
 - SeedRandomPtr (variable)
 - Randomize is called automatically when necessary (except when using the BP compatible random number generator in the System unit (B)).
- Memory:
 - ReAlloc; previous ReAlloc function (libc) renamed to CReAlloc (@)
 - ReAllocPtr (variable)
 - ForEachMarkedBlock
 - AllocateBigMem, DisposeBigMem, MoveToBigMem, MoveFromBigMem, MapBigMem for uniform access to big memory blocks for GPC and BP (B)
- Time:
 - Sleep
 - SleepMicroSeconds
 - Alarm
 - GetCPUTime
 - GetMicroSecondTime
 - GetDayOfWeek
 - GetDayOfYear
 - GetSundayWeekOfYear
 - GetMondayWeekOfYear
 - GetISOWeekOfYear
 - FormatTime
 - The constant ‘**MonthLength**’ was replaced by a function of the same name that handles leap years. (@)
 - DayOfWeekName (constant)
 - InvalidYear (constant)
 - New parameters ‘**TimeZone**’, ‘**DST**’, ‘**TZName1**’, ‘**TZName2**’ to ‘**UnixTimeToTime**’ (@)
 - New fields ‘**TimeZone**’, ‘**DST**’, ‘**TZName1**’, ‘**TZName2**’ in ‘**TimeStamp**’
- Misc:
 - Include and Exclude for sets (B)
 - InitProc (D)
 - Initialize (D)
 - Finalize (D)
 - IsInfinity
 - IsNotANumber
 - SplitReal
 - Ln1Plus
 - ReturnAddress
 - FrameAddress

- Runtime errors are now printed with their address to help debugging (using `addr2line`), and the address is stored in `ErrorAddr`. (B)
- `RegisterRestoreTerminal`
- `UnregisterRestoreTerminal`
- `RestoreTerminal`
- `ExecuteNoTerminal`
- `SetProcessGroup`
- `SetTerminalProcessGroup`
- `GetTerminalProcessGroup`
- `IsTerminal`
- `GetTerminalName`
- `SetInputSignals`
- `GetInputSignals`
- `GetShellPath`
- `GetPasswordEntryByName`
- `GetPasswordEntryByUID`
- `GetPasswordEntries`
- `StrSignal`
- `Kill`
- `WaitPID`
- `InstallSignalHandler`
- `BlockSignal`
- `SignalBlocked`
- Constants for the signals
- `UserID`
- `GroupID`
- `IllReservedAddress`, `IllPriviledgedInstruction`, `IllReservedOp` were removed. (C)

2.4 GPC Units

- Compiler features related to units:
 - ‘`uses`’ and ‘`import`’ may now occur multiple times in a program, unit/module interface or unit/module implementation, even between declarations.
 - ‘`gpc-main`’ settings are now possible in units
 - ‘`public`’ and ‘`private`’ directives for interfaces
- CRT:
 - Works now under Cygwin and mingw.
 - DJGPP: support for 40 column modes (requires updated PDCurses library)
 - Renamed the the conditional to get an X11 version from XCURSES to X11. (C)
 - Renamed `GetScreenSize` to `ScreenSize` (WinCRT compatibility) (B) (C)
 - `WindowOrg`, `WindowSize`, `Cursor`, `Origin`, `InactiveTitle`, `AutoTracking`, `WindowTitle`, (variables), `ScrollTo`, `TrackCursor` (WinCRT compatibility) (B)
 - `SimulateBlockCursor`, `SimulateBlockCursorOff`
 - Curses is not initialized at the beginning of the program, but rather when the first CRT routine is called. (B)

- CRTInit to explicitly initialize CRT and also set some defaults (PCCharSet and update level) to more natural (and less BP compatible) values.
- CRTSetTerminal
- CRTAutoInitProc (variable)
- CRTNotInitialized
- CRTSavePreviousScreen
- CRTSavePreviousScreenWorks
- Any of the parameters to GetWindow may now be 'Null'.
- Support for panels (overlapping windows): GetActivePanel, PanelNew, PanelDelete, PanelBindToBackground, PanelIsBoundToBackground, PanelActivate, PanelHide, PanelShow, PanelHidden, PanelTop, PanelBottom, PanelMoveAbove, PanelMoveBelow, PanelAbove, PanelBelow, IgnoreCursor
- Replaced the variables PCCharSet and UseControlChars by routines SetPCCharSet, GetPCCharSet, SetControlChars, GetControlChars. (@)
- SetScreenSize
- SetMonochrome
- Renamed IsMonoMode to IsMonochrome. (@)
- On ncurses platforms, changing the screen is now done through a shell command definable in the environment variable 'RESIZETERM' (which defaults to 'resize', 'SVGATextMode' and 'setfont'). The variables 'crt_setfont_command_80_25', 'crt_setfont_command_80_50', 'crt_setfont_command_40_25' and 'crt_setfont_command_40_50' (Linux only) were removed. (@)
- CRTUpdate
- CRTRedraw
- SetScroll
- CRTSetCursesMode
- RestoreTerminalClearCRT
- CtrlKey
- AltKey
- AltGrKey
- ExtraKey
- constants chCtrlA ... chCtrlZ, kbCtrlA ... kbCtrlZ
- Catch some signals and return pseudo function keys for them if CheckBreak is False.
- React to screen size changes by external events and return a pseudo function key.
- Reduced the (already small) system-dependent code, and added an overview of the few problematic features in the comment at the beginning of crt.pas.
- RegEx:
 - RegExPosFrom
 - CharSet2RegEx
 - Support for converting subexpression or complete matching references to upper or lower case while replacing them with '\u7' or '\17'.
 - In 'RegExType', the field 'Error' is now of type 'PString' rather than 'CString'. (@)
- GMP:
 - mpf_exp
 - mpf_ln
 - mpf_pow

- `mpf_arctan`
- `mpf_pi`
- The unit now works with version 4.x of the GMP library, but it also still works with version 2.x or 3.x.
- System:
 - `SetTextBuf` (B)
 - `CompToDouble` (D)
 - `DoubleToComp` (D)
 - `AllocMemCount` (D)
 - `AllocMemSize` (D)
 - `Assert` (D)
 - `DefaultAssertErrorProc`
 - `AssertErrorProc` (variable) (D)
 - `NoErrMsg` (variable) (D)
 - `RealToBPPReal`, `BPPRealToReal` to convert between binary BP compatible 6 byte reals and GPC's reals (useful, e.g., for binary file exchange with BP programs) (B)
 - `Ofs`, `Seg`, `Ptr`, `CSeg`, `DSeg`, `SSeg`, `SPtr` (mostly useless and only for BP compatibility) (B)
 - A number of variables like `SelectorInc` (mostly useless and only for BP compatibility) (B)
 - Renamed the `'__BP_INTEGERS__'` conditional to `'__BP_TYPE_SIZES__'`. (@)
 - New conditional `'__BP_PARAMSTR_0__'`
- Dos, WinDos:
 - `GetCBreak`
 - `SetCBreak`
 - `GetVerify`
 - `SetVerify`
 - Renamed the `'_Borland_16_Bit_'` conditional to `'__BP_TYPE_SIZES__'`. (@)
 - `Intr`, `MsDos`, only under DJGPP if `'__BP_UNPORTABLE_ROUTINES__'` is defined. (B)
 - `DosVersion`, `SetDate`, `SetTime`, only if `'__BP_UNPORTABLE_ROUTINES__'` is defined (emulated on non-DJGPP). (B)
- Pipe:
 - New parameter `'Process'` to `Pipe` (@)
 - `WaitPipeProcess`
- PExecute:
 - Routines moved to the `'Pipe'` unit. The `'PExecute'` unit does not exist anymore. (@)
- GetOpt:
 - `ResetGetOpt`
 - `'GetOptErrorFlag'` is now `True` by default. (@)
 - Integrated into the RTS so you don't need a `'uses GetOpt'` directive anymore. (@)
 - Renamed the variables and constants used (see `gpc.pas` under `'Command Line Option Parsing'`). (@)
 - `'GetOptLong'` can now optionally derive the short options from the `'LongOptions'` array.
- DosUnix:
 - `OEM2Latin1`

- Latin12OEM
- WinCRT:
New unit (identical to CRT) (B)
- HeapMon:
New unit for (simple) heap checking.
- Trap:
New unit for runtime error trapping.
- MD5:
New unit for computing MD5 message digests.
- FileUtils:
New unit with some file and directory utilities.
- StringUtils:
New unit with some string utilities.
- Intl:
New unit for internationalization.
- GPC-BP:
A ‘GPC’ unit for BP to provide some GPC compatibility to BP programs and make it easier to gradually convert them to GPC. (G)

A few of the units (in particular: CRT, GMP and RegEx) require libraries. The sources of the libraries, with small patches where necessary, as well as binaries for i586-pc-linux-gnu, i586-pc-linux-gnulibc1, m68k-linux, sparc-sun-solaris2, i386-pc-go32, i386-pc-cygwin32 and i386-pc-mingw32 are available from

<http://www.gnu-pascal.de/libs/>

2.5 GPC Manual

- Some very obsolete sections of the manual (e.g., the output of running the PVS test suite on an Alpha machine in 1995 ;–) were removed.
- The manual was restructured. Several partly overlapping chapters were included into the Programmer’s Guide, and the overlapping material was merged into more coherent sections.
- The BP QuickStart Guide was left a separate chapter and completed with a section about differences between BP and GPC, especially mentioning endianness issues.
- A lot of new material was added to the ‘**Programming**’ and ‘**Reference**’ chapters.
- The list of command-line options and the list of keywords for the various dialects were updated, and from now on, they are automatically kept up to date, directly from the source. The ‘**Invoking GPC**’ chapter does not contain all options inherited from GCC anymore (these can be found in the GCC manual, anyway), but rather more extensive descriptions of the most commonly used GPC options, with examples.
- The interface of all units included with GPC, together with a short description of the units, is now included in the manual. The interface, also that of the ‘GPC’ module which describes the interface to the Run Time System, is formatted more nicely, especially in the printed version of the manual.
- The ‘**Support**’ chapter was updated, now including information about GPC’s Test Suite and how to report bugs most effectively, as well as up-to-date contact information.
- The installation instructions were updated, now matching the current GPC and GCC versions.

- The FAQ, the To-Do list, and the list of new features (this one :—) were integrated into the manual.
- The list of authors in the manual was updated, and the list of contributors was included from the WWW page.
- The manual was integrated with GPC's WWW pages, i.e. most of the WWW pages were synchronized with the corresponding information in the manual, and both now contain the same information.
- The GNU Pascal Coding Standards (English, German and Croatian) have been added.
- Translation of the manual into Croatian has started.

2.6 Demo Programs

- There is a number of new demo programs to demonstrate some features of the compiler and the units. The demo programs are part of source and binary GPC distributions. After installation, they can be found in '`<prefix>/doc/gpc/demos/`'.
- The demo programs printed in the GPC Manual (currently 192, but expected to become more) are now installed as separate files, ready to be compiled, in a directory '`<prefix>/doc/gpc/docdemos/`'.

2.7 Utilities

- BP compatible '`binobj`' utility

2.8 Test Suite

The Test Suite is used to verify that all features of GPC work as expected and to reproduce bugs reported. Test programs for bugs found by users and for new features are constantly added. The test suite is part of source, not binary, GPC distributions, and it is available separately for download.

- As usual, many new tests have been added to the Test Suite.
- The Test Suite now supports '`WARN`' to check for warnings. On the other hand, '`WRONG`' tests are now run with warnings switched off to detect only real errors.
- The few checks dependent on the system or certain installed tools or libraries have been equipped with checks about the system properties, and are skipped on systems on which they are not applicable.
- The old dejagnu tests have been integrated into the Test Suite.
- '`make pascal.check`' (or '`make check-pascal`') now runs the current Test Suite (as '`make check2-gpc`' did before) rather than the (now removed) dejagnu tests. This must be done in the build directory (not the '`p`' subdirectory) or in the '`test`' subdirectory of the source directory. (@)
- The Test Suite now produces a summary output by default. To get the long output format as before, run '`make pascal.check-long`' (or '`check-pascal-long`') now. (@)
- The GPC Manual as well as the '`test/README`' file in source distributions (or '`BUGS`' in binary distributions) tells you how to run the Test Suite and describes all features of the testing environment, to make it easier for users to construct even exotic new tests, and contains some generic instructions on how to report bugs. See [Section 10.7 \[Testing\]](#), page 437, and see [Section 10.6 \[Reporting Bugs\]](#), page 435.

2.9 Legend

‘(Q)’: minor backward-incompatibility
‘(B)’: BP compatibility
‘(D)’: Delphi compatibility
‘(G)’: GPC compatibility :—)

Have fun,

The GNU Pascal Development Team

3 The GNU Pascal Frequently Asked Questions List.

Edition 0.9, August 2000

This is the Frequently Asked Questions List (FAQ) for GNU Pascal. If the FAQ and the documentation do not help you, you have detected a **bug** in it which should be reported, [Section 10.1 \[Mailing List\]](#), [page 433](#). Please really do it, so we can improve the documentation.

3.1 GNU Pascal

3.1.1 What and why?

The purpose of the GNU Pascal project is to produce a Pascal compiler (called GNU Pascal or GPC) which

- combines the clarity of Pascal with powerful tools suitable for real-life programming,
- supports both the Pascal standard and the Extended Pascal standard as defined by ISO, ANSI and IEEE (ISO 7185:1990, ISO/IEC 10206:1991, ANSI/IEEE 770X3.160-1989),
- supports other Pascal standards (UCSD Pascal, Borland Pascal, parts of Borland Delphi and Pascal-SC) in so far as this serves the goal of clarity and usability,
- may be distributed under GNU license conditions, and
- can generate code for and run on any computer for which the GNU C compiler can generate code and run on.

Pascal was originally designed for teaching. GNU Pascal provides a smooth way to proceed to challenging programming tasks without learning a completely different language.

The current release implements Standard Pascal (ISO 7185, levels 0 and 1), a large subset of Extended Pascal (ISO 10206, aiming for full compliance), is highly compatible to Borland Pascal (version 7.0) with some Delphi extensions, and provides a lot of useful GNU extensions.

3.1.2 What is the current version?

Prior to July 2000 releases were several months apart. Since then there has been a new release every few days, available as a source archive from the GPC web site, <http://www.gnu-pascal.de>.

For details about new features, see the section ‘**News**’ on the web site. On bugs fixed recently, see the ‘**Done**’ section of the To-Do list (on the same web site).

GPC uses GCC as a back-end. Patches for GCC 2.8.1 and GCC 2.95.x are provided but it is recommended that you use GCC 2.95.x.

3.1.3 Is it compatible with Turbo Pascal (R)?

GPC is not a drop-in replacement for Borland’s Turbo Pascal (R). Almost all BP language features are supported. Notable exceptions are the string format (as discussed below), or the ‘**Mem**’ and ‘**Port**’ pseudo arrays, though replacement functions for the latter on IA32 platforms exist in the ‘**Ports**’ unit.

Almost all of BP’s run time library is supported in GPC, either by built-in compiler features or in units with the same names as their BP counterparts.

For details about the compatibility, the few remaining incompatibilities and some useful alternatives to BP features, see the ‘**Borland Pascal**’ chapter in the GPC Manual. (see [Chapter 5 \[Borland Pascal\]](#), [page 43](#))

3.1.4 Which platforms are supported by GNU Pascal?

GPC uses the GCC backend, so it should run on any system that is supported by GNU CC. This includes a large variety of Unix systems, MS-DOS, OS/2 and Win32. A full list of platforms supported by GCC can be found in the file ‘INSTALL’ of the GCC distribution. Not all of these have actually been tested, but it is known to run on these platforms:

| | |
|----------------------------|----------------------------------|
| ix86-linux | (Linux 2.x, ELF) |
| i486-linuxaout | |
| i486-linuxoldld | |
| i386-freebsd1.2.0 | |
| AIX 4.2.1 | |
| AIX 4.3 | |
| DJGPP V2 | (Dos) |
| EMX 0.9B | (OS/2, Dos) |
| Cygwin32 beta20 and higher | (MS-Windows95/98, MS-Windows NT) |
| mingw32 | (MS-Windows95/98, MS-Windows NT) |
| mips-sgi-irix5.3 | |
| mips-sgi-irix6.5 | |
| sun-sparc-sunos4.1.4 | |
| sparc-sun-solaris2.x | |
| sun-sparc-solaris 2.5.1 | |
| sun-sparc-solaris 2.6 | |
| sun-sparc-solaris 7 | |
| sun-sparc-solaris 8 | |
| alpha-unknown-linux | |
| alpha-dec-osf4.0b | |
| s390-ibm-linux-gnu | |

OK people – send us your success stories, with canonical machine name!

3.2 Installing GPC

You find the most up-to-date installation instructions in the GPC Manual or the file ‘INSTALL’ in source distributions, or on the GPC web site. (see [Chapter 4 \[Installation\]](#), page 35)

The following sections describe things you might need or want to install besides GPC itself.

3.2.1 What to read next

After installing GPC, please check the files in the directory ‘/usr/local/doc/gpc’:

| | |
|---------------|------------------------------------------|
| ‘README’ | General Information about GPC |
| ‘FAQ’ | This FAQ :—) |
| ‘NEWS’ | Changes since the last release |
| ‘BUGS’ | How to report bugs, about the Test Suite |
| ‘AUTHORS’ | List of GPC authors |
| ‘COPYING’ | The GNU General Public License |
| ‘COPYING.LIB’ | The GNU Lesser General Public License |

3.2.2 Which components do I need to compile Pascal code?

A complete Pascal compiler system should at least have:

1. The actual compiler, GPC.
2. An editor, assembler, linker, librarian and friends.
3. A C library. If you have a working C compiler, you already have this.

4. A debugger, if you want to debug your programs.

For most people, the GNU binutils and GNU debugger (`'gdb'`) are a good choice, although some may prefer to use vendor specific tools.

3.2.3 How do I debug my Pascal programs?

To debug your programs, (a) GNU Pascal must be able to generate executables with debug info for your platform, and (b) you must have a debugger which understands this.

- If `'gpc -g -o hello hello.p'` says:

```
gpc: -g not supported for this platform
```

then GPC is unable to generate debugging info. Usually, installing `'gas'` (part of GNU binutils) instead of your system's assembler can overcome this. When you configure the GCC used for GPC, specify `'--with-gnu-as'`, and possibly `'--with-gnu-ld'` and/or `'--with-stabs'`. More information can be found in the `'INSTALL'` file in the GNU CC source directory.

- Your system's debugger may not understand the debug info generated by GNU tools. In this case, installing `'gdb'` may help.

The bottom line: if you can debug GCC compiled programs, you should be able to do this with GPC too.

The GNU debugger (`'gdb'`) currently does not have a "Pascal" mode, so it is unable to display certain Pascal structures etc. When debugging, please note that the Initial Letter In Each Identifier Is In Upper Case And The Rest Are In Lower Case. If you want to display variable `'foo'` in the debugger, type `'show Foo'` or `'display Foo'` instead.

Although `'gdb'` is an excellent debugger, it's user interface is not everybody's preference. If you like to debug under X11, please refer to the comp.windows.x FAQ: "Where can I get an X-based debugger?" at:

<http://www.cis.ohio-state.edu/hypertext/faq/usenet/x-faq/part6/faq-doc-2.html>

Some useful frontends include: XXGDB, tGDB and XWPE. See:

<http://www.ee.ryerson.ca:8080/~elf/xapps/Q-IV.html>

Very nice, but resource consuming is the Motif based DDD:

<http://sol.lib.cs.tu-bs.de/softech/ddd/>

Furthermore, RHIDE (see [Section 3.2.6 \[IDE\], page 26](#)) contains built-in debugging support, similar to the IDE of BP.

3.2.4 What additional libraries should I have?

You will need certain additional libraries when you compile some of the units. These can be found in the directory <http://www.gnu-pascal.de/libs/>.

Currently, there are the following libraries:

| | |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| gmp | Arithmetic for integers, rationals and real numbers with arbitrary size and precision. Used by the GMP unit. |
| rx | Regular expression matching and substitution. Used by the RegEx unit. |
| ncurses | |
| PDCurses | Screen handling. Used by the CRT unit. Depending on your system, you have the following choices: Unix: You can compile terminal applications with ncurses and applications that run in an X11 window with PDCurses (though terminal applications can, of course, also run in an xterm under X11). ncurses is used by default. If you want to use PDCurses (a.k.a. XCurse), give the option <code>'-DX11'</code> when compiling CRT. |

Dos with DJGPP and MS-Windows with mingw: Only PDCurses is available and will be used by default.

MS-Windows with Cygwin: PDCurses and ncurses are available. PDCurses is used by default. If you want to use ncurses, give the option ‘-DUSE_NCURSES’ when compiling CRT.

Other systems: Please see the ‘README’s and installation instructions of PDCurses and ncurses to find out which one(s) can be built on your system. See the conditionals at the end of crt.inc and crtc.h (and change them if necessary) on which library is used by default.

ElectricFence

This library is not used by any GPC unit. It is a debugging tool to assist you in finding memory allocation bugs. To use it, just link it to your program, either on the command line (‘-lefence’) or in the source code (‘`{L efence}`’) which you might want to put into an ‘`{ifdef DEBUG}`’ or similar since using libefence is only recommended for debugging.

The source code of the libraries is available in the main ‘libs’ directory. Most libraries come with one or several patches which should be applied before compiling them.

Binaries for some platforms are available in the ‘binary/platform’ subdirectories. If you compile the libraries for other platforms, be invited to make the binaries available to us for distribution on the web site.

There are also the following files:

‘terminfo-linux.tar.gz’

This is a patch to enable ncurses programs to make use of the ability of Linux 2.2 and newer kernels to produce a block cursor when needed. The present patch can be installed without recompiling anything, just by copying some files into place. More details can be found in the ‘README’ file included in this archive. The patch will not do any harm on older kernels. Please note that **not** only on Linux machines it is useful to install the patch. Installing them on any other machine will allow users who telnet in from a Linux console to profit from the block cursor capability. Besides, some Unix systems have installed older Linux terminfo entries or none at all, so it’s a good thing, anyway, to give them a current version. The patch is included in the terminfo database of ncurses 5.0, so if you install ncurses 5.0 (source or binary), you don’t need to get the patch separately. But you can install it on a system with an older ncurses version if you don’t feel like upgrading ncurses altogether.

‘tsort-2.9i.zip’

A little utility (extracted from util-linux-2.9i, but not Linux specific), needed for the configuration of the rx library. You need it only if you compile rx yourself (and if it’s not already present on your system), not when using a rx binary.

3.2.5 Contributed units

Several people have contributed units for GPC. They are usually announced on the mailing list, [Section 10.1 \[Mailing List\]](#), [page 433](#). Most of them can be found in <http://www.gnu-pascal.de/contrib/>.

3.2.6 Can you recommend an IDE?

Users of Borland Pascal may wonder if there’s a replacement for the IDE (Integrated Development Environment). Here’s a few suggestions:

- (X)Emacs. Some people think it's the answer to the question of Life, the Universe and Everything, others decide it's uGNUsable. Available from your friendly GNU mirror and most distributions.
- RHIDE. DJGPP users might want to try RHIDE. The latest (beta) release is compatible with GNU Pascal and allows stepping, tracing and watching like Borland's IDE. It can be downloaded from <http://www.tu-chemnitz.de/~sho/rho/rhide/rhide.html>.
- PENG. It's not free software, but it was written with GPC. It's very similar to Borland's IDE, but with many extensions. Binaries for DJGPP, Linux and Solaris can be downloaded from <http://fjf.gnu.de/peng/>.
- XWPE is another imitation of the Borland IDE, so users of Borland Pascal may find it a good alternative.

3.3 GNU Pascal on the DJGPP (MS-DOS) platform

This chapter discusses some potential problems with GNU Pascal on MS-DOS, using DJGPP.

3.3.1 What is DJGPP?

The following paragraph is from the site <http://www.delorie.com/djgpp/>:

DJGPP is a complete 32-bit C/C++ development system for Intel 80386 (and higher) PCs running DOS. It includes ports of many GNU development utilities. The development tools require a 80386 or newer computer to run, as do the programs they produce. In most cases, the programs it produces can be sold commercially without license or royalties.

3.3.2 If you need more information

GPC/DJGPP is a DJGPP V2 application, and most of the DJGPP documentation applies for GPC too. A great source of information is the DJGPP FAQ: <http://www.delorie.com/djgpp/v2faq/230b.zip>

Another place to look for DJGPP documentation is the DJGPP Knowledge Base, at this URL: <http://www.delorie.com/djgpp/doc/kb/>

3.3.3 What do I download?

As discussed in [Section 3.2.2 \[Components\]](#), [page 24](#), other than GPC itself, you need an assembler, linker and friends, a C library and possibly a debugger. The site <http://www.delorie.com/djgpp/> recommended the following files and they will help you find a mirror:

| | |
|----------------------|------------------|
| 'v2/djdev203.zip' | (C library) |
| 'v2gnu/bnu2951b.zip' | (assembler, ...) |
| 'v2gnu/gcc2952b.zip' | (gcc) |
| 'v2gnu/gdb418b.zip' | (debugger) |
| 'v2gnu/mak379b.zip' | (make) |
| 'v2gnu/txi40b.zip' | (texi) |

This list is about 10 MB not counting GPC. You can use a binary version of GPC from the web site.

3.3.4 How do I install the compiler?

If you don't have DJGPP installed on your harddisk, create a directory for GNU Pascal ('c:\gpc'), and unzip the archives. Make sure you preserve the directory structure (use 'pkunzip -d'). Now, add the directory where 'gpc.exe' lives ('c:\gpc\bin') to your path and set the DJGPP environment variable to point to your 'djgpp.env' file:

```
set DJGPP=c:\gpc\djgpp.env
```

Then, add this to your 'djgpp.env' file:

```
-----
[gpccpp]
C_INCLUDE_PATH=%/>;C_INCLUDE_PATH%%DJDIR%/lang/pascal;%DJDIR%/include

[gpc]
COMPILER_PATH=%/>;COMPILER_PATH%%DJDIR%/bin
LIBRARY_PATH=%/>;LIBRARY_PATH%%DJDIR%/lib;%DJDIR%/contrib/grx20/lib
-----
```

The binary distribution should come with a 'djgpp.env' which is already modified, so you may not have to do this.

The GPC online documentation is in GNU info format; you need the Info reader ('txi390b.zip') to read it, or use the built-in Info reader of the RHIDE or PENG IDE. To add the GPC documentation to the info directory file, edit the 'c:\gpc\info\dir' file, and locate this section:

```
-----
* GCC: (gcc.inf).
The GNU C, C++, and Objective-C Compiler

* GDB: (gdb.inf).
The GNU Debugger (gdb and gdb-dpmi).
-----
```

To add GPC, change it to look like this:

```
-----
* GCC: (gcc.inf).
The GNU C, C++, and Objective-C Compiler

* GPC: (gpc.inf).
The GNU Pascal Compiler

* GDB: (gdb.inf).
The GNU Debugger (gdb and gdb-dpmi).
-----
```

Specific information for low-memory conditions and more can be found in the DJGPP FAQ and documentation.

3.3.5 I cannot read the Info documentation!

To read the Info documentation, you need the 'info' program from 'txi390b.zip' or an IDE like RHIDE or PENG.

3.3.6 GPC says: no DPMI

You don't have a DPMI server installed, and DJGPP v2 requires it to run. You can either use one of the commercial DPMI servers (e.g., run 'gpc' in a DOS box under MS-Windows) or download and install CWSDPMI ('csdpmi3b.zip') which is a free DPMI server written for DJGPP.

3.3.7 I have troubles with assembly code

The GNU Assembler ('as.exe'), or 'gas', called by GCC accepts "AT&T" syntax which is different from "Intel" syntax. Differences are discussed in section 17.1 of the DJGPP FAQ.

A guide is available which was written by Brennan Mr. Wacko Underwood brennan@mack.rt66.com and describes how to use inline assembly programming with DJGPP, at this URL: http://www.delorie.com/djgpp/doc/brennan/brennan_att_inline_djgpp.html

There's also a GPC assembler tutorial at <http://www.gnu-pascal.de/contrib/misc/gpcasm.zip>

Section 17.3 of the DJGPP FAQ discusses some methods to convert "Intel" syntax to "AT&T" syntax.

However, please note that assembler code is unportable, i.e. it will work on IA32 ("x86") and compatible processors if written for them, but will not even compile for other processors. So by writing assembler code in your programs, you will limit their usefulness substantially.

If you think you "need" assembler code for speed – and you've checked that your assembler code actually runs faster than Pascal code compiled with suitable optimizations – you might want to put both Pascal and assembler versions of the critical sections in your program, and let, e.g., an '{`$ifdef i386`}' decide which one to use. This way, your program will at least compile on all processors.

3.3.8 Tell me how to do DPMI, BIOS and other DOS related things.

DPMI, BIOS and other functions are no different than other system functions. Refer to the GPC Manual on how to access your system's C-library. This small example shows how to use DPMI, copying some structures and function prototypes of '<dpmi.h>':

```
program DPMIDemo;

{ Only for DJGPP }

{$X+}

{ 'Byte' is 'unsigned char' in C,
  'ShortCard' is 'unsigned short' in C,
  'MedCard' is 'unsigned long' in C,
  'Word' is 'unsigned' in C,
  etc. (all these types are built-in). }

type
  TDpmiVersionRet = record
    Major      : Byte;
    Minor      : Byte;
    Flags      : ShortCard;
    CPU        : Byte;
    Master_PIC : Byte;
    Slave_PIC  : Byte;
  end;

type
  TDpmiFreeMemInfo = record
    LargestAvailableFreeBlockInBytes,
```



```

    MaximumUnlockedPageAllocationInPages,
    MaximumLockedPageAllocationInPages,
    LinearAddressSpaceSizeInPages,
    TotalNumberOfUnlockedPages,
    TotalNumberOfFreePages,
    TotalNumberOfPhysicalPages,
    FreeLinearAddressSpaceInPages,
    SizeOfPagingFilePartitionInPages,
    Reserved1,
    Reserved2,
    Reserved3: MedCard;
end;

function DpmiGetVersion (var Version: TDpmiVersionRet): Integer;
    asmname '__dpmi_get_version';

function DpmiGetFreeMemoryInformation
    (var MemInfo: TDpmiFreeMemInfo): Integer;
    asmname '__dpmi_get_free_memory_information';

var
    Version: TDpmiVersionRet;
    MemInfo: TDpmiFreeMemInfo;

begin
    if DpmiGetVersion (Version) = 0 then
    begin
        WriteLn ('CPU type:      ', Version.cpu, '86');
        WriteLn ('DPMI major:    ', Version.Major);
        WriteLn ('DPMI minor:    ', Version.Minor);
    end
    else
        WriteLn ('Error in DpmiGetVersion');
    if DpmiGetFreeMemoryInformation (MemInfo) = 0 then
        WriteLn ('Free DPMI memory: ',
            MemInfo.TotalNumberOfFreePages, ' pages.')
    else
        WriteLn ('Error in DpmiGetMemoryInformation');
    end.
end.

```

3.3.9 I got an exception when accessing an 'array [1 .. 4000000] of Byte'.

Per default, the maximum stack size of a DJGPP application is 256K. If you need more, you have to adjust it with the stubedit program, i.e.:

```
stubedit your_app.exe minstack=5000K
```

Another way is to add the following code to your program to define a minimum stack size (here: 2 MB). This value will be honored even if a user sets a lower value by using stubedit, so this method might be a little safer.

Note: The syntax given here is valid for GPC releases of May 2000 and newer.

```
{$ifdef DJGPP}
```



```

const
  MinStackSize: Cardinal = $200000; asmname '_stklen';
{$endif}

```

Still, it might be a good idea to use pointers for large structures, and allocate the memory at runtime.

DJGPP has to allocate the stack in physical memory at program startup, so one might have to be careful with too large stack limits. Most other systems allocate stack pages on demand, so the only reason to set a limit at all might be to prevent a runaway recursion from eating up all memory ...

On Unix-like systems, you can set a resource limit, but you don't do it in normal programs, but rather in the shell settings (bash: 'ulimit'; csh: 'limit'; syscall: 'setrlimit'(2)).

3.4 Strings

3.4.1 What's this confusion about strings?

Turbo Pascal strings have a length byte in front. Since a byte has the range 0 .. 255, this limits a string to 255 characters. However, the Pascal string schema, as defined in section 6.4.3.3.3 of the ISO-10206: 1990 Extended Pascal standard, is a schema record:

```

type
  String (Capacity: Integer) = record
    Length: 0 .. Capacity;
    String: packed array [1 .. Capacity + 1] of Char
  end;

```

The '+ 1' is a GPC extension to make it feasible to automatically add the '#0' terminator when passing or assigning them to CStrings. Thus at the expense of a little added complexity (must declare capacity, don't use 'GetMem' without explicit initialization of the 'Capacity' field, and the additional space requirement) you can now have very long strings.

3.4.2 Overlaying strings in variant records

Q: Should the different variants in a variant record overlay in the same memory? Previous Pascals I have used have guaranteed this, and I've got low-level code that relies on this. The variants are not the same length, and they are intended not to be.

A: No, this is intentional so that the discriminants are not overwritten, and they can be properly initialized in the first place. Consider:

```

record
  case Boolean of
    False: (s1: String (42));
    True:  (s2: String (99));
  end;

```

If the strings would overlay, in particular their discriminants would occupy the same place in memory. How should it be initialized? Either way, it would be wrong for at least one of the variants ...

So, after a discussion in comp.lang.pascal.ansi-iso where this topic came up concerning file variables (which also require some automatic initialization and finalization), we decided to do this in GPC for all types with automatic initialization and finalization (currently files and schemata, in the future this might also be Delphi compatible classes and user-defined initialized and finalized types), since the standard does not guarantee variants to overlay, anyway ...

There are two ways in GPC to get guaranteed overlaying (both non-standard, of course, since the standard does not assume anything about internal representations; both BP compatible), ‘absolute’ declarations and variable type casts. E.g., in order to overlay a byte array ‘b’ to a variable ‘v’:

```
var
  b: array [1 .. SizeOf (v)] of Byte absolute v;
```

Or you can use type-casting:

```
type
  t = array [1 .. SizeOf (v)] of Byte;
then ‘t (v)’ can be used as a byte array overlayed to ‘v’.
```

3.4.3 Why does ‘s[0]’ not contain the length?

Q: In standard Pascal you expect ‘s[1]’ to align with the first character position of ‘s’ and thus one character to the left is the length of ‘s’. Thus ‘s[0]’ is the length of ‘s’. True?

A: This holds for UCSD/BP strings (which GPC does not yet implement, but that’s planned). The only strings Standard Pascal knows are arrays of char without any length value.

GPC also supports Extended Pascal string schemata (see [Section 3.4.1 \[String schema\]](#), [page 31](#)), but they also don’t have a length byte at “position 0”, but rather a ‘Length’ field (which is larger than one byte).

3.4.4 Watch out when using strings as parameters

Q: Any “gotchas” with string parameters?

A: Be careful when passing string literals as parameters to routines accepting the string as a value parameter and that internally modify the value of the parameter. Inside the routine, the value parameter gets a fixed capacity – the length of the string literal that was passed to it. Any attempt to assign a longer value will not work.

This only applies if the value parameter is declared as ‘String’. If it is declared as a string with a given capacity (e.g., ‘String (255)’), it gets this capacity within the routine.

3.4.5 Support for BP compatible short strings

Q: Two different kinds of strings with the same name – ‘String’ – does make a bit of confusion. Perhaps the oldstyle strings could be renamed ‘short string’?

A: When we implement the short strings, we’ll have to do such a distinction. Our current planning goes like this:

‘String (n)’: string schema (EP compatible)

‘String [n]’: short string (UCSD/BP compatible, where *n* must be ≤ 255)

‘String’: dependent on flags, by default indiscriminated schema, but in BP mode (or with a special switch) short string of capacity 255 (UCSD/BP compatible).

Q: So when will these short strings be available?

A: It’s been planned for over a year. The delay has been caused by more pressing problems.

3.4.6 What about C strings?

A C string (‘char *’) is an array of char, terminated with a ‘#0’ char.

C library functions require C, not Pascal style string arguments. However, Pascal style strings are automatically converted to C style strings when passed to a routine that expects C style strings. This works only if the routine reads from the string, not if it modifies it.

E.g., this is how you could access the ‘`system()`’ call in your C library (which is not necessary anymore, since ‘`Execute`’ is already built-in):

```
program SysCall;

function System (Name: CString): Integer; asmname 'system';

var
    Result: Integer;

begin
    Result := System ('ls -l');
    WriteLn ('system() call returned: ', Result)
end.
```

You could use the type ‘`PChar`’ instead of ‘`CString`’. Both ‘`CString`’ and ‘`PChar`’ are predefined as ‘`^Char`’ – though we recommend ‘`CString`’ because it makes it clearer that we’re talking about some kind of string rather than a single character.

A lot of library routines in Pascal for many applications exist in the GPC unit and some other units. Where available, they should be preferred (e.g. ‘`Execute`’ rather than ‘`system()`’, and then you won’t have to worry about ‘`CString`’s.)

Do **not** pass a C style string as a ‘`const`’ or ‘`var`’ argument if the C prototype says ‘`const char *`’ or you will probably get a segfault.

3.5 Getting Help

Please read the GPC Manual (info files or other formats) as well as the ‘`README`’ and ‘`BUGS`’ files that come with GPC (usually installed in directory ‘`/usr/local/doc/gpc`’), plus other docs that might help (the DJGPP FAQ if you use DJGPP, etc.) before you send email to the maintainers or mailing list.

In particular, the ‘`BUGS`’ file contains information on how to submit bug reports in the most efficient way.

The ‘`Support`’ chapter of the GPC Manual tells you where to find more information about GPC and how to contact the GPC developers. (see [Chapter 10 \[Support\]](#), page 433)

3.6 Miscellaneous

3.6.1 I want to contribute; where do I start?

If you want to contribute, please write to the mailing list, [Section 10.1 \[Mailing List\]](#), page 433.

3.6.2 Where is the GNU Pascal web site?

The GPC homepage on the web, for information and downloads, is <http://www.gnu-pascal.de>.

The GPC To-Do list, listing the latest features and fixed bugs can also be found there.

3.6.3 About this FAQ

Current Maintainer: Russ Whitaker russ@ashlandhome.net

This is the second incarnation of the GNU Pascal FAQ list, based on the previous FAQ by J.J. van der Heijden. Comments about, suggestions for, or corrections to this FAQ list are welcome.

Please make sure to include in your mail the version number of the document to which your comments apply (you can find the version at the beginning of this FAQ list).

Many people have contributed to this FAQ, only some of them are acknowledged above. Much of the info in, and inspiration for this FAQ list was taken from the GPC mailing list traffic, so you may have (unbeknownst to you) contributed to this list.

4 How to download, compile and install GNU Pascal.

This chapter covers:

- Downloading GPC sources or binaries
- Installation instructions for a GPC binary distribution
- Compilation of the source distribution on a Unix system
- Compilation notes for specific platforms
- Building and installing a cross-compiler
- Crossbuilding a compiler

4.1 Where and what to download

The master server for GNU Pascal is

<http://www.gnu-pascal.de>

Official and beta releases of the compiler with sources and binaries for many platforms as well as other GNU Pascal related files can be found there.

You can find binary distributions for many platforms in the subdirectory ‘binary’. The archive files are named ‘*gpc-version.platform.extension*’ – for example ‘*gpc-2.1.alpha-unknown-linux-gnu.tar.gz*’ for GPC version 2.1 on an Alpha workstation running the Linux kernel with GNU C Library, or ‘*gpc-20000616.i586-pc-djgppv201.zip*’ for GPC version 20000616 on an i586 PC running DOS with DJGPP version 2.01.

After you have downloaded the correct archive file for your platform, please read the installation notes on how to install such a binary distribution.

If you are running Dos or MS Windows, you will need additional tools – see “What else to download and where” below.

Current snapshots

GNU Pascal is subject to steady development. You can download the current snapshot (source only, use at your own risk) from:

<http://www.gnu-pascal.de/current/>

What else to download and where

When you are using GNU Pascal on a DOS system, you will need either the DJGPP or the EMX development environment (see below). On an OS/2 system, you will need EMX. On an MS Windows 95/98/NT system you will need either the CygWin or the mingw32 environment.

GNU Pascal uses the compiler back-end from the GNU Compiler Collection, GNU CC or GCC. If you want to compile GPC, you will need the source of GCC as well as the source of GPC itself. From the same place as GPC, please download GCC ‘2.95.x’. (It is also available from any GNU mirror; see <http://www.gnu.org/software/gcc/>.)

Libraries

For some of GPC’s units, you will need some standard libraries. In particular:

| Unit | Platform | Library |
|------|-----------------|-------------------------|
| CRT | Unix/terminal | ncurses >= 5.0 (1), (2) |
| CRT | Unix/X11 | PDCurses (2) |
| CRT | Dos, MS-Windows | PDCurses (3) |
| GMP | any | gmp |

| | | |
|-----------------------------|--------------------------------|--------------------------------|
| RegEx (debugging) | any Unix, MS-Windows | rx ElectricFence (4) |
|-----------------------------|--------------------------------|--------------------------------|

Notes:

(1) ncurses version 5.0 or newer is strongly recommended because older versions contain a bug that severely affects CRT programs.

(2) You can install both ncurses and PDCurses on a Unix system, and choose at compile time whether to generate a terminal or X11 version of your program.

(3) ncurses also runs under MS-Windows with CygWin (not mingw32, however), but doesn't appear to behave much differently from PDCurses on that platform.

(4) ElectricFence is not used by any unit, but can be used for debugging memory allocation bugs by simply linking it (see the accompanying documentation).

You can find those libraries on many places on the Net. Also, many GNU/Linux distributions, DJGPP mirrors and other OS distributions already contain some of the libraries. In any case, you can find the sources of the libraries (sometimes together with patches that you should apply before building if you choose to build from the sources) and binaries for some platforms in

<http://www.gnu-pascal.de/libs/>

DJGPP

DJGPP is available from any SimTel mirror in the 'gnu/djgpp' subdirectory; for addresses look into **the DJGPP FAQ**. To use GNU Pascal you need at least

- the C library, 'v2/djdev201.zip', and
- 'binutils' (assembler, etc.), 'v2gnu/bnu270b.zip'.

We also recommend you to get:

- the 'make' utility, 'v2gnu/mak375b.zip'
- the GNU debugger, 'v2gnu/gdb416b.zip'
- the DJGPP FAQ, 'v2faq/faq211b.zip'
- the GRX graphics library, <http://www.gnu.de/software/GRX/>
- PENG, <http://fjf.gnu.de/peng/>, an integrated development environment, similar to BP's one, written in GNU Pascal, or
- RHIDE, 'v2app/rhide.zip', another integrated development environment.

EMX

EMX is an environment for creating 32-bit applications for DOS and OS/2. It is available from:

<http://www.leo.org/pub/comp/os/os2/leo/gnu/emx+gcc/index.html>

To develop EMX programs with GNU Pascal you need at least

- the EMX runtime package, 'emxrt.zip',
- the EMX development system, 'emxdev*.zip', and
- the GNU development tools, 'gnudev*.zip'.

If your DOS box has DPMI (it does if you are using MS Windows or OS/2) you will also need RSX, available from the same sites as EMX in the subdirectory 'rsxnt'.

The GNU development tools contain the GNU C compiler which is in fact not needed to use GNU Pascal. However, the C library *is* needed.

CygWin

CygWin is an environment which implements a POSIX layer under MS Windows, giving it large parts of the functionality of Unix. CygWin contains development tools such as an assembler, a linker, etc. GPC needs for operation. More information about CygWin can be found at

<http://cygwin.com>

mingw32

The Minimalists' GNU Win32 environment, mingw32, allows a large number of Unix programs – including GPC and GCC – to run under MS Windows 95/98/NT using native MS libraries. mingw32 resources can be found at

<http://www.mingw.org>

4.2 Installation instructions for a GPC binary distribution

To install a binary distribution, `cd` to the root directory and unpack the archive while preserving the stored directory structure. Under a Unix compatible system with GNU `tar` installed, the following (performed as 'root') will do the job:

```
# cd /
# tar xzf archive.tar.gz
```

If you are using a 'tar' utility other than GNU `tar`, it might be necessary to do the above in an explicit pipe:

```
# cd /
# gzip -c -d archive.tar.gz | tar xf -
```

If you want to install a GPC binary distribution in another directory than it was prepared for (for example, if you do not have root access to the computer and want to install GPC somewhere under your home directory), you can do the following:

- Unpack the archive file in a directory of your choice (see above).
- 'cd' to the "prefix" directory of the distribution (for instance 'usr/local').
- Run the script `install-gpc-binary`, available from <http://www.gnu-pascal.de/current/binary/>.
- Follow the instructions in the script.

To install a ZIP archive under DOS with 'PKunzip', 'cd' to the appropriate directory (usually '\ ' for EMX, '\DJGPP' for DJGPP), then call 'PKunzip' with the '-d' option:

```
C:\> cd djgpp
C:\DJGPP> pkunzip -d archive.zip
```

where 'archive.zip' is the name of the distribution file.

For DJGPP you must edit your 'djgpp.env' in the 'DJGPP' directory to complete the installation: Please copy the entries from '[gcc]' to create a new '[gpc]' section. The result may look as follows:

```
[gcc]
COMPILER_PATH=%/>;COMPILER_PATH%%DJDIR%/bin
LIBRARY_PATH=%/>;LIBRARY_PATH%%DJDIR%/lib

[gpc]
COMPILER_PATH=%/>;COMPILER_PATH%%DJDIR%/bin
LIBRARY_PATH=%/>;LIBRARY_PATH%%DJDIR%/lib
```


If you are using the DJGPP version of GPC but do not have a ‘DJGPP’ directory, please download and install DJGPP (see [Section 4.1 \[Download\]](#), page 35).

Binary distributions include ‘libgcc.a’ and ‘specs’, files that are normally part of GCC. If you have GCC installed, they will be replaced unless you manually install the archive.

4.3 Compiling GPC

The preferred way to distribute GNU software is distribution of the source code. However, it can be a non-trivial exercise to build GNU Pascal on some non-Unix systems, so we also provide ready-to-run binaries for a number of platforms. (See [Section 4.2 \[Binary Distributions\]](#), page 37 for how to install a binary distribution.)

GPC is based on the GNU Compiler Collection, GNU CC or GCC. You will need the GCC sources to build it. It must be the same version as the one GPC is implemented with – 2.95.x as of this writing. Although you need GCC to build the GNU Pascal compiler, you don’t need GCC to compile Pascal programs once GNU Pascal is installed. (However, using certain libraries will require compiling C wrappers, so it is a good idea to install the C compiler as well.)

Because GNU Pascal shares its back-end with GCC, it should run on any system supported by GCC. A full list of platforms supported by GCC can be found in [section “Chapter 4” in “Using and Porting GNU CC”](#).

The GCC source can be obtained from any mirror of the GNU FTP site, <ftp://ftp.gnu.org/gnu/gcc/>. The “core” distribution is sufficient for GPC.

Here is the generic procedure for installing GNU Pascal on a Unix system. See [Section 4.4 \[Compilation Notes\]](#), page 40 for extra information needed to install GPC on DOS-like platforms.

1. Checking the prerequisites

Make sure that GNU make is installed. (In the following, we will simply speak of ‘make’ when invoking GNU make; you might need to call ‘gmake’ instead.)

For extracting the example programs from the documentation to the ‘doc/docdemos’ directory a non-crippled ‘sed’ is needed. GNU sed is known to work.

If you want to build the GPC WWW pages you will also need: ‘texi2html’ version 1.61 (older versions are missing some needed features; newer versions suffer from a bug), ‘texi2dvi’, \TeX , ‘gzip’, ‘dvips’, ‘dviselect’, and ‘dviconcat’.

If you run into trouble during the installation process, please check whether you are using outdated versions of the required utilities and upgrade if necessary.

The GNU versions of the packages above are available from [the GNU FTP server](#) or any of its mirrors. Package *package* is usually located in the directory ‘gnu/package’.

2. Unpacking the source

From a directory of your choice (e.g. ‘/home/fred’), unpack the GCC and GNU Pascal source distributions. This will create separate subdirectories for GCC and GPC. Let us assume ‘gcc-2.95.1’ and ‘gpc-20000535’ in this example.

```
% cd /home/fred
% gzip -c -d gcc-core-2.95.1.tar.gz | tar xf -
% gzip -c -d gpc-20000535.tar.gz | tar xf -
```

‘cd’ to the GPC directory and move the contents (a subdirectory ‘p’) to the subdirectory ‘gcc’ of the GCC directory:

```
% cd /home/fred/gpc-20000535
% mv p /home/fred/gcc-2.95.1/gcc/
```

It is recommended, though not required, to use a separate directory for building the compiler, rather than compiling in the source directory. In this example, let us create ‘/home/fred/gpc-build’ for this purpose:


```
% mkdir /home/fred/gpc-build
```

If you use a separate directory, you do not need to write into the GCC source directory once you have patched the GCC source (see below), and can build GPC for more than one platform from the same source tree.

In case you are re-using a directory where you have already built GCC and/or GPC for a different target machine, do ‘make distclean’ to delete all files that might be invalid. One of the files this deletes is ‘Makefile’; if ‘make distclean’ complains that ‘Makefile’ does not exist, it probably means that the directory is already suitably clean.

3. Configuring and building GCC

GNU Pascal is automatically configured with GCC. Configuration of GCC is treated in depth in [section “Chapter 4” in “Using and Porting GNU CC”](#). The normal procedure is as follows:

‘cd’ to the GPC build directory. From there, run the ‘configure’ script in the GCC source directory:

```
% cd /home/fred/gpc-build
% /home/fred/gcc-2.95.1/configure --enable-languages=pascal
```

This creates all the necessary config files, links and Makefile in the GCC object directory.

Note 1: The configuration will prompt you for patching the GCC source for GPC support, so you need write access to that directory. All changes to GCC are surrounded by ‘#ifdef GPC ... #endif’, so they should not interfere when you build a C compiler from this source tree.

Note 2: The ‘--enable-languages=pascal’ option means that we only want to build the Pascal compiler and not, for instance, the C++ compiler.

Note 3: The standard base directory for installing GCC and GPC is ‘/usr/local’. If you want to install files to an alternate directory *dir*, specify ‘--prefix=*dir*’ when you run ‘configure’.

4. Putting other GNU tools in place

Some environments require other GNU tools (such as the GNU assembler or linker) instead of the standard system tools for GCC to work. (See the GCC installation instructions for details.) If this is the case for your system, install the required tools in the GPC build directory under the names ‘as’, ‘ld’, or whatever is appropriate. This will enable the compiler to find the proper tools for compilation of the program ‘enquire’ (a part of GCC) and to install the GNU tools to a place where they are found by GCC but do not interfere with the standard system tools.

Alternatively, you can do subsequent compilation using a value of the PATH environment variable such that the necessary GNU tools come before the standard system tools.

5. Compiling GPC

Once you are satisfied with the configuration as determined by ‘configure’, you can build the compiler:

```
% make
```

Notice that this procedure will build the C compiler (and maybe some other compilers) too, because that is used to compile the GPC runtime library.

Optionally, you may supply CFLAGS, LDFLAGS or RTSFLAGS. CFLAGS is used for compiler and RTS, RTSFLAGS are for RTS only, i.e.: ‘make CFLAGS="-O2" RTSFLAGS=-Wall’

6. Completing the installation

When everything has been compiled, you can check the installation process with:

```
% make -n install
```

To complete the installation, run the command ‘make install’. You need write access to the target directories (‘/usr/local/bin’, ‘/usr/local/lib’, ‘/usr/local/info’, ‘/usr/local/doc’, and ‘/usr/local/man’ in this example), so this is usually done as ‘root’:

```
% su -c "make install"
```

If you want to install *only* the Pascal compiler (for example if you already have the correct version of GCC installed), `cd` to the `gcc` subdirectory of the build directory (e.g. `/home/fred/gpc-build/gcc`) and run `make pascal.install`. This installation process does **not** overwrite existing copies of `libgcc.a` or `specs`, should they exist.

There is a (partial) translation of the GPC manual into Croatian available now. It is not installed by default. If you want to install it, do a `pascal.install-hr` in the `gcc` directory. This will install the manpage `gpc-hr.1` and the info documentation `gpc-hr.info*`. Other formats like PS, PDF and HTML can be built manually (it's also easy to add appropriate make targets for them when needed).

Also from the `gcc` subdirectory you can do some more “exotic” builds. For instance, you can build the GPC WWW pages by typing `make pascal.html` or a binary distribution by typing `make pascal.bindist`. See the `Makefile` in that directory for more examples.

4.4 Compilation notes for specific platforms

4.4.1 MS-DOS with DJGPP

The only compiler that is capable of compiling the GNU Compiler Collection (GNU CC or GCC) under MS-DOS is GCC itself. In order to compile GPC or GCC for MS-DOS with DJGPP you will therefore need either a working copy of DJGPP installed, or you will have to cross-build from a non-MS-DOS system.

Building GPC under MS-DOS with DJGPP follows the same scheme as building GPC under a Unix-like system: Place the `p` subdirectory in the `gcc` directory and follow the instructions for compiling GCC. This requires `bash` and many other tools installed, and you must be very careful at many places to circumvent the limitations of the DOS platform.

Our preferred way to build GPC for DJGPP is to cross-build it from a Unix-like platform – which is much easier. For instructions, see [Section 4.5 \[Cross-Compilers\]](#), page 41 and [Section 4.6 \[Crossbuilding\]](#), page 41.

4.4.2 MS-DOS or OS/2 with EMX

EMX is a free 32-bit DOS extender which adds some properties of Unix to MS-compatible DOS and IBM's OS/2 operating systems.

As of this writing, we are not aware of current versions of GCC for EMX, and EMX support in GPC has not been maintained. Please contact us if you know about recent development in EMX and are interested in continuing EMX support in GPC.

4.4.3 MS Windows 95/98/NT

There are two ports of the GNU development tools to MS Windows 95/98/NT: CygWin and mingw32.

The CygWin environment implements a POSIX layer under MS Windows, giving it large parts of the functionality of Unix. Thus, compiling GCC and GPC under the CygWin environment can be done following the instructions for compiling it under a Unix-like system (see [Section 4.3 \[Compiling GPC\]](#), page 38).

The Minimalists' GNU Win32 environment, mingw32, uses the native `crtdll.dll` library of MS Windows. It is much smaller than CygWin, but it is not self-hosting and must be crossbuilt from another system (see [Section 4.6 \[Crossbuilding\]](#), page 41).

4.5 Building and Installing a cross-compiler

GNU Pascal can function as a cross-compiler for many machines. Information about GNU tools in a cross-configuration can be found at `'ftp://ftp.cygnum.com/pub/embedded/crossgcc/'`.

Since GNU Pascal generates assembler code, you need a cross-assembler that GNU Pascal can run, in order to produce object files. If you want to link on other than the target machine, you need a cross-linker as well. It is straightforward to install the GNU binutils to act as cross-tools – see the installation instructions of the GNU binutils for details.

You also need header files and libraries suitable for the target machine that you can install on the host machine. Please install them under `'prefix/platform/include/'`, for instance `'/usr/local/i386-pc-msdosdjgpp/include/'` for a cross-compiler from a typical Unix-like environment to MS-DOS with DJGPP.

Configuration and compilation of the compiler can then be done using the scripts `'cfgpc'` and `'mkgpc'` which are included in the source distribution in the subdirectory `'p/script'`. Please call them with the `'-h'` option for instructions.

4.6 Crossbuilding a compiler.

Using a cross-compiler to build GNU Pascal results in a compiler binary that runs on the cross-target platform. This is called “crossbuilding”. A possible reason why anybody would want to do this, is when the platform on which you want to run the GNU Pascal compiler is not self-hosting. An example is mingw32.

To crossbuild GNU Pascal, you have to install a cross-compiler for your target first, see [Section 4.5 \[Cross-Compilers\], page 41](#).

As when building a cross-compiler, configuration and compilation of the compiler can be done using the scripts `'cfgpc'` and `'mkgpc'` which are included in the source distribution in the subdirectory `'p/script'`. Please call them with the `'-h'` option for instructions.

5 A QuickStart Guide from Borland Pascal to GNU Pascal.

This chapter is intended to be a QuickStart guide for programmers who are familiar with Borland Pascal.

Throughout the manual, we talk of “Borland Pascal” or “BP” for short, to refer to Borland Pascal version 7 for Dos protected mode. Other versions of Borland Pascal and Turbo Pascal don’t differ too much, but this one was the very last Dos version Borland has published, so in most if not all cases, you can safely substitute the version you’re familiar with.

“Borland Pascal” and “Turbo Pascal” are registered trademarks of Borland Inc.

5.1 BP Compatibility

GNU Pascal (GPC) is compatible to version 7 of Borland Pascal (BP) to a large extent and comes with portable replacements of the BP standard units.

However, BP is a 16-bit compiler while GPC is a 32/64-bit compiler, so the size of the ‘**Integer**’ type, for instance, is 16 bits in BP, but at least 32 bits in GPC. If a BP program has been designed with portability in mind from the ground up, it may work with GPC without any change. Programs which rely on byte order, on the internals or sizes of data types or which use unportable things like interrupts and assembler code, will need to be changed. The following section lists the possible problems with solutions.

The GPC Run Time System (RTS) is fairly complete, and you can use all libraries written for GNU C from GNU Pascal, so there is much less need to use unportable constructs than there was in BP. (For example, BP’s Turbo Vision library uses assembler to call a local procedure through a pointer. With GPC you can do this in Pascal just as with global procedures.) Please do not throw away the advantage of full portability by sticking to those workarounds.

We have successfully ported real-world projects (with several 10000s of lines) from BP to GPC, so this is possible for you, too.

5.2 BP Incompatibilities

This sections lists the remaining incompatibilities of GPC to BP, and the problems you might encounter when porting BP programs from 16-bit Dos to other platforms, and gives solutions for them.

By *incompatibilites* we mean problems that can arise when trying to compile a valid BP program with GPC. Of course, there are many features in GPC that BP doesn’t know, but we call them extensions unless they can break valid BP programs, so they are not mentioned here. The subsequent sections of the ‘**Borland Pascal**’ chapter mention a number of useful extensions that you might want to know about but which will not break your BP code.

Some of the differences can be “overcome” by command-line switches. As a summary:

```
--borland-pascal -w --uses=System -D__BP_TYPE_SIZES__ --pack-struct
-D__BP_RANDOM__ -D__BP_UNPORTABLE_ROUTINES__ -D__BP_PARAMSTR_0__
```

But please read the following notes, and don’t use these switches indiscriminately when not necessary. There are reasons why they are not GPC’s defaults.

5.2.1 String type

GPC’s internal string format (Extended Pascal string schema) is different from BP’s. BP compatible *short strings* will be implemented in GPC soon, but in the meantime, you’ll have to live with the difference. In general, GPC’s format has many advantages (no length limit of 255 characters, constant and reference parameters always know about their capacity, etc.), but you will see differences if you:

- declare a variable as `'String'` without a capacity. However, GPC will assume 255 then (like BP) and only warn about it (and not even this when using `'--borland-pascal'`, see below), so that's not a real problem. The “clean” way, however, is to declare `'String [255]'` when you mean so (but perhaps you'll prefer `'String (2000)'`? :-).
- access “character 0” which happens to hold the length in BP. This does not work with string schemata. Use `'Length'` to get the length, and `'SetLength'` to modify it.
- try to `'FillChar'` a string, e.g. `'FillChar (StringVar, 256, 0);'`, which would overwrite the `'Capacity'` field. Using `'FillChar (StringVar[1], ...);'` is alright since it accesses the characters of the string, not the `'Capacity'` and `'Length'` fields. If you want to set the length to zero, use `'SetLength'` (see above) or simply assign an empty string (`'StringVar := '''`). This is more efficient than clearing all the characters, anyway, and has the same effect for all normal purposes.
- try to read or write strings from/to *binary* files (`'Text'` files are no problem). You will have to rewrite the code. If you also want to get rid of the 255 character limit and handle endianness issues (see below) in one go, you can use the `'ReadStringLittleEndian'` etc. routines (see [Section 7.13 \[Run Time System\]](#), page 128), but if you need BP compatible strings (i.e., with a one-byte length field) in data files, you cannot use them (but you can easily modify them for this purpose).

5.2.2 Qualified identifiers

GPC does not yet support *qualified identifiers*. They will be implemented soon. In the meantime, just don't use them, sorry. (In general, using the same global identifier in different units can easily be confusing, so it's not bad practice to avoid this, anyway.)

5.2.3 Assembler

GPC's inline assembler is not compatible to BP's. It uses *AT&T syntax*, supports a large variety of processors and works together with GPC's optimizer. So, either convert your inline assembly to AT&T syntax, or (usually better) to Pascal, or put it into an external file which you can assemble with your favourite (32 bit) assembler. A tutorial for using the GPC inline assembler is available at

<http://www.gnu-pascal.de/contrib/misc/gpcasm.zip>

Since many things you usually do with assembler in BP are provided by GPC's Run Time System (RTS), you will not need the inline assembler as often as in BP. (See [Section 5.23 \[Portability hints\]](#), page 61.)

The same applies to BP's `'inline'` directive for hand-written machine code. GPC's `'inline'` directive works for Pascal routines (see [Section 5.21 \[Miscellaneous\]](#), page 59), so you'll have to convert any hand-written machine code to Pascal (and thereby make it more readable, portable and easier to maintain while still getting the performance of inline code).

5.2.4 Move; FillChar

GPC supports `'Move'` and `'FillChar'`, and they're fully BP compatible. However, some data structures have different internal formats which may become relevant when using these procedures. E.g., using `'Move'` on file variables does not work in GPC (there are reasons why assigning file variables with `':='` is not allowed in Pascal, and circumventing this restriction with `'Move'` is not a good idea). For other examples, see [Section 5.2.1 \[String type\]](#), page 43, [Section 5.2.5 \[Real type\]](#), page 45, and [Section 5.2.11 \[Endianness assumptions\]](#), page 46.

5.2.5 Real type

GPC does not support BP's 6-byte 'Real' type. It supports 'Single', 'Double' and 'Extended' which, at least on the IA32 and some other processors, are compatible to BP.

For BP's 6-byte 'Real' type, GPC's 'System' unit provides an emulation, called 'BReal', as well as conversion routines to GPC's 'Real' type (which is the same as 'Double'), called 'RealToBReal' and 'BRealToReal'. You'll probably only need them when reading or writing binary files containing values of the BP 6-byte real type. There are no operators (e.g., '+') available for 'BReal', but since GPC supports operator overloading, you could define them yourself (e.g., convert to 'Real', do the operation, and convert back). Needless to say that this is very inefficient and should not be done for any serious computations. Better convert your data after reading them from the file and before writing them back, or simply convert your data files once (the other types are more efficient even with BP on any non-prehistoric processor, anyway).

5.2.6 Graph unit

A mostly BP compatible 'Graph' unit exists as part of the 'GRX' package. It is known to work under DJGPP, Cygwin, mingw, Linux/IA32 with svgalib, and should work under any Unix system with X11 (tested under Linux, Solaris, AIX, etc.).

There is a small difference in the color numbering, but it should be easy to work-around: You can't assume, e.g., that color 1 is always blue, and 2 is green, etc. On a system with 15 or more bits of color depth (i.e., 32768 or more colors, which most PCs today have), they will all be very dark shades of blue. This is not really a bug, but simply a property of modern high colors modes (whereas BP's 'Graph' unit was only designed for 16 and 256 color modes).

However, the names 'Blue', 'Green' etc. stand for the correct colors in the 'Graph' unit of GRX. They are no constants, but functions (because the color depth is in general not known until runtime), so you can't use them in contexts where constants are expected. Also, they might conflict with the identifiers of the 'CRT' unit if you use both units at the same time. If you want to use computed color values in the range 0 . . . 15, you can translate them to the correct colors using the 'EGAColor' function.

5.2.7 OOP units

The OOP stuff (Turbo Vision etc.) is not yet completed, but work on several projects is underway. If you want information about the current status or access to development source, please contact the GPC mailing list.

5.2.8 Keep; GetIntVec; SetIntVec

The routines 'Keep', 'GetIntVec' and 'SetIntVec' in the 'Dos' unit do not even make sense on DJGPP (32 bit Dos extender). If your program uses these, it is either a low-level Dos utility for which porting to a 32 bit environment might cause bigger problems (because the internal issues of DPMI become relevant which are usually hidden by DJGPP), or it installs interrupt handlers which will have to be thought about more carefully because of things like locking memory, knowing about and handling the differences between real and protected mode interrupts, etc. For these kinds of things, we refer you to the DJGPP FAQ (see [section "DJGPP FAQ" in the DJGPP FAQ](#)).

5.2.9 TFDDs

The internal structure of file variables ('FileRec' and 'TextRec' in BP's 'Dos' unit and 'TFileRec' and 'TTextRec' in BP's 'WinDos' unit) is different in GPC. However, as far as *Text*

File Device Drivers (TFDDs) are concerned, GPC offers a more powerful mechanism. Please see the RTS reference (see [Section 7.13 \[Run Time System\]](#), [page 128](#)), under ‘`AssignTFDD`’.

5.2.10 `Mem`; `Port`; `Ptr`; `Seg`; `Ofs`; `PrefixSeg`; etc.

Those few routines in the ‘`System`’ unit that deal with segmented pointers (e.g., ‘`Ptr`’) are emulated in such a way that such ugly BP constructs like

```
PInteger (Ptr (Seg (a), Ofs (a) + 6 * SizeOf (Integer)))^ = 42
```

work in GPC, but they do not provide access to absolute memory addresses. Neither do ‘`absolute`’ variables (which take a simple address in the program’s address space in GPC, rather than a segmented address), and the ‘`Mem`’ and ‘`Port`’ arrays don’t exist in GPC.

As a replacement for ‘`Port`’ on IA32 processors, you can use the routines provided in the ‘`Ports`’ unit, [Section 7.14.12 \[Ports\]](#), [page 226](#). If you want to access absolute memory addresses in the first megabyte under DJGPP, you can’t do this with normal pointers because DJGPP programs run in a protected memory environment, unless you use a dirty trick called *near pointer hack*. Please see the DJGPP FAQ (see [section “DJGPP FAQ” in the DJGPP FAQ](#)) for this and for other ways.

For similar reasons, the variable ‘`PrefixSeg`’ in the ‘`System`’ unit is not supported. Apart from *TSRs*, its only meaningful use in BP might be the setting of environment variables. GPC provides the ‘`SetEnv`’ and ‘`UnSetEnv`’ procedures for this purpose which you can use instead of any BP equivalents based on ‘`PrefixSeg`’. (However note that they will modify the program’s own and its child’s environment, not its parent’s environment. This is a property – most people call it a feature – of the environments, including DJGPP, that GPC compiled programs run in.)

5.2.11 Endianness assumptions

GPC also runs on big-endian systems (see [Section 7.2.11.1 \[Endianness\]](#), [page 105](#)). This is, of course, a feature of GPC, but might affect your programs when running on a big-endian system if they make assumptions about endianness, e.g., by using type casts (or ‘`absolute`’ declarations or variant records misused as type casts) in certain ways. Please see the demo program ‘`absdemo.pas`’ for an example and how to solve it.

Endianness is also relevant (the more common case) when exchanging data between different machines, e.g. via binary files or over a network. Since the latter is not easily possible in BP, and the techniques to solve the problems are mostly the same as for files, we concentrate on files here.

First, you have to choose the endianness to use for the file. Most known data formats have a specified endianness (usually that of the processor on which the format was originally created). If you define your own binary data format, you’re free to choose the endianness to use.

Then, when reading or writing values larger than one byte from/to the file, you have to convert them. GPC’s Run Time System supports this by some routines. E.g., you can read an array from a little-endian file with the procedure ‘`BlockReadLittleEndian`’, or write one to a big-endian file with ‘`BlockWriteBigEndian`’. *Note:* The endianness in the procedure names refers to the file, not the system – the routines know about the endianness of the system they run on, but you have to tell them the endianness of the file to use. This means you do not have to (and must not) use an ‘`ifdef`’ to use the version matching the system’s endianness.

When reading or writing records or other more complicated structures, either read/write them field by field using ‘`BlockReadBigEndian`’ etc., or read/write them with the regular ‘`BlockRead`’ and ‘`BlockWrite`’ procedures and convert each field after reading or before writing using procedures like ‘`ConvertFromBigEndian`’ or ‘`ConvertToLittleEndian`’ (but remember, when writing, to undo the conversion afterwards, if you want to keep using the data – this is not necessary with ‘`BlockWriteLittleEndian`’ etc.).

Especially for strings, there are ready-made procedures like `ReadStringBigEndian` or `WriteStringLittleEndian` which will read/write the length as a 64 bit value (much space for really long strings :-)) in the given endianness, followed by the characters (which have no endianness problem).

All these routines are described in detail in the RTS reference (see [Section 7.13 \[Run Time System\], page 128](#)), under ‘endianness’. The demo program `endiandemo.pas` contains an example on how to use these routines.

5.2.12 - -borland-pascal - disable GPC extensions

GPC warns about some BP constructs which are especially “dirty”, like misusing typed constants as initialized variables. GPC also supports some features that may conflict with BP code, like macros. The command line option `--borland-pascal` disables both, so you might want to use it for a first attempt to compile your BP code under GPC. However, we suggest you try compiling without this switch and fixing any resulting problems as soon as you’ve become acquainted with GPC.

5.2.13 -w - disable all warnings

Even in `--borland-pascal` mode, GPC may warn about some dangerous things. To disable all warnings, you can use the `-w` option (note: lower-case ‘w’!). This is not recommended at all, but you may consider it more BP compatible ...

5.2.14 - -uses=System - Swap; HeapError; etc.

A few exotic BP routines and declarations (e.g., `Swap` and `HeapError`) are contained in a `System` unit, [Section 7.14.17 \[System\], page 241](#), which GPC (unlike BP) does not automatically use in each program. To use it, you can add a `uses System;` clause to your program. If you don’t want to change your code, the command line option `--uses=System` will do the same.

5.2.15 -D__BP_TYPE_SIZES__ - small integer types etc.

Since GPC runs on 32 and 64 bit platforms, integer types have larger sizes than in BP. However, if you use the `System` unit (see [Section 5.2.14 \[-uses=System - Swap; HeapError; etc.\], page 47](#)) and define the symbol `__BP_TYPE_SIZES__` (by giving `-D__BP_TYPE_SIZES__` on the command line), it will redeclare the types to the sizes used by BP. This is less efficient and more limiting, but might be necessary if your program relies on the exact type sizes.

5.2.16 - -pack-struct - disable structure alignment

GPC by default aligns fields of records and arrays suitably for higher performance, while BP doesn’t. If you don’t want the alignment (e.g., because the program relies on the internal format of your structures), either declare the relevant structures as `packed` (which BP also accepts, but ignores), or give the `--pack-struct` option.

5.2.17 -D__BP_RANDOM__ - BP compatible pseudo random number generator

GPC uses a more elaborate pseudo random number generator than BP does. Using the `Random` and `Randomize` functions works the same way, but there is no `RandSeed` variable (but a `SeedRandom` procedure). However, if you use the `System` unit (see [Section 5.2.14 \[-uses=System - Swap; HeapError; etc.\], page 47](#)) and define the symbol `__BP_RANDOM__` (by giving `-D__BP_RANDOM__` on the command line), it will provide a 100% BP compatible pseudo

random number generator, including the ‘RandSeed’ variable, which will produce exactly the same sequence of pseudo random numbers that BP’s pseudo random number generator does. Even the ‘Randomize’ function will then behave exactly like in BP.

5.2.18 -D__BP_UNPORTABLE_ROUTINES__ - Intr; DosVersion; etc.

A few more routines in the ‘Dos’ and ‘WinDos’ units besides the ones mentioned under [Section 5.2.8 \[Keep; GetIntVec; SetIntVec\]](#), page 45, like ‘Intr’ or ‘DosVersion’, are meaningless on non-Dos systems. By default, the ‘Dos’ unit does not provide these routines (it only provides those that are meaningful on all systems, which are most of its routines, including the most commonly used ones). If you need the unportable ones, you get them by using the ‘System’ unit (see [Section 5.2.14 \[-uses=System - Swap; HeapError; etc.\]](#), page 47) and defining the symbol ‘__BP_UNPORTABLE_ROUTINES__’ (by giving ‘-D__BP_UNPORTABLE_ROUTINES__’ on the command line). If you use ‘Intr’ or ‘MsDos’, your program will only compile under DJGPP then. Other routines, e.g. ‘DosVersion’ are emulated quite roughly on other systems. Please see the notes in the ‘Dos’ unit (see [Section 7.14.2 \[Dos\]](#), page 187) for details.

5.2.19 -D__BP_PARAMSTR_0__ - BP compatible ParamStr (0) behaviour

In BP (or under Dos), ‘ParamStr (0)’ always contains the full path of the current executable. Under GPC, by default it contains what was passed by the caller as the 0th argument – which is often the name of the executable, but that’s merely a convention, and it usually does not include the path.

If you use the ‘System’ unit (see [Section 5.2.14 \[-uses=System - Swap; HeapError; etc.\]](#), page 47) and define the symbol ‘__BP_PARAMSTR_0__’ (by giving ‘-D__BP_PARAMSTR_0__’ on the command line), it will change the value of ‘ParamStr (0)’ to that of ‘ExecutablePath’, overwriting the value actually passed by the caller, to imitate BP’s/Dos’s behaviour. **However note:** On most systems, ‘ExecutablePath’ is **not** guaranteed to return the full path, so defining this symbol doesn’t change anything. In general, you **cannot** expect to find the full executable path, so better don’t even try it, or your program will (at best) run on some systems. For most cases where BP programs access their own executable, there are cleaner alternatives available.

5.3 IDE versus command line

On the Dos (DJGPP) and Linux platforms, you can use RHIDE for GNU Pascal; check the subdirectories of your DJGPP distribution.

Unfortunately, there is no IDE which would run on all platforms. We are working on it, but this will take some time. Please be patient – or offer your help!

Without an IDE, the GNU Pascal Compiler, GPC, is called about like the command-line version of the Borland Pascal Compiler, BPC. Edit your source file(s) with your favorite ASCII editor, then call GNU Pascal with a command line like

```
C:\GNU-PAS> gpc hello.pas -o hello.exe
```

on your Dos or OS/2 box or

```
myhost:/home/joe/gnu-pascal> gpc hello.pas -o hello
```

on your Unix (or Unix-compatible) system.

Don’t omit the ‘.pas’ suffix: GPC is a common interface for a Pascal compiler, a C, ObjC and C++ compiler, an assembler, a linker, and perhaps an Ada and a FORTRAN compiler. From the extension of your source file GPC figures out which compiler to run. GPC recognizes Pascal sources by the extension ‘.pas’, ‘.p’, ‘.pp’ or ‘.dpr’.

The `-o` is a command line option which tells GPC how the executable has to be named. If not given, the executable will be called `'a.out'` (Unix) or `'a.exe'` (Dos). However, you can use the `'--executable-file-name'` to tell GPC to always call the executable like the source (with the extension removed under Unix and changed to `'exe'` under Dos).

Note that GPC is case-sensitive concerning file names and options, so it will *not* work if you type

```
C:\GNU-PAS> GPC HELLO.PAS -O HELLO.EXE
```

GPC is a very quiet compiler and doesn't print anything on the screen unless you request it or there is an error. If you want to see what is going on, invoke GPC with additional options:

```
-Q           "don't be quiet"   (or: Quassel-Modus in German)
```

(with *capital* 'Q') means that GPC prints out the names of procedures and functions it processes, and

```
--verbose
```

or abbreviated

```
-v
```

means that GPC informs you about the stages of compilation, i.e. preprocessing, compiling, assembling, and linking.

One example (this time for OS/2):

```
[C:\GNU-Pascal] gpc --verbose -Q hello.pas
```

Throughout this chapter, we will tell you about a lot of command-line switches. They are all invoked this way.

After compilation, there will be an executable `hello` file in the current directory. (`hello.exe` on Dos or OS/2.) Just run it and enjoy. If you're new to Unix, please note that the current directory is not on the PATH in most installations, so you might have to run your program as `'./hello'`. This also helps to avoid name conflicts with other programs. Such conflicts are especially common with the program name `'test'` which happens to be a standard utility under Unix that does not print any output. If you call your program `'test.pas'`, compile it, and then invoke `'test'`, you will usually not run your program, but the utility which leads to mysterious problems. So, invoke your program as `'./test'` or, better yet, avoid the name `'test'` for your programs.

If there are compilation errors, GNU Pascal will not stop compilation after the first one – as Borland Pascal does – but try to catch all errors in one compilation. If you get more error messages than your screen can hold, you can catch them in a file (e.g. `gpc.out`) or pipe them to a program like `'more'` in the following way:

```
gpc hello.pas 2> gpc.out
```

This works with OS/2 and any bash-like shell under Unix; for Dos you must get a replacement for `command.com` which supports this kind of redirection, or use the `'redir'` utility (see also the DJGPP FAQ, [section "DJGPP FAQ" in the DJGPP FAQ.](#)):

```
C:\GNU-PAS> redir -eo gpc hello.pas -o hello.exe | more
```

You can also use Borland's IDE for GNU Pascal on the Dos platform: Install the GNU Pascal Compiler in the Tools menu (via Options/Tools).

```
Name:      GNU Pascal
Path:      gpc
Arguments: $SAVE ALL --executable-file-name $NAME($EDNAME).pas
HotKey:    Shift+F9
```

Note once more that GPC is case-sensitive, so it is important to specify `.pas` instead of the `.PAS` Borland Pascal would append otherwise!

You can include more command-line arguments to GNU Pascal (e.g. `'--automake'`; see below) as you will learn more about them.

Since Borland Pascal will try to recompile your program if you use its Run menu function, you will need another tool to run your program:

```
Name:      Run Program
Path:      command.com
Arguments: /c $NAME($EDNAME)
HotKey:    Shift+F10
```

5.4 Comments

GPC supports comments surrounded by ‘{ }’ and ‘(* *)’, just like BP does. According to the ISO 7185 and ISO 10206 standards, Pascal allows comments opened with ‘(’ and closed with ‘)’. Borland Pascal does not support such *mixed* comments, so you might have sources where passages containing comments are “commented out” using the other kind of comment delimiters. GPC’s default behaviour is (like BP) not to allow mixed comments, so you don’t need to worry about this. However, if you happen to like mixed comments, you can turn them on either by a command-line option, or by a compiler directive:

```
--mixed-comments    {$mixed-comments}    (*$mixed-comments*)
```

GPC supports nested comments (e.g., ‘{ foo { bar } baz }’), but they are disabled by default (compatible to BP which doesn’t know nested comments at all). You can enable them with the option ‘--nested-comments’ (or the equivalent compiler directive)

GPC also supports Delphi style comments starting with ‘//’ and extending until the end of the line. This comment style is activated by default unless one of the ‘--classic-pascal’, ‘--extended-pascal’, ‘--object-pascal’ or ‘--borland-pascal’ dialect options is given. You can turn them on or off with the ‘--[no-]delphi-comments’ option.

5.5 BP Compatible Compiler Directives

All of BP’s one-letter compiler directives are supported by GPC, though some of them are ignored because they are not necessary under GPC. Besides, GPC supports a lot more directives. For an overview, see [Section 7.9 \[Compiler Directives\], page 115](#).

5.6 Units, GPI files and AutoMake

You can use units in the same way as in Borland Pascal. However, there are some additional features.

Concerning the syntax of a unit, you can, if you want, use Extended Pascal syntax to specify a unit initializer, i.e., instead of writing

```
begin
...
end.
```

at the end of the unit, you can get the same result with

```
to begin do
begin
...
end;
```

and there also exists

```
to end do
begin
...
end;
```

which specifies a finalization routine. You can use this instead of Borland Pascal's exit procedures, but for compatibility, the included 'System' unit also provides the 'ExitProc' variable. The 'to begin do' and/or 'to end do' parts must be followed by the final 'end.'. See [Section 7.1.8.1 \[Modules\], page 85](#), for information about Extended Pascal modules, an alternative to units.

When GPC compiles a unit, it produces two files: an .o object file (compatible with other GNU compilers such as GNU C) plus a .gpi file which describes the interface.

If you are interested in the internal format of GPI file, see [Section 12.7 \[GPI files\], page 481](#).

If you want to compile a program that uses units, you must "make" the project. (This is the command-line switch '-M' or the IDE keystroke 'F9' in BP.) For this purpose, GPC provides the command-line switch '--automake':

```
gpc --automake hello.pas
```

If you want to force everything to be rebuilt rather than only recompile changed files ('-B' or "build" in BP), use '--autobuild' instead of '--automake':

```
gpc --autobuild hello.pas
```

For more information about the AutoMake mechanism, see [Section 12.8 \[AutoMake\], page 484](#).

If you do not want to use the AutoMake mechanism for whatever reason, you can also compile every unit manually and then link everything together.

GPC does not automatically recognize that something is a unit and cannot be linked; you have to tell this by a command line switch:

```
-c          only compile, don't link.
```

(If you omit this switch when compiling a unit, you only get a linker error message 'undefined reference to 'main''. Nothing serious.)

For example, to compile two units, use:

```
gpc -c myunit1.pas myunit2.pas
```

When you have compiled all units, you can compile a program that uses them without using '--automake':

```
gpc hello.pas
```

However, using '--automake' is recommended, since it will recompile units that were modified.

You could also specify the program and the units in one command line:

```
gpc hello.pas myunit1.pas myunit2.pas
```

One of the purposes of writing units is to compile them separately. However, GNU Pascal allows you to have one or more units in the same source file (producing only one .o file but separate .gpi files). You even can have a program and one or more units in one source file; in this case, no .o file is produced at all.

5.7 Optimization

GNU Pascal is a 32/64 bit compiler with excellent optimization algorithms (which are identically the same as those of GNU C). There are six optimization levels, specified by the command line options '-O', '-O2', ..., '-O6'.

One example:

```
program OptimizationDemo;

procedure Foo;
var
```

```

    A, B: Integer;
begin
    A := 3;
    B := 4;
    WriteLn (A + B)
end;

begin
    Foo
end.

```

When GNU Pascal compiles this program with optimization (`'-O3'`), it recognizes that the argument to `'WriteLn'` is the constant 7 – and optimizes away the variables A and B. If the variables were global, they would not be optimized away because they might be accessed from other places, but the constant 7 would still be optimized.

For more about optimization, see the GNU C documentation.

5.8 Debugging

The command line option `'-g'` specifies generation of debugging information for GDB, the GNU debugger. GDB comes with its own documentation. Currently, GDB does not understand Pascal syntax, so you should be familiar with C expressions if you want to use it.

See also “Notes for debugging” in the “Programming” chapter; see [Section 7.12 \[Notes for Debugging\]](#), page 127.

Sometimes it is nice to have a look at the assembler output of the compiler. You can do this in a debugger or disassembler (which is the only way to do it in BP), but you can also tell GPC to produce assembler code directly: When you specify the `-S` command line option, GPC produces an `.s` file instead of an `.o` file. The `.s` file contains assembler source for your program. More about this in the next section.

5.9 Objects

Objects in the Borland Pascal 7.0 notation are implemented into GNU Pascal with the following differences:

- the `'private'`, `'protected'`, `'public'` and `'published'` directives are recognized but ignored,
- data fields and methods may be mixed:

```

type
    MyObj = object
        x: Integer;
        procedure Foo; virtual;
        y: Real;
        function Bar: Char;
    end;

```

5.10 Strings in BP and GPC

Strings are “Schema types” in GNU Pascal which is something more advanced than Borland-style strings. For variables, you cannot specify just `String` as a type like in Borland Pascal; for parameters and pointer types you can. There is no 255 characters length limit. According to Extended Pascal, the maximum string length must be in (parentheses); GNU Pascal accepts [brackets], too, however, like BP.

For more about strings and schema types see [Section 7.2.10.6 \[Schema Types\]](#), page 97.

GPC supports Borland Pascal's string handling functions and some more (see [Section 7.10.2 \[String Operations\]](#), page 120):

| Borland Pascal | GNU Pascal |
|---------------------|---------------------------------|
| Length | Length |
| Pos | Pos, Index (1) |
| Str | Str, WriteStr (1) (2) |
| Val | Val, ReadStr (2) |
| Copy | Copy, SubStr, MyStr[2 .. 7] (3) |
| Insert | Insert |
| Delete | Delete |
| MyStr[0] := #7 | SetLength (MyStr, 7) |
| =, <>, <, <=, >, >= | =, <>, <, <=, >, >= (4) |
| | EQ, NE, LT, LE, GT, GE |
| n/a | Trim |

Notes:

(1) The order of parameters of the Extended Pascal routines ('Index', 'WriteStr') is different from the Borland Pascal routines.

(2) 'ReadStr' and 'WriteStr' allow an arbitrary number of arguments, and the arguments are not limited to numbers. 'WriteStr' also allows comfortable formatting like 'WriteLn' does, e.g. 'WriteStr (Dest, Foo : 20, Bar, 1/3 : 10 : 2)'.

(3) 'SubStr' reports a runtime error if the requested substring does not fit in the given string, 'Copy' does not (like in BP).

(4) By default, the string operators behave like in BP. However, if you use the option '--no-exact-compare-strings' or '--extended-pascal', they ignore differences of trailing blanks, so, e.g., 'foo' and 'foo ' are considered equal. The corresponding functions ('EQ', ...) always do exact comparisons.

5.11 Typed Constants

GNU Pascal supports Borland Pascal's "typed constants" but also Extended Pascal's initialized variables:

```
var
  x: Integer value 7;
or
var
  x: Integer = 7;
```

When a typed constant is misused as an initialized variable, a warning is given unless you specify '--borland-pascal'.

When you want a local variable to preserve its value, define it as 'static' instead of using a typed constant. Typed constants also become static automatically for Borland Pascal compatibility, but it's better not to rely on this "feature" in new programs. Initialized variables do not become static automatically.

```
program StaticDemo;

procedure Foo;
{ x keeps its value between two calls to this procedure }
var
  x: static Integer = 0;
begin
```



```

    WriteLn (x);
    Inc (x)
end;

begin
    Foo;
    Foo;
    Foo;
end.

```

For records and arrays, GPC supports both BP style and Extended Pascal style initializers. When you initialize a record, you may omit the field names. When you initialize an array, you may provide indices with a `::`. However, this additional information is ignored completely, so perhaps it's best for the moment to only provide the values ...

```

program BPInitVarDemo;
{$W no-field-name-problem} { avoid a warning by GPC }
const
    A: Integer = 7;
    B: array [1 .. 3] of Char = ('F', 'o', 'o');
    C: array [1 .. 3] of Char = 'Bar';
    Foo: record
        x, y: Integer;
    end = (x: 3; y: 4);
begin
end.

```

5.12 Bit, Byte and Memory Manipulation

The bitwise operators `'shl'`, `'shr'`, `'and'`, `'or'`, `'xor'` and `'not'` work in GNU Pascal like in Borland Pascal. As an extension, you can use them as procedures, for example

```

program AndProcedureDemo;
var x: Integer;
begin
    and (x, $0000ffff);
end.

```

as an alternative to

```

program AndOperatorDemo;
var x: Integer;
begin
    x := x and $0000ffff;
end.

```

GPC accepts the BP style notation `'$abcd'` for hexadecimal numbers, but you also can use Extended Pascal notation:

```

program EPBaseDemo;
const
    Binary = 2#11111111;
    Octal   = 8#177;
    Hex     = 16#ff;
begin
end.

```

and so on up to a basis of 36. Of course, you can mix the notations as you like, e.g.:


```

program BPEPBaseDemo;
begin
  WriteLn ($cfe = 2#1100101011111110)
end.

```

‘Inc’ and ‘Dec’ are implemented like in Borland Pascal. ‘Pred’ and ‘Succ’ are generalized according to Extended Pascal and can have a second (optional) parameter:

```

procedure SuccDemo;
var a: Integer = 42;
begin
  a := Succ (a, 5);
  WriteLn (a) { 47 }
end.

```

BP style ‘absolute’ variables work in the context of overloading other variables as well as in the context of specifying an absolute address, but the latter is highly unportable and not very useful even in Dos protected mode.

```

program BPAbsoluteDemo;

type
  TString = String (80);
  TTypeChoice = (t_Integer, t_Char, t_String);

{ @@ WARNING: BAD STYLE! }
procedure ReadVar (var x: Void; TypeChoice: TTypeChoice);
var
  xInt: Integer absolute x;
  xChar: Char absolute x;
  xStr: TString absolute x;
begin
  case TypeChoice of
    t_Integer: ReadLn (xInt);
    t_Char    : ReadLn (xChar);
    t_String  : ReadLn (xStr);
  end
end;

var
  i: Integer;
  c: Char;
  s: TString;

begin
  ReadVar (i, t_Integer);
  ReadVar (c, t_Char);
  ReadVar (s, t_String);
  WriteLn (i, ' ', c, ' ', s)
end.

```

GNU Pascal knows Borland Pascal’s procedures `FillChar` and `Move`. However, their use can be dangerous because it often makes implicit unportable assumptions about type sizes, endianness, internal structures or similar things. Therefore, avoid them whenever possible. E.g., if you want to clear an array of strings, don’t ‘`FillChar`’ the whole array with zeros (this would overwrite the Schema discriminants, see [Section 7.14.15 \[Strings\]](#), page 234), but rather

use a ‘for’ loop to assign the empty string to each string. In fact, this is also more efficient than ‘FillChar’, since it only has to set the length field of each string to zero.

5.13 User-defined Operators in GPC

GNU Pascal allows the user to define operators according to the Pascal-SC syntax:

```
program PXSCOperatorDemo;

type
  Point = record
    x, y: Real;
  end;

operator + (a, b: Point) c: Point;
begin
  c.x := a.x + b.x;
  c.y := a.y + b.y;
end;

var
  a, b, c: Point = (42, 0.5);

begin
  c := a + b
end.
```

The Pascal-SC operators ‘+>’, ‘+<’, etc. for exact numerical calculations are not implemented, but you can define them.

5.14 Data Types in BP and GPC

- Integer types have different sizes in Borland and GNU Pascal:

| Borland Pascal | GNU Pascal | Bits (1) | Signed |
|----------------|---------------|----------|--------|
| ShortInt | ByteInt | 8 | yes |
| Integer | ShortInt | 16 | yes |
| LongInt | Integer | 32 | yes |
| Comp | LongInt, Comp | 64 | yes |
| Byte | Byte | 8 | no |
| Word | ShortWord | 16 | no |
| n/a | Word | 32 | no |
| n/a | LongWord | 64 | no |

(1) The size of the GNU Pascal types may depend on the platform. The sizes above apply to 32 bit platforms, including the IA32.

If you care for types with exactly the same size as in Borland Pascal, take a look at the ‘System’ unit and read its comments.

You can get the size of a type with ‘SizeOf’ in bytes (like in Borland Pascal) and with ‘BitSizeOf’ in bits, and you can declare types with a specific size (given in bits), e.g.:

```
program IntegerSizeDemo;
type
  MyInt  = Integer (42); { 42 bits, signed }
  MyWord = Word (2);    { 2 bits, unsigned, i.e., 0 .. 3 }
```

```

MyCard = Cardinal (2); { the same }

HalfInt = Integer (BitSizeOf (Integer) div 2);
{ A signed integer type which is half as big as the normal
  'Integer' type, regardless of how big 'Integer' is
  on any platform the program is compiled on. }

begin
end.

```

- Borland's real (floating point) types are supported except for the 6-byte software Real type (but the 'System' unit provides conversion routines for it). GNU Pascals's 'Real' type has 8 bytes on the IA32 and is the same as 'Double'. In addition there are alternative names for real types:

| Borland Pascal | GNU Pascal |
|-----------------------|---------------------------|
| Single | Single, ShortReal |
| Real | n/a (1) |
| Double | Double, Real |
| Extended | Extended, LongReal |
| Comp | LongInt, Comp (see above) |

(1) But see 'BPreal', 'RealToBPreal' and 'BPrealToReal' in GPC's System unit.

- Complex numbers: According to Extended Pascal, GNU Pascal has built-in complex numbers and supports a number of mathematical functions on them, e.g. 'Abs', 'Sqr', 'Sqrt', 'Exp', 'Ln', 'Sin', 'Cos', 'ArcTan'.
- Record types: GNU Pascal by default aligns 32-bit fields on 4-byte addresses because this improves performance. So, e.g., the record

```

type
  MyRec = record
    f, o, oo: Boolean;
    Bar: Integer
  end;

```

has 8 bytes, not 7. Use the `--pack-struct` option or declare the record as 'packed' to force GPC to pack it to 7 bytes. However, note that this produces somewhat less efficient code on the IA32 and far less efficient code on certain other processors. Packing records and arrays is mostly useful only when using large structures where memory usage is a real concern, or when reading or writing them from/to binary files where the exact layout matters.

5.15 BP Procedural Types

In addition to BP's procedural types, GNU Pascal has pointers to procedures:

```

type
  FuncPtr = ^function (Real): Real;

```

The differences between procedure pointers and procedural types are only syntactical:

- In the first case, one can pass/assign a procedure/function with '@myproc', in the latter case just with 'myproc' (which can lead to confusion in the case of functions – though GPC should always recognize the situation and not try to call the function).
- In the first case, one can call the routine via 'myprocptr^', in the latter case just with 'myprocvar'.
- To retrieve the address of a procedure stored in a variable, one can use 'myprocptr' in the first case and '@myprocvar' in the latter.

- If, for some reason, one needs the address of the variable itself, in the first case, that's obtained with `@myprocptr`, in the second case with `@@myprocvar`!
- Bottom line: BP style procedural types are simpler to use in normal cases, but somewhat strange in the last example.

One can use both kinds in the same program, of course, though it is recommended to stick to one kind throughout to avoid maximum confusion.

GNU Pascal also supports Standard Pascal's procedural parameters (see [Section 5.20 \[Special Parameters\]](#), page 59).

Furthermore, GNU Pascal allows you to call even local procedures through procedural pointers, variables or parameters without reverting to any dirty tricks (like assembler, which is necessary in BP).

The differences between the various kinds of procedural types, pointers and parameters are demonstrated in the demo program `procvardemo.pas`. An example for calling local routines through procedural parameters can be found in the demo program `iteratordemo.pas`.

5.16 Files

- GPC supports files like in Borland Pascal, including untyped files, `'BlockRead'`, `'BlockWrite'` and `'Assign'`. Instead of `'Assign'`, you can also use the `'Bind'` mechanism of Extended Pascal.

Besides the routines supported by BP, there are many more routines available that deal with files, file names and similar things in a portable way. In contrast to Borland Pascal, you don't have to use any platform-specific units to do these kinds of things, though portable emulations of those units (e.g., of the `'Dos'` and `'WinDos'` units) are also available for compatibility.

5.17 Built-in Constants

- The `'MaxInt'`, `'MaxLongInt'`, `'Pi'` constants are supported like in BP.
- Other built-in constants: GNU Pascal has `'MaxChar'`, `'MaxReal'`, `'MinReal'`, `'EpsReal'` and a number of other useful constants.

5.18 Built-in Operators in BP and GPC

Besides the operators found in Borland Pascal, GNU Pascal supports the following operators:

- Exponentiation: According to Extended Pascal, GNU Pascal supports the exponentiation operators `pow` and `**` which do not exist in Borland Pascal. You can use `x pow y` for integer and `x ** y` for real or complex exponents. The basis may be integer, real or complex in both cases.
- GNU Pascal has a symmetric set difference operator `set1 >< set2`. For more about this, see [Section 7.10.7 \[Set Operations\]](#), page 124.

5.19 Built-in Procedures and Functions

- `'GetMem'` and `'FreeMem'` are supported like in BP. `'GetMem'` can also act as a function in GNU Pascal:

```
program GetMemFunctionDemo;
var p: Pointer;
begin
```

```
p := GetMem (1024)
end.
```

The second parameter to ‘FreeMem’ is ignored by GNU Pascal and may be omitted. Memory blocks are always freed with the same size they were allocated with.

Remark: Extended Pascal Schema types provide a cleaner approach to most of the applications of ‘GetMem’ and ‘FreeMem’.

- ‘Min’ and ‘Max’: GNU Pascal has built-in ‘Min’ and ‘Max’ functions (two arguments) which work for all ordinal types (‘Integer’, ‘Char’, ...) plus ‘Real’.
- ‘UpCase’, ‘High’, ‘Low’ and similar functions are built-in. In contrast to Borland Pascal, GNU Pascal’s ‘UpCase’ function is aware of non-ASCII characters of certain languages (e.g., accented letters and “umlauts”), but for compatibility this feature is disabled in ‘--borland-pascal’ mode. There is also a ‘LoCase’ function.
- ‘Lo’, ‘Hi’, ‘Swap’ functions: not built-in, but available in the ‘System’ unit.

5.20 Special Parameters

- Untyped reference parameters can be denoted by

```
procedure Foo (var x);
```

like in Borland Pascal. In GNU Pascal, you can also use

```
procedure Foo (var x: Void);
```

- GNU Pascal defines *ellipsis* parameters for variable argument lists:

```
procedure Foo (a: Integer; ...);
```

However, GPC does not (yet) provide a portable mechanism to access the additional arguments.

- Structured function return values: According to Extended Pascal, GNU Pascal allows functions to return records and arrays.
- BP style *open array parameters*

```
procedure Foo (a: array of Integer);
```

are implemented. However, Standard Pascal ‘conformant array parameters’ are usually a cleaner mechanism to pass arrays of variable size.

- Besides BP compatible procedural types and procedure pointers (see [Section 5.15 \[BP Procedural Types\]](#), [page 57](#)), GNU Pascal supports Standard Pascal’s procedural parameters:

```
procedure DrawGraph (function f (x: Real): Real);
```

5.21 Miscellaneous

- Headlines: According to Extended Pascal, a program headline must contain the program’s parameters:

```
program Foo (Input, Output);
begin
end.
```

In GNU Pascal, headline parameters are optional. If the headline is omitted entirely, a warning is given unless you have specified ‘--borland-pascal’ in the command line.

- ‘case’ statements: In a ‘case’ statement, GNU Pascal allows **otherwise** (according to Extended Pascal) as an alternative to **else**:

```
program CaseOtherwiseDemo;
var x: Integer;
```

```

begin
  ReadLn (x);
  case x of
    1: WriteLn ('one');
    2: WriteLn ('two');
    otherwise
      WriteLn ('many')
  end
end.

```

Note: In the absence of a ‘case’ or ‘otherwise’ branch, missing cases labels cause an error in Extended Pascal (which goes unnoticed in Borland Pascal). GPC does not give this error, but a warning if the ‘-Wswitch’ option is given, however only for enumeration types.

- Character constants: BP compatible character constants like ‘^M’ as well as ‘#13’ are implemented into GNU Pascal.
- Sets: GNU Pascal has a `Card` function for sets which counts their elements. Unlike Borland Pascal, GNU Pascal does not limit sets to the range 0 .. 255.
- Inline: GNU Pascal allows “inline” Pascal procedures and functions, while Borland Pascal only allows machine code to be inlined:

Borland Pascal:

```

function Max (x, y: Integer): Integer;
  inline ($58 / $59 / $3b / $c1 / $7f / $01 / $91);

```

GNU Pascal:

```

program InlineDemo;

inline function Max (x, y: Integer): Integer;
begin
  if x > y then
    Max := x
  else
    Max := y
end;

begin
  WriteLn (Max (42, 17), ' ', Max (-4, -2))
end.

```

(Actually, a more general ‘Max’ function is already built-in.)

This feature is not so important as it might seem because in optimization level 3 or higher (see [Section 6.2 \[GPC Options\]](#), [page 69](#)), GNU Pascal automatically inlines short procedures and functions.

5.22 BP and Extended Pascal

Pascal is a well-known programming language and hardly needs to be described here. Note, however, that there is a large difference between the language used by the BP compiler and the Pascal Standards.

Extended Pascal is a standardized language based on the original Standard Pascal, but with significant extensions. Unfortunately, Borland Pascal does not conform to any of the Pascal standards. Writing a program that both complies to Extended Pascal (or even Standard Pascal) and compiles with BP is almost impossible for any non-trivial task.

On the other hand, BP has some nice features that make it very powerful in the environments in which it runs. However, some of those features are of little use on non-Dos systems and would not be good candidates for standardization.

There are also several BP features which are semantically similar to features in Standard Pascal or Extended Pascal, but syntactically different.

Therefore, in order to be useful to users coming from either side, GPC supports both the standards and the BP dialect as good as possible. By default, GPC allows features from any dialect it knows. By giving a dialect option such as ‘`--borland-pascal`’ or ‘`--extended-pascal`’, you can tell GPC to disable the features not found in that dialect, and to adjust its warning behaviour to the dialect.

The different sets of reserved words are a little problem, but GPC solves it by making the words in question only “conditionally reserved” which works transparently without problems in most cases. Still, giving a dialect option will disable all keywords not part of this dialect.

Apart from this, there are surprisingly few real conflicts between the dialects. Therefore, you can usually compile your BP code without the ‘`--borland-pascal`’ option and make use of all of GPC’s features. You might be surprised, though, when GPC accepts things you didn’t know were allowed. :—)

Finally, if you want to make use of some of GPC’s extensions (compared to BP) and still keep the code compileable with BP without using ‘`ifdef`’s all over the place, we suggest you look at the unit ‘`gpc-bp.pas`’, shipped with GPC, which contains BP versions of some of GPC’s features. Please read the comments at the beginning of the unit to find out more about it.

5.23 Portability hints

GPC offers you the possibility to make your code fully portable to each of the many platforms supported by GPC. It would be a pity not to make use of this.

This section lists some known pitfalls that often hinder otherwise well-written programs to take full advantage of GPC. If you have never used any compiler but Borland Pascal and similar compilers, some of the advices might look strange to you. But this is just the same level of strangeness that your old programs will have for you once you have understood the principles of cross-platform portability. Remember that many tricks you have always been applying almost automatically in Borland Pascal were necessary to overcome certain limitations of the Dos platform and to compensate for the compiler’s missing optimization. Programming with an optimizing compiler like GPC for platforms without a 64 kB limit is a completely new experience – and perhaps it is among the reasons why you are now working with GPC in the first place?

Portability – why?

Okay – but why should I bother and make my program portable? I know that all who want to use my program are running WXYZ-OS anyway.

Yes, but that’s the result of a self-fulfilling prophecy. It depends on **you** whether it will always remain like this or not. Consider a program ABC written for a single platform, WXYZ-OS. Naturally, only WXYZ-OS-users get interested in ABC. The author gets feedback only from WXYZ-OS users and does not see any reason to make the program cross-platform. Then people realize that if they want to run ABC they must move to WXYZ-OS. The author concludes that people only want WXYZ-OS programs, and so on.

To break out, just create a portable version of your program **now**. Then all OSes have equal chances to show their abilities when running your program, and your customers can choose their OS. Then, maybe, they decide to use your program just for the reason that they can be sure that it will run on all present and future platforms and not only on a specific one – who knows?

My program is a tool specifically designed to make the best of the STUV feature of WXYZ-OS. There is no point in making it portable.

How much do you know about non-WXYZ-OSes? Just ask an expert how the STUV feature is named elsewhere. Be sure, if it is of value, it exists almost everywhere.

Low-level features

I am using a lot of low-level stuff in my programs, so they cannot be portable.

You do not use those low-level routines directly in your high-level routines, do you? There should always be a layer “in-between” that encapsulates the low-level routines and present an API to your program that exactly reflects the needs of your application. This “API in between” is the point where you can exchange the low-level routines by portable calls to GPC’s Run Time System.

If you do not have such a layer in-between, then the API of the low-level routines you call are your first approximation for such a layer. If you have ever thought “it would be great if that API function had that additional parameter”, then your own extended version of that API function that **has** that parameter can become part of your “API in between”. But then don’t stop here: Certainly the API of the OS is **not** ideal for your program’s needs. Just create more routines that encapsulate all OS-specific stuff . . .

When the low-level stuff in question consists of interrupts, assembler and similar things, then the first thing you need is a portable replacement of the functionality. Fortunately, GPC covers many things already in Pascal that require assembler in Borland Pascal:

- GPC’s libraries come with source. You do not need to learn assembler and to write a complete replacement for the CRT unit if you only want to adapt some tiny detail in the behavior of CRT to your personal needs.
- GPC’s Run Time System is fairly complete. For example, to extract the assigned name of a ‘File’ variable, you do not need to mess around with the internal representation of those variables, but you can type ‘uses GPC’ and then use the ‘FileName’ function. In the same unit, you will find a ‘FileExists’ function and much more.
- Manually “constructing” an object is covered by the ‘SetType’ procedure in GPC. This is where Turbo Vision uses assembler to load an object from a stream.
- Calling local procedures and functions via pointers simply works in GPC. This is another place where, for instance, Turbo Vision’s ‘ForEach’ method uses assembler, while GPC lets you do the same thing in Pascal.
- Interfacing with the OS can be done through library calls. GPC’s built-in functions and the GPC unit offer a rather complete set of routines. And again: You have the source of all this.
- Using ‘FillChar’ and ‘Move’ does not necessarily speed up your programs. Using them to circumvent restrictions of the language (e.g. for direct assignments between variables of object or file type) is asking for trouble. ‘FillChar’ was created in UCSD Pascal to set consecutive chars in a string to the same value, and ‘Move’ was created to move the chars within the same string. Better do not use them for other purposes.

6 Command Line Options supported by GNU Pascal.

GPC is a command-line compiler, i.e., to compile a program you have to invoke ‘`gpc`’ passing it the name of the file you want to compile, plus options.

GPC supports all command-line options that GCC knows. For a complete reference and descriptions of all options, see [section “GCC Command Options” in the GCC Manual](#). Below, you will find a list of the additional options that GPC supports, and a list of GPC’s most important options (including some of those supported by GCC as well).

You can mix options and file names on the command line. For the most part, the order doesn’t matter. Order does matter, e.g., when you use several options of the same kind; for example, if you specify ‘`-L`’ more than once, the directories are searched in the order specified. *Note:* Since many options have multiletter names; multiple single-letter options may *not* be grouped as is possible with many other programs: ‘`-dr`’ is very different from ‘`-d -r`’.

Many options have long names starting with ‘`--`’ or, completely equivalent ‘`-f`’. E.g., ‘`--mixed-comments`’ is the same as ‘`-fmixed-comments`’. Some options tell GPC when to give warnings, i.e. diagnostic messages that report constructs which are not inherently erroneous but which are risky or suggest there may have been an error. Those options start with ‘`-W`’.

Most GPC specific options can also be changed during one compilation by using compiler directives in the source, e.g. ‘`{ $\$$ X+}`’ or ‘`{ $\$$ extended-syntax}`’ for ‘`--extended-syntax`’ (see [Section 7.9 \[Compiler Directives\], page 115](#)).

GPC understands the same environment variables GCC does (see [section “Environment Variables Affecting GCC” in the GCC manual](#)). In addition, GPC recognizes ‘`GPC_EXEC_PREFIX`’ with the same meaning that ‘`GCC_EXEC_PREFIX`’ has to GCC. GPC also recognizes ‘`GCC_EXEC_PREFIX`’, but ‘`GPC_EXEC_PREFIX`’ takes precedence.

Some of the long options (e.g., ‘`--unit-path`’) take an argument. This argument is separated with a ‘`=`’ sign, e.g.:

```
--unit-path=/home/foo/units
```

6.1 GPC options besides those of GCC.

The following table lists the command line options GPC understands in addition to those understood by GCC.

| | |
|----------------------------------------|------------------------------------------------------------------------------|
| <code>--classic-pascal-level-0</code> | Reject conformant arrays and anything besides ISO-7185 Pascal. |
| <code>--classic-pascal</code> | Reject anything besides ISO-7185 Pascal. |
| <code>--standard-pascal-level-0</code> | Reject conformant arrays and anything besides ISO-7185 Pascal. |
| <code>--standard-pascal</code> | Reject anything besides ISO-7185 Pascal. |
| <code>--extended-pascal</code> | Reject anything besides ISO-10206 Extended Pascal. |
| <code>--object-pascal</code> | Reject anything besides (the implemented parts of) ANSI draft Object Pascal. |
| <code>--borland-pascal</code> | Try to emulate Borland Pascal, version 7.0. |
| <code>--delphi</code> | Try to emulate Borland Pascal, version 7.0, with some Delphi extensions. |

--pascal-sc
Be strict about the implemented Pascal-SC extensions.

--gnu-pascal
Undo the effect of a previous ‘--foo-pascal’, ‘--delphi’ or ‘--pascal-sc’ switch.

--debug-tree
(For GPC developers.) Show the internal representation of a given tree node (name or address).

--debug-gpi
(For GPC developers.) Show what is written to and read from GPI files (huge output!).

--debug-automake
(For GPC developers.) Give additional information about the actions of automake.

--debug-source
Output the source while it is processed.

--no-debug-info
Inhibit ‘-g’ options (temporary work-around, this option may disappear in the future).

--progress-messages
Output source file names and line numbers while compiling.

--progress-bar
Output number of processed lines while compiling.

--autolink
Automatically link object files provided by units/modules or ‘{\$L ...}’ (default).

--no-autolink
Do not automatically link object files provided by units/modules/‘{\$L ...}’.

--automake
Automatically compile changed units/modules/‘{\$L ...}’ files and link the object files provided.

--no-automake
Same as ‘--no-autolink’.

--autobuild
Automatically compile all units/modules/‘{\$L ...}’ files and link the object files provided.

--no-autobuild
Same as ‘--no-autolink’.

--amtmpfile
(Internal switch used for AutoMake).

--extended-syntax
Enable certain ‘dangerous’ features such as ignoring function results, pointer arithmetic or using ‘CString’ as strings (same as ‘{\$X+}’).

--no-extended-syntax
Disable the dangerous features enabled by ‘--extended-syntax’ (default; same as ‘{\$X-}’).

--signed-char
Let ‘Char’ be a signed type.

```

--no-signed-char
    Let 'Char' be an unsigned type.
--unsigned-char
    Let 'Char' be an unsigned type.
--no-unsigned-char
    Let 'Char' be a signed type.
--short-circuit
    Guarantee short-circuit Boolean evaluation (default; same as '{$B-}').
--no-short-circuit
    Do not guarantee short-circuit Boolean evaluation (same as '{$B+}').
--mixed-comments
    Allow comments like '{ ... *}' as required in ISO Pascal (default in ISO 7185/10206
    Pascal mode).
--no-mixed-comments
    Ignore '{' and '}' within '(* ... *)' comments and vice versa (default).
--nested-comments
    Allow nested comments like '{ { } }' and '(* (* *) *)'.
--no-nested-comments
    Do not allow nested comments (default).
--delphi-comments
    Allow Delphi style '//' comments (default).
--no-delphi-comments
    Do not allow Delphi style '//' comments.
--macros    Expand macros (default).
--no-macros
    Do not expand macros (default with '--borland-pascal' or '--delphi').
--ignore-function-results
    Do not complain when a function is called like a procedure.
--no-ignore-function-results
    Complain when a function is called like a procedure (default).
--borland-char-constants
    Allow for Borland-style character constants like '#27' or '^L' (default).
--no-borland-char-constants
    Reject Borland-style character constants like '#27' or '^L' (default in ISO 7185/10206
    Pascal mode).
--truncate-strings
    Truncate strings being assigned to other strings of too short capacity..
--no-truncate-strings
    Treat string assignments to other strings of too short capacity as errors..
--exact-compare-strings
    Do not blank-pad strings for comparisons.
--no-exact-compare-strings
    Blank-pad strings for comparisons.

```

`--double-quoted-strings`
Allow strings enclosed in `"\"`.

`--no-double-quoted-strings`
Do not allow strings enclosed in `"\"`.

`--io-checking`
Do automatic run-time checks after I/O operations (same as `'{$I+}'`).

`--no-io-checking`
Do not check I/O operations automatically (same as `'{$I-}'`).

`--read-base-specifier`
In read statements, allow non-decimal input with `'n#'` (default).

`--no-read-base-specifier`
In read statements, do not allow non-decimal input with `'n#'` (default in ISO-7185 Pascal).

`--read-hex`
In read statements, allow hexadecimal input with `'$'` (default).

`--no-read-hex`
In read statements, do not allow hexadecimal input with `'$'` (default in ISO-7185 Pascal).

`--read-white-space`
In read statements, require whitespace after numbers.

`--no-read-white-space`
In read statements, do not require whitespace after numbers (default).

`--write-clip-strings`
In write statements, truncate strings exceeding their field width (`'Write (SomeLongString : 3)'`).

`--no-write-clip-strings`
Do not truncate strings exceeding their field width.

`--write-real-blank`
Output a blank in front of positive reals in exponential form (default).

`--no-write-real-blank`
Do not output a blank in front of positive reals in exponential form.

`--write-capital-exponent`
Write real exponents with a capital `'E'`.

`--no-write-capital-exponent`
Write real exponents with a lowercase `'e'`.

`--transparent-file-names`
Derive external file names from variable names.

`--no-transparent-file-names`
Do not derive external file names from variable names (default).

`--field-widths`
Comma-separated list of default field widths for Integer, Real, Boolean, LongInt, LongReal.

`--no-field-widths`
Reset the default field widths.

- `--pedantic`
Reject everything not allowed in some dialect, e.g. redefinition of its keywords.
- `--no-pedantic`
Don't give pedantic warnings.
- `--stack-checking`
Enable stack checking (same as `'{$S+}'`).
- `--no-stack-checking`
Disable stack checking (same as `'{$S-}'`).
- `--typed-address`
Make the result of the address operator typed (same as `'{$T+}'`, default).
- `--no-typed-address`
Make the result of the address operator an untyped pointer (same as `'{$T-}'`).
- `--setlimit`
Define the range for `'set of Integer'` etc..
- `--gpc-main`
External name for the program's entry point (default: `'main'`).
- `--interface-only`
Compile only the interface part of a unit/module and exit.
- `--implementation-only`
Do not produce a GPI file; only compile the implementation part.
- `--executable-file-name`
Name for the output file, if specified; otherwise derive from main source file name.
- `--unit-path`
Directories where to look for unit/module sources.
- `--no-unit-path`
Forget about directories where to look for unit/module sources.
- `--object-path`
Directories where to look for additional object (and source) files.
- `--no-object-path`
Forget about directories where to look for additional object (and source) files.
- `--executable-path`
Path where to create the executable file.
- `--no-executable-path`
Create the executable file in the directory where the main source is (default).
- `--unit-destination-path`
Path where to create object and GPI files of Pascal units.
- `--no-unit-destination-path`
Create object and GPI files of Pascal units in the current directory (default).
- `--object-destination-path`
Path where to create additional object files (e.g. of C files, not Pascal units).
- `--no-object-destination-path`
Create additional object files (e.g. of C files, not Pascal units) in the current directory (default).

--no-default-paths
Do not add a default path to the unit and object path.

--gpi-destination-path
(Internal switch used for AutoMake).

--uses Add an implicit ‘uses’ clause.

--init-modules
Initialize the named modules in addition to those imported regularly; kind of a kludge.

--cdefine
Define a case-insensitive macro.

--csdefine
Define a case-sensitive macro.

--big-endian
Tell GPC that the system is big-endian (for those targets where it can vary).

--little-endian
Tell GPC that the system is little-endian (for those targets where it can vary).

--print-needed-options
Print the needed options.

-Wwarnings
Enable warnings (same as ‘{\$W+}’).

-Wno-warnings
Disable warnings (same as ‘{\$W-}’).

-Wfield-name-problem
Warn about ignored field names in initializers (default).

-Wno-field-name-problem
Do not warn about ignored field names in initializers.

-Wobject-directives
Warn about unimplemented ‘private’, ‘protected’ and ‘public’ directives (default).

-Wno-object-directives
Do not warn about unimplemented ‘private’, ‘protected’ and ‘public’ directives.

-Wimplicit-abstract
Warn if an object type not declared ‘abstract’ contains an abstract method (default).

-Wno-implicit-abstract
Do not warn if an object type not ‘declared’ abstract contains an abstract method.

-Winherited-abstract
Warn if an abstract object type inherits from a non-abstract one (default).

-Wno-inherited-abstract
Do not warn if an abstract object type inherits from a non-abstract one.

-Wtyped-const
Warn about misuse of typed constants as initialized variables (default).

-Wno-typed-const
Do not warn about misuse of typed constants as initialized variables.

- Wnear-far**
Warn about use of useless **'near'** or **'far'** directives (default).
- Wno-near-far**
Do not warn about use of useless **'near'** or **'far'** directives.
- Wunderscore**
Warn about double/leading/trailing underscores in identifiers.
- Wno-underscore**
Do not warn about double/leading/trailing underscores in identifiers.
- Wmixed-comments**
Warn about mixed comments like **'{ ... *}'**.
- Wno-mixed-comments**
Do not warn about mixed comments.
- Wnested-comments**
Warn about nested comments like **'{ { } }'**.
- Wno-nested-comments**
Do not warn about nested comments.
- Wsemicolon**
Warn about a semicolon after **@samp{then}**, **@samp{else}** or **@samp{do}** (default).
- Wno-semicolon**
Do not warn about a semicolon after **@samp{then}**, **@samp{else}** or **@samp{do}**.

6.2 The most commonly used options to GPC

As the most simple example, calling

```
gpc foo.pas
```

tells GPC to compile the source file **'foo.pas'** and to produce an executable of the default name which is **'foo.exe'** on EMX, **'a.exe'** on Cygwin, both **'a.out'** and **'a.exe'** on DJGPP, and **'a.out'** on most other platforms.

Users familiar with BP, please note that you have to give the file name extension **'.pas'**: GPC is a common interface for a Pascal compiler, a C, ObjC and C++ compiler, an assembler, a linker, and perhaps an Ada and a FORTRAN compiler. From the extension of your source file GPC figures out which compiler to run. GPC recognizes Pascal sources by the extension **'.pas'**, **'.p'**, **'.pp'** or **'.dpr'**. GPC also accepts source files in other languages (e.g., **'.c'** for C) and calls the appropriate compilers for them. Files with the extension **'.o'** or without any special recognized extension are considered to be object files or libraries to be linked.

Another example:

```
gpc -O2 -Wall --executable-file-name --automake --unit-path=units foo.pas
```

This will compile the source file **'foo.pas'** to an executable named **'foo'** (**'--executable-file-name'**) with fairly good optimization (**'-O2'**), warning about possible problems (**'-Wall'**). If the program uses units or imports modules, they will be searched for in a directory called **'units'** (**'--unit-path'**) and automatically compiled and linked (**'--automake'**).

The following table lists the most commonly used options to GPC.

- automake**
Check whether modules/units used must be recompiled and do the recompilation when necessary.

- `--unit-path=dir[:dir...]`
Search the given directories for units and object files.
- `--object-path=dir[:dir...]`
Search the given directories for object files.
- `--unit-destination-path=dir`
Place compiled units (GPI and object files) into the directory *dir*. The default is the current directory.
- `--object-destination-path=dir`
Place compiled object files (e.g., from C files, but not from Pascal units) into the directory *dir*. The default is the directory given with '`--unit-destination-path`'.
- `--executable-path=dir`
Place the executable compiled into the directory *dir*. The default is the main source file's directory.
- `-o file`
Place output in file *file*. This applies regardless to whatever sort of output is being produced, whether it be an executable file, an object file, an assembler file, etc.
Since only one output file can be specified, it does not make sense to use '`-o`' when compiling more than one input file, unless you are producing an executable file as output.
- `--executable-file-name[=name]`
Derive the executable file name from the source file name, or use *name* as the executable file name. The difference to the '`-o`' option is that '`--executable-file-name`' considers the '`--executable-path`', while '`-o`' does not and accepts a file name with directory. Furthermore, '`--executable-file-name`' only applies to executables, not to other output formats selected.
- `-Ldir`
Search the directory *dir* for libraries. Can be given multiple times.
- `-Idir`
Search the directory *dir* for include files. Can be given multiple times.
- `-llibrary`
Search the library named *library* when linking. This option must be placed on the command line *after* all source or object files or other libraries that reference the library.
- `-O[n]`
Select the optimization level. Without optimization (or '`-O0`' which is the default), the compiler's goal is to reduce the compilation time and to make debugging produce the expected results. Statements are independent: if you stop the program with a breakpoint between statements, you can then assign a new value to any variable or change the program counter to any other statement in the same routine and get exactly the results you would expect from the source code.
With optimization, the compiler tries to reduce code size and execution time. The higher the value of *n*, the more optimizations will be done, but the longer the compilation will take.
If you use multiple '`-O`' options, with or without *n*, the last such option is the one that is effective.
- `-g`
Produce debugging information suitable for '`gdb`'. Unlike some other compilers, GNU Pascal allows you to use '`-g`' with '`-O`'. The shortcuts taken by optimized code may occasionally produce surprising results: some variables you declared may not exist at all; flow of control may briefly move where you did not expect it; some statements may not be executed because they compute constant results or their values were already at hand; some statements may execute in different places because they were moved out of loops. Nevertheless it proves possible to debug

optimized output. This makes it reasonable to use the optimizer for programs still in the testing phase.

-s Remove all symbol table and relocation information from the executable. Note: this has no influence on the performance of the compiled executable.

-Wall Give warnings for a number of constructs which are not inherently erroneous but which are risky or suggest there may have been an error. There are additional warning options not implied by ‘-Wall’, see the GCC warning options (see [section “Options to Request or Suppress Warnings” in the GCC manual](#)), while ‘-Wall’ only warns about such constructs that should be easy to avoid in programs. Therefore, we suggest using ‘-Wall’ on most sources.

Note that some warnings (e.g., those about using uninitialized variables) are never given unless you compile with optimization (see above), because otherwise the compiler doesn’t analyze the usage patterns of variables.

-Werror Turn all warnings into errors.

-S Stop after the stage of compilation proper; do not assemble. The output is in the form of an assembler code file for each source file. By default, the assembler file name for a source file is made by replacing the extension with ‘.s’.

-c Compile and assemble the source files, but do not link. The output is in the form of an object file for each source file. By default, the object file name for a source file is made by replacing the extension with ‘.o’.

-static On systems that support dynamic linking, this prevents linking with the shared libraries, i.e. forces static linking. On other systems, this option has no effect.

-Dmacro [=def]

Define the macro and conditional *macro* as *def* (or as ‘1’ if *def* is omitted).

-b machine

The argument *machine* specifies the target machine for compilation. This is useful when you have installed GNU Pascal as a cross-compiler.

-v Print (on standard error) the commands executed to run the stages of compilation. Also print the version number of the compiler driver program and of the preprocessor and the compiler proper.

--classic-pascal-level-0

--classic-pascal

--extended-pascal

--object-pascal

--borland-pascal

--pascal-sc

GNU Pascal supports the features of several different Pascal standards and dialects. By default, they are all enabled. These switches tell GPC to restrict itself to the features of the specified standard. It does not enable any additional features. Warnings about constructs which would be valid in the specified dialect (e.g. assignment to a typed constant with ‘--borland-pascal’) are suppressed.

By default, GNU Pascal allows redefinition of keywords. Each of these switches causes GNU Pascal to forbid the redefinition of keywords of the specified standard. Valid ISO 7185 Pascal programs should compile properly with or without ‘--classic-pascal’. However, without this option, certain GNU extensions and Pascal features from other dialects are supported as well. With this option, they are rejected.

These options are not intended to be *useful*; they exist only to satisfy pedants who would otherwise claim that GNU Pascal fails to support the ISO Standard or is

not *really* compatible to Borland Pascal, or whatever. We recommend, rather, that users take advantage of the extensions of GNU Pascal and disregard the limitations of other compilers.

-pedantic-errors

Produce errors rather than warnings for portability violations. Unlike in C, this does *not* imply the ‘-pedantic’ option, so you can, for instance, use ‘-pedantic-errors’ without ‘-pedantic’, but with ‘--extended-pascal’.

--gpc-main=name

Name the entry point of the main program ‘*name*’ instead of ‘main’ on the linker level. This is useful, e.g., when working with some C libraries which define their own ‘main’ function and require the program’s main entry point to be named differently. (This option should preferably be used as a compiler directive in the unit or module which links to that strange C library, rather than be given on the command-line.)

7 The Programmer's Guide to GPC

This chapter is still under development.

This chapter tells you how the source of a valid GNU Pascal program should look like. You can use it as tutorial about the GNU Pascal language, but since the main goal is to document all special GPC features, implementation-dependent stuff, etc., expect a steep learning curve.

This chapter does *not* cover how to compile your programs and to produce an executable – this is discussed above in [Chapter 6 \[Invoking GPC\]](#), page 63.

7.1 Source Structures

A source file accepted by GNU Pascal may contain up to one program, zero or more ISO-style modules, and/or zero or more UCSD-style units. Units and modules can be mixed in one project.

One trivial example for a valid GPC source file follows. Note that the code below may either be in one source file, or else the unit and the program may be in separate source files.

```
unit DemoUnit;

interface

procedure Hello;

implementation

procedure Hello;
begin
    WriteLn ('Hello, world!')
end;

end.

program UnitDemo;

uses
    DemoUnit;

begin
    Hello
end.
```

7.1.1 The Source Structure of Programs

A generic GNU Pascal program looks like the following:

```
program name (Input, Output);

import part

declaration part

begin
    statement part
```

end.

The **program** headline may be omitted in GPC, but a warning will be given except in ‘`--borland-pascal`’ mode.

While the program parameters (usually ‘**Input**’, ‘**Output**’) are obligatory in ISO Pascal if you want to use ‘**ReadLn**’ and ‘**WriteLn**’, they are optional in GNU Pascal. GPC will warn about such missing parameters in ‘`--extended-pascal`’ mode. However if you give parameters to the program headline, they work like ISO requires.

The *import part* consists either of an ISO-style ‘**import**’ specification or a UCSD/Borland-style ‘**uses**’ clause. While ‘**import**’ is intended to be used with interfaces exported by ISO-10206 Extended Pascal modules, and ‘**uses**’ is intended to be used with units, this is not enforced. (See also [\[uses\]](#), [page 416](#), [\[import\]](#), [page 322](#).)

The *declaration part* consists of label, constant, type, variable or subroutine declarations in free order. However, every identifier must be declared before it is used. The only exception are type identifiers pointing to another type identifier which may be declared below.

The *statement part* consists of a sequence of statements.

As an extension, GPC supports a “declaring statement” which can be used in the statement part to declare variables (see [\[var\]](#), [page 418](#)).

7.1.2 Label Declaration

A label declaration has the following look:

```
label
    label name, ..., label;
```

A label declaration part starts with the reserved word **label**, which contains a list of labels.

See also

[\[label\]](#), [page 330](#), [\[goto\]](#), [page 318](#)

7.1.3 Constant Declaration

A constant declaration has the following look:

```
const
    constant identifier = constant expression;
    ...
    constant identifier = constant expression;
```

A constant declaration part starts with the reserved word **const**. It declares a *constant identifier* which is defined by *constant expression*. This expression has to be evaluatable during compilation time, i.e. it can include numbers, parentheses, predefined operators, sets and type casts (the last, however, is a Borland extension). In ISO-7185 Pascal, *constant expression* must be a constant or a set. All Pascal Dialects but ISO-Pascal allow the use of these intrinsic functions in *constant expression*:

[\[Abs\]](#), [page 257](#), [\[Round\]](#), [page 385](#), [\[Trunc\]](#), [page 410](#), [\[Chr\]](#), [page 286](#), [\[Ord\]](#), [page 357](#), [\[Length\]](#), [page 331](#), [\[Pred\]](#), [page 367](#), [\[Succ\]](#), [page 404](#), [\[SizeOf\]](#), [page 397](#), [\[Odd\]](#), [page 354](#).

In Borland Pascal, in the constant declaration part variables can be declared as well, which are given an initial value. These variables are called “typed constants”. It is good style to avoid this use, especially since Extended Pascal and GNU Pascal allow to initialize a variable in variable declaration part or give a type a preset value on declaration.

```

const
  FiveFoo      = 5;
  StringFoo    = 'string constant';
  AlphabetSize = Ord ('Z') - Ord ('A') + 1;

type
  PInteger     = ^Integer;      { Define a pointer to an Integer }

const
  { Constant which holds a pointer to an Integer at address 1234 }
  AddressFoo   = PInteger (1234);

```

- BP does not know initialized variables, only typed constants. Even worse, it allows them to be misused as variables, without even warning. GPC supports this (unwillingly ;–), and warns unless in ‘--borland-pascal’ mode.

An example of a typed constant:

```

const
  i: Integer = 0;

```

If you want to use it as a constant only, that's perfectly fine. However, if you modify ‘i’, we suggest to translate the declaration to an initialized variable. The EP syntax is:

```

var
  i: Integer value 0;

```

GPC supports this as well as the following mixture of dialects:

```

var
  i: Integer = 0;

```

Furthermore, you can also assign initialization values to types:

```

program InitTypeDemo;

type
  MyInteger = Integer value 42;

var
  i: MyInteger;

begin
  WriteLn (i)
end.

```

Here, all variables of type MyInteger are automatically initialized to 0 when created.

- Arrays initializers look like this in BP:

```

program BPArrayInitDemo;

const
  MyStringsCount = 5;

type
  Ident = String [20];

const
  MyStrings: array [1 .. MyStringsCount] of Ident =
    ('export', 'implementation', 'import',

```

```

        'interface', 'module');

begin
end.

```

And the following way in EP:

```

program EPArrayInitDemo;

{$W no-field-name-problem} { avoid a warning by GPC }

const
    MyStringsCount = 5;

type
    Ident = String (20);

var
    MyStrings: array [1 .. MyStringsCount] of Ident value
        [1: 'export'; 2: 'implementation'; 3: 'import';
         4: 'interface'; 5: 'module'];

begin
end.

```

There seem to be pros and cons to each style. GPC supports both as well as just about any thinkable mixture of them.

Some folks don't like having to specify an index since it requires renumbering if you want to add a new item to the middle. However, if you index by an enumerated type, you might be able to avoid major renumbering by hand.

See also

[Section 7.1.6.4 \[Subroutine Parameter List Declaration\], page 79](#)

7.1.4 Type Declaration

A type declaration looks like this:

```

type
    type identifier = type definition;
    ...
    type identifier = type definition;

```

or, with preset content:

```

type
    type identifier = type definition value constant expression;
    ...
    type identifier = type definition value constant expression;

```

A type declaration part begins with the reserved word **type**. It declares a *type identifier* which is defined by *type definition*. A type definition either can be an array, a record, a schema, a set, an object, a subrange, an enumerated type, a pointer to another type identifier or simply another type identifier which is to alias. If a schema type is to be declared, *type identifier* is followed by a discriminant enclosed in parentheses:

```

type identifier (discriminant) = schema type definition;

```

If **value** is specified, followed by a constant satisfying the type definition, every variable of this type is initialized with *constant expression*, unless it is initialized by **value** itself. The reserved word **value** can be replaced by '=', however **value** is not allowed in ISO-Pascal and Borland Pascal, and the replacement by '=' is not allowed in Extended Pascal.

Type declaration example

```

type
  { This side is the }      { That side is the }
  { type declaration }      { type definition  }

Arrayfoo      = array [0 .. 9] of Integer; { array definition }
Recordfoo     = record                { record definition }
                Bar: Integer;
            end;

                { schema def with discriminants 'x, y: Integer' }
SchemaFoo (x, y: Integer) = array [x .. y] of Integer;
CharSetFoo      = set of Char;          { Def of a set }
ObjectFoo       = object                { Def of an object }
                procedure DoAction;
                constructor Init;
                destructor Done;
            end;
SubrangeFoo     = -123..456;             { subrange def }

EnumeratedFoo   = (Pope,John,the,Second); { enum type def }
                { Def of a pointer to another type identifier }
PInteger        = ^arrayfoo;
                { Def of an alias name for another type identifier }
IdentityFoo     = Integer;
                { Def of an integer which was initialized by 123 }
InitializedFoo  = Integer value 123;

```

See also

[Section 7.2.1 \[Type Definition\], page 88](#), [Section 7.2 \[Data Types\], page 88](#), [Section 7.1.5 \[Variable Declaration\], page 77](#)

7.1.5 Variable Declaration

A variable declaration looks like this:

```

var
    variable identifier: type identifier;
    ...
    variable identifier: type identifier;
or
var
    variable identifier: type definition;
    ...
    variable identifier: type definition;
and with initializing value:

```

```

var
  variable identifier: type identifier value constant expression;
  ...
  variable identifier: type identifier value constant expression;
or
var
  variable identifier: type definition value constant expression;
  ...
  variable identifier: type definition value constant expression;

```

A variable declaration part begins with the reserved word **var**. It declares a *variable identifier* whose type either can be specified by a type identifier, or by a type definition which either can be an array, a record, a set, a subrange, an enumerated type or a pointer to an type identifier. If **value** is specified followed by a constant expression satisfying the specified type, the variable declared is initialized with *constant expression*. The reserved word **value** can be replaced by '=', however **value** is not allowed in ISO-Pascal and Borland Pascal, and the replacement by '=' is not allowed in Extended Pascal.

See also

[Section 7.2.1 \[Type Definition\], page 88](#), [Section 7.1.4 \[Type Declaration\], page 76](#), [Section 7.2 \[Data Types\], page 88](#), [Section 7.1.7.12 \[The Declaring Statement\], page 84](#), [Section 7.1.6.4 \[Subroutine Parameter List Declaration\], page 79](#)

7.1.6 Subroutine Declaration

7.1.6.1 The Procedure

```

procedure procedure identifier;
  declaration part
begin
  statement part
end;
or with a parameter list:
procedure procedure identifier (parameter list);
  declaration part
begin
  statement part
end;

```

A procedure is quite like a sub-program: The *declaration part* consists of label, constant, type, variable or subroutine declarations in free order. The *statement part* consists of a sequence of statements. If *parameter list* is specified, parameters can be passed to the procedure and can be used in *statement part*. A recursive procedure call is allowed.

See also

[Section 7.1.6.2 \[The Function\], page 79](#), [Section 7.1.6.4 \[Subroutine Parameter List Declaration\], page 79](#)

7.1.6.2 The Function

```
function function identifier: function result type;
declaration part
begin
    statement part
end;
```

or with a parameter list:

```
function function identifier (parameter list): function result type;
declaration part
begin
    statement part
end;
```

A function is a subroutine which has a return value of type *function result type*. It is structured like the program: the *declaration part* consists of label, constant, type, variable or subroutine declarations in free order. The *statement part* consists of a sequence of statements. If *parameter list* is specified, parameters can be passed to the function and can be used in *statement part*. The return value is set via an assignment:

```
function identifier := expression
```

Recursive function calls are allowed. Concerning the result type, ISO-7185 Pascal and Borland Pascal only allow the intrinsic types, subranges, enumerated types and pointer types to be returned. In Extended Pascal, *function result type* can be every assignable type. Of course, there are no type restrictions in GNU Pascal as well. If extended syntax is switched on, functions can be called like procedures via procedure call statement.

See also

[Section 7.1.6.1 \[The Procedure\]](#), page 78, [Section 7.1.6.4 \[Subroutine Parameter List Declaration\]](#), page 79, [Section 7.2 \[Data Types\]](#), page 88

7.1.6.3 The Operator

GNU Pascal allows to define operators which can be used the infix style in expressions. For a more detailed description, see [Section 7.3 \[Operators\]](#), page 106

7.1.6.4 Subroutine Parameter List Declaration

```
parameter; ...; parameter
```

Value parameters are declared this way:

```
parameter identifier: parameter type
```

where parameters of the same type be listed, separated by commata:

```
parameter identifier, ..., parameter identifier: parameter type
```

If **var** is specified before a parameter, which is an USCD extension, the compiler is told to pass the argument by reference, i.e. the parameter passed to is expected to be an L-value whose type is *parameter type* if specified, else it is compatible with any type:

```
var parameter identifier: parameter type
```

or without type specification:

```
var parameter identifier
```

This declaration is necessary if the parameter is to be modified within a block and to hold its value still after return. Otherwise, the parameter remains unchanged after block exit, since it is passed by value, and therefore it is called value parameter.

A parameter of this kind is called variable parameter and corresponds to an L-value pointer (to *type identifier* if specified). As a Borland Pascal extension, there are also constant parameters which are not allowed to be changed in the related statement part. Like variable parameters, the type needs not to be declared; in this case *parameter identifier* is treated as a typeless parameter.

`const parameter identifier: parameter type`

or without any further type specification:

`const parameter identifier`

As an Extended Pascal extension, there is a way to declare procedural parameters directly:

`procedure parameter identifier`

or without type specification:

`function parameter identifier: parameter identifier result type`

Example for parameter lists:

```
procedure Foo (var Bar; var Baz: Integer; const Fred: Integer);

    procedure Glork1 (function Foo: Integer; procedure Bar (Baz: Integer));
    begin
        Bar (Foo)
    end;

begin
    baz := Integer (Bar) + Fred
end;
```

See also

[Section 7.2 \[Data Types\], page 88](#)

7.1.7 Statements

7.1.7.1 Assignment

The way an assignment looks like:

`L-value := expression;`

This statement assigns any valid expression to *L-value*. Make sure that the result of *expression* is compatible with *L-value*, otherwise an compilation error is reported. The ‘:=’ is called assignment operator. As long as *L-value* and *expression* are type compatible, they are assignment compatible for *any definable type* as well.

7.1.7.2 begin end Compound Statement

It looks like that:

```
begin
    statement;
    statement;
    ...
```

```

    statement
end

```

This statement joins several *statements* together into one compound statement which is treated as a single statement by the compiler. The finishing semicolon before ‘end’ can be left out.

7.1.7.3 if Statement

This statement has the following look:

```

if boolean expression then
    statement

```

or with an alternative statement:

```

if boolean expression then
    statement1
else
    statement2

```

The ‘if’ ... ‘then’ statement consists of a boolean expression and a *statement*, which is conditionally executed if the evaluation of *boolean expression* yields true.

If ‘if’ ... ‘then’ ... ‘else’ is concerned, *statement1* is executed depending on *boolean expression* being true, otherwise *statement2* is executed alternatively. Note: the statement before else *must not* finish with a semicolon.

7.1.7.4 case Statement

```

case expression of
    selector: statement;
    ...
    selector: statement;
end

```

or, with alternative statement sequence:

```

case ordinal expression of
    selector: statement;
    ...
    selector: statement;
otherwise
    statement;
    ...
    statement;
end

```

{ ‘else’ instead of ‘otherwise’ allowed }

or, as part of the invariant **record** type definition:

```

type
    foo = record
        field declarations
        case bar: variant type of
            selector: (field declarations);
            selector: (field declarations);
            ...
        end;

```

or, without a variant selector field,

```

type
  foo = record
    field declarations
  case variant type of
    selector: (field declarations);
    selector: (field declarations);
    ...
  end;

```

The **case** statement compares the value of *ordinal expression* to each *selector*, which can be a constant, a subrange, or a list of them separated by commata, being compatible with the result of *ordinal expression*. Note: duplicate selectors or range crossing is not allowed unless {*\$borland-pascal*} is specified. In case of equality the corresponding statement is executed. If **otherwise** is specified and no appropriate selector matched the expression, the series of statements following **otherwise** is executed. As a synonym for **otherwise**, **else** can be used. The semicolon before **otherwise** is optional.

@@ ??? The expression *must* match one of the selectors in order to continue, unless an alternative statement series is specified.

For **case** in a variant record type definition, see [Section 7.2.10.4 \[Record Types\]](#), page 95.

See also

[Section 7.1.7.3 \[if Statement\]](#), page 81

7.1.7.5 for Statement

For ordinal index variables:

```

for ordinal variable := initial value to final value do
  statement

```

or

```

for ordinal variable := initial value downto final value do
  statement

```

For sets:

```

for set element type variable in some set do
  statement

```

For pointer index variables:

```

for pointer variable := initial address to final address do
  statement

```

or

```

for pointer variable := initial address downto final address do
  statement

```

The *for* statement is a control statement where an index variable assumes every value of a certain range and for every value the index variable assumes *statement* is executed. The range can be specified by two bounds (which must be of the same type as the index variable, i.e. ordinal or pointers) or by a set.

For ordinal index variables:

- If ‘**to**’ is specified, the index counter is increased by one as long as *initial value* is less or equal to *final value*,
- if ‘**downto**’ is specified, it is decreased by one as long as *initial value* is greater or equal to *final value*.

For pointer index variables:

- If 'to' is specified, the index counter is increased by the size of the type the index variable points to (if it is a typed pointer, otherwise by one if it is typeless) as long as *initial address* is less or equal to *final address*,
- if 'downto' is specified, it is decreased by a corresponding value as long as *initial address* is greater or equal to *final address*.

Since gpc provides a flat memory model, all addresses are linear, so they can be compared. Still, such loops should be used (if at all) only for iterating through successive elements of an array.

For sets:

- *statement* is executed with the index variable (which must be ordinal and of the same type as the set elements) assuming every element in *some set*, however note that a set is a not-ordered structure.

Note: A modification of the index variable may result in unpredictable action.

See also

[Section 7.2.10.7 \[Set Types\], page 100](#), [Section 7.6 \[Pointer Arithmetics\], page 108](#), [Section 7.1.7.7 \[repeat Statement\], page 83](#), [Section 7.1.7.5 \[for Statement\], page 82](#)

7.1.7.6 while Statement

The while loop has the following form

```
while boolean expression do
  statement
```

The **while** statement declares a loop which is executed while *boolean expression* is true. Since the terminating condition is checked before execution of the loop body, *statement* may never be executed.

See also

[Section 7.1.7.7 \[repeat Statement\], page 83](#), [Section 7.1.7.5 \[for Statement\], page 82](#)

7.1.7.7 repeat Statement

```
repeat
  statement;
...
  statement;
until boolean expression
```

The **repeat ... until** statement declares a loop which is repeated until *boolean expression* is true. Since the terminating condition is checked after execution of the loop body, the statement sequence is executed at least once.

See also

[Section 7.1.7.6 \[while Statement\], page 83](#), [Section 7.1.7.5 \[for Statement\], page 82](#)

7.1.7.8 asm Inline

@@ ????

```
asm (StatementList: String);
```

The `asm` inline statement is a GNU extension. It requires its parameter to be AT&T-noted assembler statements, and therefore it is not compatible with that one of Borland Pascal. *statementlist* is a string containing asm statements separated by semicola.

7.1.7.9 with Statement

7.1.7.10 goto Statement

@@ ???? This statement looks like this:

```
goto label
```

(Under construction.)

7.1.7.11 Procedure Call

```
subroutine name;
```

This statement calls the subroutine *subroutine name* which can either be a procedure or, if GNU extended syntax is turned on, a function. In this case, the return value is ignored.

7.1.7.12 The Declaring Statement

This statement allows to declare a variable within a statement part. It looks like this:

```
var
  variable identifier: type identifier;
```

or

```
var
  variable identifier: type definition;
```

and with initializing value:

```
var
  variable identifier: type identifier value expression;
```

or

```
var
  variable identifier: type definition value expression;
```

Unlike in declaration parts, the initializing *expression* has not to be a constant expression. Note that every declaring statement has to start with `var`. The name space of *variable identifier* extends from its declaration to the end of the current matching statement sequence (which can be a statement part (of the program, a function, a procedure or an operator) or, within that part, a begin end compound statement, a repeat loop, or the else branch of a case statement). This statement is a GNU extension.

See also

[Section 7.2.1 \[Type Definition\], page 88](#), [Section 7.2 \[Data Types\], page 88](#)

7.1.7.13 Loop Control Statements

These are

`Continue;`

and

`Break;`

These simple statements *must not* occur outside a loop, i.e. a `for`, `while` or `repeat` statement. 'Continue' transfers control to the beginning of the loop right by its call, 'Break' exits the current loop turn and continues loop execution.

7.1.8 Import Part and Module/Unit Concept

7.1.8.1 The Source Structure of ISO-10206 Extended Pascal Modules

@@ Description missing here

A module can have one or more 'export' clauses and the name of an 'export' clause doesn't have to be equal to the name of the module.

Sample module code with separate interface and implementation parts:

```

module DemoModule interface; { interface part }

export DemoModule = (FooType, SetFoo, GetFoo);

type
  FooType = Integer;

procedure SetFoo (f: FooType);
function  GetFoo: FooType;

end.

module DemoModule implementation; { implementation part }

import
  StandardInput;
  StandardOutput;

var
  Foo: FooType;

{ Note: the effect is the same as a 'forward' directive would have:
  parameter lists and return types are not allowed in the
  declaration of exported routines, according to EP. In GPC, they
  are allowed, but not required. }
procedure SetFoo;
begin
  Foo := f;
end;

function GetFoo;
begin

```

```

    GetFoo := Foo
end;

to begin do
  begin
    foo := 59;
    WriteLn ('Just an example of a module initializer. See comment below')
  end;

to end do
  begin
    Foo := 0;
    WriteLn ('Goodbye')
  end;

end.

```

Alternatively the module interface and implementation may be combined as follows:

```

module DemoMod2; { Alternative method }

export Catch22 = (FooType, SetFoo, GetFoo);

type
  FooType = Integer;

procedure SetFoo (f: FooType);
function  GetFoo: FooType;

end; { note: this end is required here, even if the
      module-block below would be empty. }

var
  Foo: FooType;

procedure SetFoo;
begin
  Foo := f
end;

function GetFoo;
begin
  GetFoo := Foo
end;

end.

```

Either one of the two methods may be used like this:

```

program ModuleDemo (Output);

import DemoModule;

begin
  SetFoo (999);

```



```

    WriteLn (GetFoo);
end.
program ModDemo2 (Output);

import Catch22 in 'demomod2.pas';

begin
    SetFoo (999);
    WriteLn (GetFoo);
end.

```

Somewhat simpler GPC modules are also supported. **Note:** This is not supported in the Extended Pascal standard.

This is a simpler module support that does not require exports, imports, module headers etc.

These non-standard simple GPC modules look like (does not have an export part, does not have a separate module-block, does not use import/export features.)

```

module DemoMod3;

type
    FooType = Integer;

var
    Foo: FooType;

procedure SetFoo (f: FooType);
begin
    Foo := f
end;

function GetFoo: FooType;
begin
    GetFoo := Foo;
end;

end.

program ModDemo3 (Output);

{ Manually do the "import" from DemoMod3 }
type
    FooType = Integer;

procedure SetFoo (f: FooType); external;
function  GetFoo: FooType;      external;

begin
    SetFoo (999);
    WriteLn (GetFoo)
end.

```

Module initialization and finalization:

The **to begin do** module initialization and **to end do** module finalization constructs now work on *every* target.

By the way: The “GPC specific” module definition is almost identical to the PXSC standard. With an additional keyword ‘global’ which puts a declaration into an export interface with the name of the module, it will be the same. @@This is planned.

7.1.8.2 The Source Structure of UCSD/Borland Pascal Units

A generic GNU Pascal unit looks like the following:

```
unit name;

interface

import part

interface part

implementation

implementation part

initialization part

end.
```

The *name* of the unit should coincide with the name of the file with the extension stripped. (If not, you can tell GPC the file name with ‘uses foo in ‘bar.pas’’, see [\[uses\]](#), page 416.)

The *import part* is either empty or contains a ‘uses’ clause to import other units. It may also consist of an ISO-style ‘import’ specification. Note that the implementation part is not preceded by a second import part in GPC (see [\[import\]](#), page 322).

The *interface part* consists of constant, type, and variable declarations, procedure and function headings which may be freely mixed.

The *implementation part* is like the declaration part of a program, but the headers of procedures and functions may be abbreviated: Parameter lists and function return values may be omitted for procedures and functions already declared in the interface part.

The *initialization part* may be missing, or it may be a ‘begin’ followed by one or more statements, such that the unit has a statement part between this ‘begin’ and the final ‘end’. Alternatively, a unit may have ISO-style module initializers and finalizers, see [\[to begin do\]](#), page 408, [\[to end do\]](#), page 409.

Note that GPC does *not* yet check whether all interface declarations are resolved in the same unit. The implementation of procedures and functions which are in fact not used may be omitted, and/or procedures and functions may be implemented somewhere else, even in a different language. However, relying on a GPC bug (that will eventually be fixed) is not a good idea, so this is not recommended. Instead, declare such routines as ‘external’.

A unit exports everything declared in the interface section. The exported interface has the name of the unit and is compatible with Extended Pascal module interfaces since GPC uses the same code to handle both.

7.2 Data Types

7.2.1 Type Definition

As described in [Section 7.1.4 \[Type Declaration\]](#), page 76, a type declaration part looks like this:

```

type
  type identifier = type definition;
  ...
  type identifier = type definition;

```

where the left side is the type declaration and the right one the type definition side. GNU Pascal offers variant possibilities to implement highly specialized and problem-specific data types.

7.2.2 Ordinal Types

An ordinal type is a range of whole numbers. It includes integer types, character types and subrange types of them.

A character type is represented by the intrinsic type `'Char'` which can hold elements of the operating system's character set (usually ASCII). Conversion between character types and ordinal types is possible with the intrinsic functions `Ord` and `Chr` or type casting techniques.

```

type
  Foo: Char;           { foo can hold a character }
  Num: '0' .. '9'; { Can hold decimal ciphers, is a subrange type of Char }

```

See also

[\[Ord\]](#), page 357, [\[Chr\]](#), page 286, [Section 7.7 \[Type Casts\]](#), page 109

7.2.3 Integer Types

Besides `'Integer'`, GNU Pascal supports a large zoo of integer types. Some of them you will find in other compilers, too, but most are GNU extensions, introduced for particular needs. Many of these types are synonyms for each other. In total, GPC provides 20 built-in integer types, plus seven families you can play with. (Four of these “families” are signed and unsigned, packed and unpacked subrange types; the others are explained below.)

See also: [Section 7.2.10.1 \[Subrange Types\]](#), page 94.

7.2.3.1 The CPU's Natural Integer Types

For most purposes, you will always use `'Integer'`, a signed integer type which has the “natural” size of such types for the machine. On most machines GPC runs on, this is a size of 32 bits, so `'Integer'` usually has a range of `'-2147483648..2147483647'` (see [\[Integer\]](#), page 327).

If you need an unsigned integer type, the “natural” choice is `'Cardinal'`, also called `'Word'`. Like `'Integer'`, it has 32 bits on most machines and thus a range of `'0..4294967295'` (see [\[Cardinal\]](#), page 282, [\[Word\]](#), page 422).

These natural integer types should be your first choice for best performance. For instance on an IA32 CPU operations with `'Integer'` usually work faster than operations with shorter integer types like `'ShortInt'` or `'ByteInt'` (see below).

7.2.3.2 The Main Branch of Integer Types

`'Integer'`, `'Cardinal'`, and `'Word'` define the three “main branches” of GPC's integer types. You won't always be able to deal with the natural size; sometimes something smaller or longer will be needed. Especially when interfacing with libraries written in other languages such as C, you will need equivalents for their integer types.

The following variants of `'Integer'`, `'Cardinal'` and `'Word'` are guaranteed to be compatible to the integer types of GNU C. The sizes given, however, are *not* guaranteed. They are just

typical values currently used on most platforms, but they may be actually shorter or increase in the future.

| signed | unsigned | also unsigned | GNU C equivalent | size in bits (typically) |
|-------------|-----------|---------------|--------------------------|-----------------------------|
| ByteInt | ByteCard | Byte | [un]signed char | 8 |
| ShortInt | ShortCard | ShortWord | [unsigned] short int | 16 |
| Integer | Cardinal | Word | [unsigned] int | 32 |
| MedInt | MedCard | MedWord | [unsinged] long int | 32 |
| LongInt | LongCard | LongWord | [unsinged] long long int | 64 |
| — | SizeType | — | size_t | 32 |
| PtrDiffType | — | — | ptrdiff_t | 32 |
| PtrInt | PtrCard | PtrWord | — | 32 |

Since we don't know whether 'LongInt' will always remain the "longest" integer type available – maybe GNU C will get 'long long long int', one day, which we will support as 'LongLongInt' – we have added the synonym 'LongestInt' for the longest available signed integer type, and the same holds for 'LongestCard' and 'LongestWord'.

7.2.3.3 Integer Types with Specified Size

In some situations you will need an integer type of a well-defined size. For this purpose, GNU Pascal provides three families of signed and unsigned integer types. The type

Integer (42)

is guaranteed to have a precision of 42 bits. In a realistic context, you will most often give a power of two as the number of bits, and the machine you will need it on will support variables of that size. If this is the case, the specified precision will simultaneously be the amount of storage needed for variables of this type.

In short: If you want to be sure that you have a signed integer with 32 bits width, write 'Integer (32)', not just 'Integer' which might be bigger. The same works with 'Cardinal' and 'Word' if you need unsigned integer types of well-known size.

This way, you *can't* get a higher precision than that of 'LongestInt' or 'LongestCard' (see [Section 7.2.3.2 \[Main Branch Integer Types\]](#), page 89). If you need higher precision, you can look at the 'GMP' unit (see [Section 7.14.5 \[GMP\]](#), page 197) which provides integer types with arbitrary precision, but their usage is different from normal integer types.

7.2.3.4 Integer Types and Compatibility

If you care about ISO compliance, *only* use 'Integer' and subranges of 'Integer'.

Some of GPC's non-ISO integer types exist in Borland Pascal, too: 'Byte', 'ShortInt', 'Word', and 'LongInt'. The sizes of these types, however, are not the same as in Borland Pascal. Even for 'Byte' this is not guaranteed (while probable, though).

When designing GNU Pascal, we thought about compatibility to Borland Pascal. Since GNU Pascal is (at least) a 32-bit compiler, 'Integer' *must* have (at least) 32 bits. But what to do with 'Word'? Same size as 'Integer' (like in BP) or 16 bits (like in BP)? We decided to make 'Word' the "natural-sized" unsigned integer type, thus making it (at least) 32 bits wide. Similarly, we decided to give 'LongInt' twice the size of 'Integer' (like in BP) rather than making it 32 bits wide (like in BP). So 'LongInt' has 64 bits, and 'ShortInt' has 16 bits on the IA32 platform.

On the other hand, to increase compatibility to Borland Pascal and Delphi, GPC provides the alias name 'Comp' for 'LongInt' (64 bits on IA32) and 'SmallInt' for 'ShortInt' (16 bits on IA32). Note that BP treats 'Comp' as a "real" type and allows assignments like 'MyCompVar := 42.0'. Since we don't consider this a feature, GPC does not copy this behaviour.

7.2.3.5 Summary of Integer Types

Here is a summary of all integer types defined in GPC. The sizes and ranges are only *typical* values, valid on some, but not all platforms. Compatibility to GNU C however *is* guaranteed.

[ByteInt], page 280

signed 8-bit integer type, ‘-128..128’,
compatible to ‘signed char’ in GNU C.

[ByteCard], page 280

unsigned 8-bit integer type, ‘0..255’,
compatible to ‘unsigned char’ in GNU C.

[ShortInt], page 393

signed 16-bit integer type, ‘-32768..32767’,
compatible to ‘short int’ in GNU C.

[ShortCard], page 393

unsigned 16-bit integer type, ‘0..65535’,
compatible to ‘unsigned short int’ in GNU C.

[Integer], page 327

signed 32-bit integer type, ‘-2147483648..2147483647’,
compatible to ‘int’ in GNU C.

[Cardinal], page 282

unsigned 32-bit integer type, ‘0..4294967295’,
compatible to ‘unsigned int’ in GNU C.

[MedInt], page 343

signed 32-bit integer type, ‘-2147483648..2147483647’,
compatible to ‘long int’ in GNU C.

[MedCard], page 342

unsigned 32-bit integer type, ‘0..4294967295’,
compatible to ‘unsigned long int’ in GNU C.

[LongInt], page 336

signed 64-bit integer type, ‘-9223372036854775808..9223372036854775807’,
compatible to ‘long long int’ in GNU C.

[LongCard], page 333

unsigned 64-bit integer type, ‘0..18446744073709551615’,
compatible to ‘unsigned long long int’ in GNU C.

[LongestInt], page 335

signed 64-bit integer type, ‘-9223372036854775808..9223372036854775807’.

[LongestCard], page 334

unsigned 64-bit integer type, ‘0..18446744073709551615’.

[Comp], page 288

signed 64-bit integer type, ‘-9223372036854775808..9223372036854775807’.

[SmallInt], page 398

signed 16-bit integer type, ‘-32768..32767’.

[SizeType], page 398

integer type (usually unsigned) to represent the size of objects in memory

[PtrDiffType], page 371

signed integer type to represent the difference between two positions in memory

[\[PtrInt\]](#), [page 371](#)

signed integer type of the same size as a pointer

[\[PtrCard\]](#), [page 370](#)

unsigned integer type of the same size as a pointer

To specify the number of bits, use

‘Integer (n)’

signed *n*-bit integer type.

‘Cardinal (n)’

unsigned *n*-bit integer type.

‘Word (n)’ unsigned *n*-bit integer type.

```
program IntegerTypesDemo (Output);
```

```
var
```

```
  ByteVar: Byte;
```

```
  ShortIntVar: ShortInt;
```

```
  Foo: MedCard;
```

```
  Big: LongestInt;
```

```
begin
```

```
  ShortIntVar := 1000;
```

```
  Big := MaxInt * ShortIntVar;
```

```
  ByteVar := 127;
```

```
  Foo := 16#deadbeef
```

```
end.
```

See also: [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).

7.2.4 Built-in Real (Floating Point) Types

GPC has three built-in floating point types to represent real numbers. Each of them is available under two names (for compatibility to other compilers and languages).

For most purposes, you will always use ‘Real’ which is the only one of them that is part of Standard and Extended Pascal. If memory constraints apply, you might want to choose ‘ShortReal’ for larger arrays. On the other hand, if high precision is needed, you can use ‘LongReal’. When interfacing with libraries written in other languages such as C, you will need the equivalents for their real types.

Note that not all machines support longer floating point types, so ‘LongReal’ is the same as ‘Real’ on these machines. Also, some machines may support a longer type, but not do all arithmetic operations (e.g. the ‘Sin’ function, [\[Sin\]](#), [page 396](#)) in a precision higher than that of ‘Real’. If you need higher precision, you can look at the ‘GMP’ unit (see [Section 7.14.5 \[GMP\]](#), [page 197](#)) which provides rational and real numbers with arbitrary precision, but their usage is different from normal real types.

The following real types are guaranteed to be compatible to the real types of GNU C. The sizes given, however, are *not* guaranteed. They are just typical values used on any IEEE compatible floating point hardware, but they may be different on some machines.

| type name | alternative name | GNU C equivalent | size in bits (typically) |
|-----------|------------------|------------------|--------------------------|
| ShortReal | Single | float | 32 |
| Real | Double | double | 64 |
| LongReal | Extended | long double | 80 |

7.2.5 Strings Types

There are several ways to use strings in GNU Pascal. One of them is the use of the intrinsic string type `'String'` which is a predefined schema type. The schema discriminant of this type holds the maximal length, which is of type Integer, so values up to `MaxInt` can be specified. For `'String'`, an assignment is defined. There are many built-in functions and procedures for comfortable strings handling.

@@ ??? String procedures and functions.

Another way to use strings is to use arrays of type `'Char'`. For these, an intrinsic assignment is defined as well. Besides, `'String'` and `'Char'` are assignment compatible. The preferred way, however, is `'String'` because of the numerous possibilities for string handling.

7.2.6 Character Types

Character types are a special case of ordinal types. See [Section 7.2.2 \[Ordinal Types\]](#), page 89

7.2.7 File Types

Files are used to store data permanently, normally on hard drives or floppies. There are tree types of files available: text files, typed and untyped files.

Text files are used to store text in them, where typed files are used to store many entries of the same type in them, e.g. addresses. Text files and typed files are accessible by `'Read'` and `'Write'` operations and do not need the parameter `'BlockSize'` in `'Reset'` or `'Rewrite'`. On the other hand, untyped files are used to store any type of information in them but you need to use `'BlockWrite'` or `'BlockRead'` to store or retrieve data out of this file.

```
var
  F1: Text;    { a textfile }
  F2: file of Real;  { a typed filed used to store real values in it }
  F3: File;    { an untyped file }
```

See also

[Section 7.10.1 \[File Routines\]](#), page 118, [\[Write\]](#), page 423, [\[Read\]](#), page 375, [\[BlockRead\]](#), page 276, [\[BlockWrite\]](#), page 277, [\[Reset\]](#), page 380, [\[Rewrite\]](#), page 383

7.2.8 Boolean (Intrinsic)

The intrinsic Boolean represents boolean values, i.e. it can only assume true and false (which are predefined constants). This type corresponds to the enumerated type

```
type
  Boolean = (False, True);
```

Since it is declared this way, it follows:

```
Ord (False) = 0
Ord (True) = 1
False < True
```

There are four intrinsic logical operators. The logical `and`, `or` and `not`. In Borland Pascal and GNU Pascal, there is a logical “exclusive or” `xor`.

See also

[Section 7.2.10.2 \[Enumerated Types\]](#), page 94, [\[and\]](#), page 262, [\[or\]](#), page 355, [\[not\]](#), page 352, [\[xor\]](#), page 425

7.2.9 Pointer (Intrinsic)

The intrinsic Pointer Type is a so-called unspecified or typeless pointer (i.e. a pointer which does not point to any type but holds simply a memory address).

See also

[Section 7.2.10.8 \[Pointer Types\], page 100](#), [\[nil\], page 351](#)

7.2.10 Type Definition Possibilities

7.2.10.1 Subrange Types

GNU Pascal supports Standard Pascal's subrange types:

```
program SubrangeDemo;
type
  MonthInt = 1 .. 12;
  Capital = 'A' .. 'Z';
  ControlChar = ^A .. ^Z; { '^A' = 'Chr (1)' is a BP extension }
begin
end.
```

Also possible: Subranges of enumerated types:

```
program EnumSubrangeDemo;
type
  { This is an enumerated type. }
  Days = (Mon, Tue, Wed, Thu, Fri, Sat, Sun);

  { This is a subrange of 'Days'. }
  Working = Mon .. Fri;

begin
end.
```

To increase performance, variables of such a type are aligned in a way which makes them fastest to access by the CPU. As a result, '1 .. 12' occupies 4 bytes of storage on an IA32 CPU.

For the case you want to save storage at the expense of speed, GPC provides a 'packed' variant of these as an extension:

```
program PackedSubrangeDemo;
type
  MonthInt = packed 1 .. 12;
begin
end.
```

A variable of this type occupies the shortest possible (i.e., addressable) space in memory – one byte on an IA32 compatible CPU.

See also: [\[packed\], page 360](#).

7.2.10.2 Enumerated Types

```
type
  enum type identifier = (name identifier, ..., name identifier);
```


An enumerated type defines a range of elements which are referred to by identifiers. Enumerated types are ordered by occurrence in the identifier list. So, they can be used as index types in an array definition, and it is possible to define subranges of them. Since they are ordered, they can be compared to one another. The intrinsic function `Ord` applied to *name identifier* returns the number of occurrence in the identifier list (beginning with zero), `Pred` and `Succ` return the predecessor and successor of *name identifier*.

See also

[Section 7.2.10.3 \[Array Types\], page 95](#), [Section 7.2.10.1 \[Subrange Types\], page 94](#), [\[Ord\], page 357](#), [\[Pred\], page 367](#), [\[Succ\], page 404](#)

7.2.10.3 Array Types

```
type
  array type identifier = array [index type] of element type
or
type
  array type identifier = array [index type, ..., index type] of element type
```

The reserved word `array` defines an array type. *index type* has to be an ordinal type, subrange type or an enumerated type, where several index types, separated by commas, are allowed. *element type* is an arbitrary type. An element of an array is accessed by *array type variable* [*index number*]. The upper and lower index bounds can be determined by the intrinsic functions `High` and `Low`.

```
type
  IntArray = array [1 .. 20] of Integer;
  Foo      = array [(Mo, Tu, We, Th, Fr, Sa, Su)] of Char;
  Bar      = array [0 .. 9, 'a' .. 'z', (Qux, Glork1, Fred)] of Real;
  Baz1     = array [1 .. 10] of IntArray;
  { equal (but declared differently): }
  Baz2     = array [1 .. 10, 1 .. 20] of Integer;
```

See also

[\[High\], page 319](#), [\[Low\], page 338](#)

7.2.10.4 Record Types

```
type
  record type identifier = record
    field identifier: type definition;
    ...
    field identifier: type definition;
  end;
or, with a variant part,
type
  record type identifier = record
    field identifier: type definition;
    ...
    field identifier: type definition;
  case bar: variant type of
```

```

    selector: (field declarations);
    selector: (field declarations);
    ...
end;

```

or, without a variant selector field,

```

type
  record type identifier = record
    field identifier: type definition;
    ...
    field identifier: type definition;
  case variant type of
    selector: (field declarations);
    selector: (field declarations);
    ...
  end;

```

The reserved word **record** defines a structure of fields. Records can be ‘packed’ to save memory usage at the expense of speed.

The reserved word ‘**record**’ and record types are defined in ISO-7185 Pascal. According to ISO Pascal, the variant type must be an identifier. GNU Pascal, like UCSD and Borland Pascal, also allows a subrange here.

A record field is accessed by *record type variable . field identifier*

See also: [\[packed\]](#), page 360, [Section 7.1.7.4 \[case Statement\]](#), page 81.

7.2.10.5 Variant Records

GPC supports variant records like in EP and BP. The following construction is not allowed in Extended Pascal, but in BP and GPC:

```

program BPVariantRecordDemo;

type
  PersonRec = record
    Age: Integer;
  case EyeColor: (Red, Green, Blue, Brown) of
    Red, Green : (WearsGlasses: Boolean);
    Blue, Brown: (LengthOfLashes: Integer);
  end;

begin
end.

```

In EP, the variant field needs a type identifier, which, of course, also works in GPC:

```

program EPVariantRecordDemo;

type
  EyeColorType = (Red, Green, Blue, Brown);

  PersonRec = record
    Age: Integer;
  case EyeColor: EyeColorType of
    Red, Green : (WearsGlasses: Boolean);
    Blue, Brown: (LengthOfLashes: Integer);

```

```

    end;

begin
end.

```

7.2.10.6 EP's Schema Types including 'String'

Schemata are types that depend on one or more variables, called *discriminants*. They are an ISO-10206 Extended Pascal feature.

```

type
  RealArray (n: Integer) = array [1 .. n] of Real;
  Matrix (n, m: PositiveInteger) = array [1 .. n, 1 .. m] of Integer;

```

The type 'RealArray' in this example is called a Schema with the discriminant 'n'.

To declare a variable of such a type, write:

```

var
  Foo: RealArray (42);

```

The discriminants of every global or local schema variable are initialized at the beginning of the procedure, function or program where the schema variable is declared.

Schema-typed variables "know" about their discriminants. Discriminants can be accessed just like record fields:

```

program Schema1Demo;
type
  PositiveInteger = 1 .. MaxInt;
  RealArray (n: Integer) = array [1 .. n] of Real;
  Matrix (n, m: PositiveInteger) = array [1 .. n, 1 .. m] of Integer;

var
  Foo: RealArray (42);

begin
  WriteLn (Foo.n) { yields 42 }
end.

```

Schemata may be passed as parameters. While types of schema variables must always have specified discriminants (which may be other variables), formal parameters (by reference or by value) may be of a schema type without specified discriminant. In this, the actual parameter may possess any discriminant. The discriminants of the parameters get their values from the actual parameters.

Also, *pointers* to schema variables may be declared without a discriminant:

```

program Schema2Demo;
type
  RealArray (n: Integer) = array [1 .. n] of Real;
  RealArrayPtr = ^RealArray;
var
  Bar: RealArrayPtr;
begin
end.

```

When applying 'New' to such a pointer, you must specify the intended value of the discriminant as a parameter:

```

  New (Bar, 137)

```

As a GNU Pascal extension, the above can also be written as

```
Bar := New (RealArrayPtr, 137)
```

The allocated variable behaves like any other schema variable:

```
program Schema3Demo;
type
  RealArray (n: Integer) = array [1 .. n] of Real;
  RealArrayPtr = ^RealArray;
var
  Bar: RealArrayPtr;
  i: Integer;
begin
  Bar := New (RealArrayPtr, 137);
  for i := 1 to Bar^.n do
    Bar^[i] := 42
  end.
```

Since the schema variable “knows” its size, pointers to schemata can be disposed just like other pointers:

```
Dispose (Bar)
```

Schemata are not limited to arrays. They can be of any type that normally requires constant values in its definition, for instance subrange types, or records containing arrays etc. (Sets do not yet work.)

References to the schema discriminants are allowed, and the `with` statement is also allowed, so one can say:

```
program SchemaWithDemo;
type
  RealArray (n: Integer) = array [1 .. n] of Real;
var
  MyArray: RealArray (42);
begin
  WriteLn (MyArray.n); { writes 42 }
  with MyArray do
    WriteLn (n);        { writes 42 }
  end.
```

Finally, here is a somewhat exotic example. Here, a ‘`ColoredInteger`’ behaves just like an ordinary integer, but it has an additional property ‘`Color`’ which can be accessed like a record field.

```
program SchemaExoticDemo;

type
  ColorType = (Red, Green, Blue);
  ColoredInteger (Color: ColorType) = Integer;

var
  Foo: ColoredInteger (Green);

begin
  Foo := 7;
  if Foo.Color = Red then
    Inc (Foo, 2)
  else
    Foo := Foo div 3
```

end.

An important schema is the predefined 'String' schema (according to Extended Pascal). It has one predefined discriminant identifier **Capacity**. GPC implements the **String** schema as follows:

```
type
  String (Capacity: Cardinal) = record
    Length: 0 .. Capacity;
    Chars: packed array [1 .. Capacity + 1] of Char
  end;
```

The **Capacity** field may be directly referenced by the user, the **Length** field is referenced by a predefined string function **Length (Str)** and contains the current string length. **Chars** contains the chars in the string. The **Chars** and **Length** fields cannot be directly referenced by a user program.

If a formal value parameter is of type 'String' (with or without discriminant), the actual parameter may be either a **String** schema, a fixed string (character array), a single character, a string literal or a string expression. If the actual parameter is a 'String' schema, it is copied for the parameter in the usual way. If it is not a schema, a 'String' schema is created automatically, the actual parameter is copied to the new variable and the **Capacity** field of the new variable is set to the length of the actual parameter.

Actual parameters to 'var' parameters of type 'String' must be 'String' schemata, not string literals or character arrays.

```
program StringDemo (Output);

type
  SType = String (10);
  SPtr  = ^String;

var
  Str : SType;
  Str2: String (100000);
  Str3: String (20) value 'string expression';
  DStr: ^String;
  ZStr: SPtr;
  Len  : Integer value 256;
  Ch   : Char value 'R';

{ 'String' accepts any length of strings }
procedure foo (z: String);
begin
  WriteLn ('Capacity: ', z.Capacity);
  WriteLn ('Length   : ', Length (z));
  WriteLn ('Contents: ', z);
end;

{ Another way to use dynamic strings }
procedure Bar (SLen: Integer);
var
  LString: String (SLen);
  FooStr: type of LString;
begin
  LString := 'Hello world!';
```

```

    Foo (LString);
    FooStr := 'How are you?';
    Foo (FooStr);
end;

begin
    Str  := 'KUKKUU';
    Str2 := 'A longer string variable';
    New (DStr, 1000); { Select the string Capacity with 'New' }
    DStr^ := 'The maximum length of this is 1000 chars';
    New (ZStr, Len);
    ZStr^ := 'This should fit here';
    Foo (Str);
    Foo (Str2);
    Foo ('This is a constant string');
    Foo ('This is a ' + Str3);
    Foo (Ch); { A char parameter to string routine }
    Foo (''); { An empty string }
    Foo (DStr^);
    Foo (ZStr^);
    Bar (10000);
end.

```

In the above example, the predefined procedure **New** was used to select the capacity of the strings. Procedure **Bar** also has a string whose size depends of the parameter passed to it and another string whose type will be the same as the type of the first string, using the **type of** construct.

All string and character types are compatible as long as the destination string is long enough to hold the source in assignments. If the source string is shorter than the destination, the destination is automatically blank padded if the destination string is not of string schema type.

7.2.10.7 Set Types

set type identifier = **set of** *set element type*;

set type identifier is a set of elements from *set element type* which is either an ordinal type, an enumerated type or a subrange type. Set element representatives are joined together into a set by brackets:

[*set element*, ..., *set element*]

'[]' indicates the empty set, which is compatible with all set types. Note: Borland Pascal restricts the maximal set size (i.e. the range of the set element type) to 256, GNU Pascal has no such restriction. The number of elements a set variable is holding can be determined by the intrinsic set function **Card** (which is a GNU Pascal extension, in Extended Pascal and Borland Pascal you can use **SizeOf** instead but note the element type size in bytes, then) to the set. There are four intrinsic binary set operations: the union '+', the intersection '*' and the difference '-'. The symmetric difference '><' is an Extended Pascal extension.

See also

[\[Card\]](#), page 281, [\[SizeOf\]](#), page 397

7.2.10.8 Pointer Types

pointer type identifier = ^*type identifier*;

A pointer of the type *pointer type identifier* holds the address at which data of the type *type identifier* is situated. Unlike other identifier declarations, where all identifiers in definition part have to be declared before, in a pointer type declaration *type identifier* may be declared after *pointer type identifier*. The data pointed to is accessed by '*pointer type variable*^'. To mark an unassigned pointer, the 'nil' constant (which stands for "not in list") has to be assigned to it, which is compatible with all pointer types.

```

type
  ItselfFoo = ^ItselfFoo; { possible but senseless }

  PInt      = ^Integer;    { Pointer to an Integer }

  PNode     = ^TNode;      { Linked list }
  TNode     = record
    Key      : Integer;
    NextNode: PNode;
  end;

var
  Foo, Bar: PInt;

begin
  Foo := Bar; { Modify address which foo is holding }
  Foo^ := 5;  { Access data foo is pointing to }
end.
```

GPC also supports pointers to procedures or function and calls through them. This is a non-standard feature.

```

program ProcPtrDemo (Output);

type
  ProcPtr = ^procedure (Integer);

var
  PVar: ProcPtr;

procedure WriteInt (i: Integer);
begin
  WriteLn ('Integer: ', i : 1)
end;

begin
  { Let PVar point to function WriteInt }
  PVar := @WriteInt;

  { Call the function by dereferencing the function pointer }
  PVar^ (12345)
end.
```

See also: [Section 7.2.9 \[Pointer \(Intrinsic\)\], page 94](#).

7.2.10.9 Procedural and Functional Types

For procedures without a parameter list:

```
procedure type identifier = procedure name identifier;
```

or functions:

```
function type identifier =  
    function name identifier: function result type;
```

For procedures with a parameter list:

```
procedure type identifier =  
    procedure name identifier (parameter list);
```

or functions:

```
function type identifier =  
    function name identifier (parameter list): function result type;
```

Procedural types can be used as procedures or functions respectively, but also a value can be assigned to them. Procedural types are a Borland Pascal extension. In Borland Pascal, *function result type* can only be one of these types: ordinal types, enumerated types, real types, pointer types, the intrinsic Boolean, or the intrinsic String. In GNU Pascal every function result type for procedural types is allowed.

BP has procedural and functional types:

```
type  
    CompareFunction = function (Key1, Key2: String): Integer;  
  
    function Sort (Compare: CompareFunction);  
begin  
    ...  
end;
```

Standard Pascal has procedural and functional parameters:

```
function Sort (function Compare (Key1, Key2: String): Integer);  
begin  
    ...  
end;
```

Both ways have pros and cons, e.g. in BP you can save, compare, trade, etc. procedural values, or build arrays of them, while the SP way does not require a type declaration and prevents problems with uninitialized or invalid pointers (which in BP will usually crash the program).

GPC supports both ways. An important feature of Standard Pascal (but not BP) that GPC also supports is the possibility to pass *local* routines as procedural or functional parameters, even if the called routine is declared far remote. The called routine can then call the passed local routine and it will have access to the original caller's local variables.

```
program LocalProceduralParameterDemo;  
  
    procedure CallProcedure (procedure Proc);  
    begin  
        Proc  
    end;  
  
    procedure MainProcedure;  
    var LocalVariable: Integer;
```



```

    procedure LocalProcedure;
    begin
        WriteLn (LocalVariable)
    end;

begin
    LocalVariable := 42;
    CallProcedure (LocalProcedure)
end;

begin
    MainProcedure
end.

```

See also: [Section 7.1.6.1 \[The Procedure\]](#), page 78, [Section 7.1.6.2 \[The Function\]](#), page 79, [Section 7.1.6.4 \[Subroutine Parameter List Declaration\]](#), page 79, [Section 7.1.7.11 \[Procedure Call\]](#), page 84.

7.2.10.10 Object Types

Object types are used to encapsulate data and methods. Furthermore, they implement a mechanism for inheritance.

See also

[Section 7.8 \[OOP\]](#), page 112

7.2.10.11 Initial values to type denoters

A type may be initialized to a value of expression when it is declared, like a variable, as in:

```

program TypeVarInitDemo;
type
    Int10    = Integer value 10;
    FooType  = Real;
    MyType   = Char value Pred ('A');
    EType    = (a, b, c, d, e, f, g) value d;

const
    Answer = 42;

var
    ii : Int10;                { Value of ii set to 10 }
    ch : MyType value Pred ('z');
    aa : Integer value Answer + 10;
    foo: FooType value Sqr (Answer);
    e1 : EType;                { value set to d }
    e2 : EType value g;        { value set to g }
begin
end.

```

Extended Pascal requires the type initializers to be constant expressions. GPC allows any valid expression.

Note, however, that the expressions that affect the size of storage allocated for objects (e.g. the length of arrays) may contain variables only inside functions or procedures.

GPC evaluates the initial values used for the type when an identifier is declared for that type. If a variable is declared with a type-denoter that uses a type-name which already has an initial value the latter initialization has precedence.

@@ GPC does not know how to calculate constant values for math functions in the run-time library at compile time, e.g. ‘Exp (Sin (2.4567))’, so you should not use these kind of expressions in object size expressions. (Extended Pascal allows this.)

7.2.10.12 Restricted Types

GPC supports ‘restricted’ types, defined in Extended Pascal. A value of a restricted type may be passed as a value parameter to a formal parameter possessing its underlying type, or returned as the result of a function. A variable of a restricted type may be passed as a variable parameter to a formal parameter possessing the same type or its underlying type. No other operations, such as accessing a component of a restricted type value or performing arithmetic, are possible.

```

program RestrictedDemo;

type
  UnrestrictedRecord = record
    a: Integer;
  end;
  RestrictedRecord = restricted UnrestrictedRecord;

var
  r1: UnrestrictedRecord;
  r2: RestrictedRecord;
  i: restricted Integer;
  k: Integer;

function AccessRestricted (p: UnrestrictedRecord): RestrictedRecord;
var URes: UnrestrictedRecord;
begin
  { The parameter is treated as unrestricted, even though the actual
    parameter may be a restricted object }
  URes.a := p.a;
  { It is allowed to assign a return value }
  AccessRestricted := URes;
end;

begin
  r1.a := 354;

  { Assigning a restricted return value to a restricted object }
  { @@ Verify if this should really be allowed????? }
  r2 := AccessRestricted (r1);

  { Passing a restricted object to unrestericted formal parameter is ok }
  r2 := AccessRestricted (r2);

  {$ifdef BUG}
  { *** The following statements are not allowed *** }
  k := r2.a;      { field access (reading) }

```

```

r2.a := 100;    { field access (writing) }
r1 := r2;      { assignment source is restricted }
r2 := r1;      { assignment target is restricted }
r1 := AccessRestricted (r2); { assigning a restricted return
                             value to an unrestricted object }

i  := 16#ffff; { assignment target is restricted }
k  := i + 2;   { arithmetic with restricted value }
{$endif}
end.

```

7.2.11 Machine-dependent Type Implementation

7.2.11.1 Endianness

Endianness means the order in which the bytes of a value larger than one byte are stored in memory. This affects, e.g., integer values and pointers while, e.g., arrays of single-byte characters are not affected. The GPC ‘String’ schema, however, contains ‘Capacity’ and ‘Length’ fields before the character array. These fields are integer values larger than one byte, so the ‘String’ schema *is* affected by endianness.

Endianness depends on the hardware, especially the CPU. The most common forms are:

- *Little-endian*

Little-endian machines store the least significant byte on the lowest memory address (the word is stored *little-end-first*).

E.g., if the 32 bit value \$deadbeef is stored on memory address \$1234 on a little-endian machine, the following bytes will occupy the memory positions:

| Address | Value |
|---------|-------|
| \$1234 | \$ef |
| \$1235 | \$be |
| \$1236 | \$ad |
| \$1237 | \$de |

Examples for little-endian machines are IA32 and compatible microprocessors and Alpha processors.

- *Big-endian*

Big-endian machines store the most significant byte on the lowest memory address (the word is stored *big-end-first*).

E.g., if the 32 bit value \$deadbeef is stored on memory address \$1234 on a big-endian machine, the following bytes will occupy the memory positions:

| Address | Value |
|---------|-------|
| \$1234 | \$de |
| \$1235 | \$ad |
| \$1236 | \$be |
| \$1237 | \$ef |

Examples for big-endian machines are the Sparc and Motorola m68k CPU families and most RISC processors. Big-endian byte order is also used in the Internet protocols.

Note: There are processors which can run in both little-endian and big-endian mode, e.g. the MIPS processors. A single program, however, (unless it uses special machine code instructions) will always run in one endianness.

Under normal circumstances, programs do not need to worry about endianness, the CPU handles it by itself. Endianness becomes important when exchanging data between different


```

    Vector3 = record
        x, y, z: Real;
    end;

var
    a, b, c: Vector3 = (1, 2, 3);

operator + (u, v: Vector3) w: Vector3;
begin
    w.x := u.x + v.x;
    w.y := u.y + v.y;
    w.z := u.z + v.z;
end;

begin
    c := a + b
end.

```

Between the closing parenthesis of the argument list and the result variable ('w' in the above example), GPC allows an optional equal sign. This is not allowed in PXSC, but it is consistent with Extended Pascal's function return variable definitions, where the equal sign is obligatory (but also optional in GPC).

The argument types needn't be equal, and the name of the operator may be an identifier instead of a known symbol. You cannot define *new* symbols in GPC.

The PXSC operators '+>', '+<', etc. for exact numerical calculations currently are not implemented in GPC, but you can define them. Also, the other real-type operators do *not* meet the requirements of PXSC; a module which fixes that would be a welcome contribution.

7.4 Procedure And Function Parameters

7.4.1 Parameters declared as 'protected' or 'const'

All the following works in GPC:

```

procedure Foo (protected a, b, c: Integer);    { 3 arguments }
procedure Foo (a, b, c, protected: Integer);    { 4 arguments }
procedure Foo (a, b, protected, c: Integer);    { 4 arguments }
procedure Foo (protected: Integer);             { 1 argument  }
procedure Foo (var protected: Integer);         { 1 argument  }
procedure Foo (protected protected: Integer);   { 1 argument  }

```

Furthermore, GPC supports **const**, according to BP, which is equivalent to either **protected** or **protected var**, up to the compiler's discretion.

7.4.2 The Standard way to pass arrays of variable size

@@ (Under construction.)

A feature of Standard Pascal level 1.

7.4.3 BP's alternative to Conformant Arrays

Borland Pascal "open array" formal parameters are implemented into GPC. Within the function body, they have integer type index with lower bound 0.

In contrast to conformant arrays (which are not supported by BP), open arrays allow any ordinal type as the index of the actual parameter (which is useful, e.g., if you want to be able to pass values of any enumeration type). However, they lose information about the lower bound (which is a problem, e.g., if you want to return information to the caller that relates to the actual array index, like the function ‘IOSelect’ in the Run Time System does).

7.5 Accessing parts of strings (and other arrays)

GPC allows the access of parts (“slices”) of strings as defined in Extended Pascal. For example:

```
program StringSliceDemo;

const
  HelloWorld = 'Hello, world!';

begin
  WriteLn (HelloWorld[8 .. 12]) { yields 'world' }
end.
```

As an extension, it also allows write access to a string slice:

```
program SliceWriteDemo;

var
  s: String (42) = 'Hello, world!';

begin
  s[8 .. 12] := 'folks';
  WriteLn (s) { yields 'Hello, folks!' }
end.
```

As a further extension, GPC allows slice access also to non-string arrays. However, the usefulness of this feature is rather limited because of Pascal’s strict type checking rules: If you have, e.g., an ‘array [1 .. 10] of Integer’ and take a slice ‘[1 .. 5]’ of it, it will not be compatible to another ‘array [1 .. 5] of Integer’ because distinct array types are not compatible in Pascal, even if they look the same.

However, array slice access can be used in connection with conformant or open array parameters. See the program ‘arrayslicedemo.pas’ (in the ‘demos’ directory) for an example.

7.6 Pointer Arithmetics

GPC allows to increment, decrement, compare, and subtract pointers or to use them in ‘for’ loops just like the C language.

GPC implements the address operator @ (a Borland Pascal extension).

```
program PointerArithmeticDemo;
var
  a: array [1 .. 7] of Char;
  p, q: ^Char;
  i: Integer;

{$X+} { We need extended syntax for pointer arithmetic }

begin
```

```

    for p := @A[1] to @A[7] do
        p^ := 'x';

    p := @A[7];
    q := @A[3];
    while p > q do
        begin
            p^ := 'y';
            Dec (p)
        end;

    p := @A[7];
    q := @A[3];
    i := q - p;    { yields 4 }
end.

```

Incrementing a pointer by one means to increment the address it contains by the size of the variable it is pointing to. For typeless pointers (`Pointer`), the address is incremented by one instead.

Similar things hold when decrementing a pointer.

Subtracting two pointers yields the number of variables pointed to between both pointers, i.e. the difference of the addresses divided by the size of the variables pointed to. The pointers must be of the same type.

7.7 Type Casts

In some cases, especially when interfacing with other languages, Pascal's strong typing can be an obstacle. To temporarily circumvent this, GPC (and other Pascal compilers) defines explicit "type casts".

There are two kinds of type casts, value type casts and variable type casts.

Value type casts

To convert a value of one data type into another type, you can use the target type like the name of a function that is called. The value to be converted can be a variable or an expression.

An example:

```

program TypeCastDemo;

var
    Ch: Char;
    i: Integer;

begin
    i := Integer (Ch)
end.

```

Another, more complicated, example:

```

program TypeCst2Demo;

type
    CharPtr = ^Char;
    CharArray = array [0 .. 99] of Char;
    CharArrayPtr = ^CharArray;

```

```

var
  Foo1, Foo2: CharPtr;
  Bar: CharArrayPtr;

{$X+} { We need extended syntax in order to use ‘‘Succ’’ on a pointer }

begin
  Foo1 := CharPtr (Bar);
  Foo2 := CharPtr (Succ (Bar))
end.

```

However, because of risks involved with type casts, explained below, you should try to avoid type casts whenever possible – and it should be possible in most cases. For instance, the first example above could use the built-in function “Ord” instead of the type cast:

```
i := Ord (Ch);
```

The assignments in the second example could be written in the following way without any type casts:

```

Foo1 := @Bar^[0];
Foo2 := @Bar^[1];

```

Value type casting only works between certain types: either between different ordinal types (including integer types), or between different real types, or between different pointer types. In each case, the current value, i.e. the ordinal or numeric value or the address pointed to, respectively, is preserved in the cast.

Note: It is also possible to cast from an integer into a real type. This is a consequence of the fact that integer values are generally automatically converted to real values when needed.

Note: In the case of pointers, a warning is issued if the dereferenced target type requires a bigger alignment than the dereferenced source type (see [Section 7.2.11.2 \[Alignment\]](#), page 106).

Variable type casts

It is also possible to temporarily change the type of a variable, without converting its contents in any way. This is called variable type casting.

The syntax is the same as for value type casting. This can be confusing, as the example below shows.

The type-casted variable is still the same variable (memory location) as the original one, just with a different type. Outside of the type cast, the variable keeps its original type.

There are some important differences between value and variable type casting:

- Variable type casting only works on variables, not on expressions.
- The result of a variable type casting is still a variable. Especially, it can be used on the left side of an assignment (as a so-called “lvalue”), or passed by reference to a procedure.
- No values are converted. The contents of the variable, seen as a raw bit pattern, are just interpreted according to the new type. In many cases, this does not make a big difference, e.g. the same ordinal values of different ordinal types have the same bit pattern (provided, the types have the same size), and similarly for different pointer types. However, there are cases where it does make a difference, most notably the completely different internal representation of integer and real types. This is demonstrated in the following example, admittedly a very constructed example, by using an integer and a real type of the same size and trying to cast between them.
- Because bit patterns are just interpreted differently, the source and target type must have the same size. If this is not the case, GPC will give a warning. (@error? see below)
- Beware: Variable type casts might have unexpected effects on different platforms since you cannot rely on a specific way the data is stored (e.g. see [Section 7.2.11.1 \[Endianness\]](#), page 105).


```

program TrapsOfTypeCastsDemo;

{ Declare a real type and an integer type of the same size, and some
  variables of these types we will need. }

type
  RealType = ShortReal;
  IntegerType = Integer (BitSizeOf (RealType));

var
  i, i1, i2, i3, i4, i5: IntegerType;
  r, r1, r2, r3, r4: RealType;

begin
  { First part: Casting integer into real types. }

  { Start with some integer value }
  i := 42;

  { First attempt to cast. Here, an lvalue is casted, so this must
    be a variable type cast. Therefore, the bit pattern of the value
    of i is transferred unchanged into r1 which results in a silly
    value of r1. }
  IntegerType (r1) := i;

  { Second try. Here we cast an expression -- though a trivial one --,
    rather than a variable. So this can only be a value type cast.
    Therefore, the numeric value is preserved, i.e. r2 = 42.0 . }
  r2 := RealType (i + 0);

  { Third way. In this last example, a variable is casted, and the
    result is used as an expression, not as an lvalue. So this
    could be either a value or variable type cast. However, there
    is a rule that value type casting is preferred if possible.
    So r3 will contain the correct numeric value, too. }
  r3 := RealType (i);

  { Of course, you do not need any casts at all here. A simple
    assignment will work because of the automatic conversion from
    integer to real types. So r4 will also get the correct result. }
  r4 := i;

  { Now the more difficult part: Casting real into integer types. }

  { Start with some real value. }
  r := 41.9;

  { Like the first attempt above, this one does a variable type cast,
    preserving bit patterns, and leaving a silly value in i1. }
  { RealType (i1) := r; }

```

```

{ The second try from above does not work, because an expression of
  type real is to be casted into an integer which is not allowed. }
{ i2 := IntegerType (r + 0); }

{ Third way. This looks just like the third way in the first part
  which was a value type cast.
  But -- surprise! Since value type casting is not possible from
  real into integer, this really does a variable type casting,
  and the value of i3 is silly again! This difference in behaviour
  shows some of the hidden traps in type casting. }
i3 := IntegerType (r);

{ As often, it is possible to avoid type casts altogether and
  convert real types into integers easily by other means, i.e. by
  using the built-in functions ‘Round’ or ‘Trunc’, depending
  on the mode of rounding one wants. }
i4 := Round (r); { 42 }
i5 := Trunc (r); { 41 }

end.
```

When dealing with objects (see [Section 7.8 \[OOP\]](#), [page 112](#)), it is often necessary – and safe – to cast a pointer to an object into a pointer to a more specialized (derived) object. In future releases, GPC will provide an operator ‘as’ for a safer approach to this problem.

See also: [\[absolute\]](#), [page 258](#), [Section 7.2.11.2 \[Alignment\]](#), [page 106](#), [Section 7.2.11.1 \[Endianness\]](#), [page 105](#), [Section 7.8 \[OOP\]](#), [page 112](#), [\[Ord\]](#), [page 357](#), [\[Chr\]](#), [page 286](#), [\[Round\]](#), [page 385](#), [\[Trunc\]](#), [page 410](#).

7.8 Object-Orientated Programming

GNU Pascal follows the object model of Borland Pascal 7.0. The BP object extensions are almost fully implemented into GPC. This includes inheritance, virtual and non-virtual methods, constructors, destructors, pointer compatibility, extended ‘New’ syntax (with constructor call and/or as a Boolean function), extended ‘Dispose’ syntax (with destructor call).

The Borland object model is different from the ISO draft, but it will not be too difficult now to implement that too (plus the Borland Delphi Object Extensions which are quite similar to the ISO draft).

The syntax for an object type declaration is as follows:

```

program ObjectDemo;

type
  Str100 = String (100);

  FooParentPtr = ^FooParent;
  FooPtr = ^Foo;

  FooParent = object
    constructor Init;
    destructor Done; virtual;
    procedure Bar (c: Real); virtual;
    function Baz (b, a, z: Char): Str100; { not virtual }
```

```

end;

Foo = object (FooParent)
  x, y: Integer;
  constructor Init (a, b: Integer);
  destructor Done; virtual;
  procedure Bar (c: Real); virtual; { overrides 'FooParent.Bar' }
  z: Real; { GPC extension: data fields after methods }
  function Baz: Boolean; { new function }
end;

constructor FooParent.Init;
begin
  WriteLn ('FooParent.Init')
end;

destructor FooParent.Done;
begin
  WriteLn ('I''m also done.')
end;

procedure FooParent.Bar (c: Real);
begin
  WriteLn ('FooParent.Bar (', c, ')')
end;

function FooParent.Baz (b, a, z: Char) = s: Str100;
begin
  WriteStr (s, 'FooParent.Baz (', b, ', ', a, ', ', z, ')')
end;

constructor Foo.Init (a, b: Integer);
begin
  inherited Init;
  x := a;
  y := b;
  z := 3.4;
  FooParent.Bar (1.7)
end;

destructor Foo.Done;
begin
  WriteLn ('I''m done. ');
  inherited Done
end;

procedure Foo.Bar (c: Real);
begin
  WriteLn ('Foo.Bar (', c, ')')
end;

```

```

function Foo.Baz: Boolean;
begin
    Baz := True;
end;

var
    Ptr: FooParentPtr;

begin
    Ptr := New (FooPtr, Init (2, 3));
    Ptr^.Bar (3);
    Dispose (Ptr, Done);
    New (Ptr, Init);
    with Ptr^ do
        WriteLn (Baz ('b', 'a', 'z'))
    end.

```

Remarks:

- Data fields and methods can be mixed.
- GPC currently does not support ‘**private**’ declarations and such. These directives are syntactically accepted but ignored.
- Constructors and destructors are ordinary functions, internally. When a constructor is called, GPC creates some inline code to initialize the object; destructors do nothing special.
- Currently, the compiler does not check whether all declared methods are really implemented. Unimplemented methods will produce linking errors when they are called or if they are virtual.

A pointer to ‘**FooParent**’ may be assigned the address of a ‘**Foo**’ object. A ‘**FooParent**’ formal ‘**var**’ parameter may get a ‘**Foo**’ object as the actual parameter. In such cases, a call to a ‘**virtual**’ method calls the child’s method, whereas a call to a non-‘**virtual**’ method selects the parent’s one:

```

var
    MyFooParent: FooParentPtr;
    SomeFoo: Foo;

[...]

SomeFoo.Init (4, 2);
MyFooParent := @SomeFoo;
MyFooParent^.bar (3.14); { calls ‘foo.bar’ }
MyFooParent^.baz ('b', 'a', 'z'); { calls ‘fooParent.baz’ }
if SomeFoo.baz then { calls ‘foo.baz’ }
    WriteLn ('Baz!');

```

In a method, an overwritten method of a parent object can be called either prefixing it with the parent type name, or using the keyword ‘**inherited**’:

```

procedure Foo.Bar (c: Real);
begin
    z := c;
    inherited bar (z) { or: FooParent.Bar (z) }
end;

```

Use ‘**FooParent.bar (z)**’ if you want to be sure that *this* method is called, even if somebody decides not to derive ‘**foo**’ directly from ‘**fooParent**’ but to have some intermediate object.

If you want to call the method `'bar'` of the immediate parent – whether it be `'fooParent'` or whatever – use `'inherited bar (z)'`.

To allocate an object on the heap, use `'New'` in one of the following manners:

```
var
  MyFoo: FooPtr;

[...]

New (MyFoo, Init (4, 2));

MyFooParent := New (FooPtr, Init (4, 2))
```

The second possibility has the advantage that `'MyFoo'` needn't be a `'FooPtr'` but can also be a `'FooParentPtr'`, i.e. a pointer to an ancestor of `'foo'`.

Destructors can and should be called within `Dispose`:

```
Dispose (MyFooParent, Fini)
```

7.9 Compiler Directives And The Preprocessor

GPC, like UCSD Pascal and BP, treats comments beginning with a `'$'` immediately following the opening `'{'` or `'(*'` as a compiler directive. As in Borland Pascal, `{$....}` and `(*$...*)` are equivalent. When a single character plus a `'+'` or `'-'` follows, this is also called a compiler switch. All of these directives are case-insensitive (but some of them have case-sensitive arguments). Directives are local and can be changed during one compilation (except include files etc. where this makes no sense).

In general, compiler directives are compiler-dependent. (E.g., only the include directive `{$I FileName}` is common to UCSD and BP.) Because of BP's popularity, GPC supports all of BP's compiler directives (and ignores those that are unnecessary on its platforms – these are those not listed below), but it knows a lot more directives.

Some BP directives are – of course not by chance – just an alternative notation for C preprocessor directives. But there are differences: BP's *conditional* definitions (`'{$define Foo}'`) go into another name space than the program's definitions. Therefore you can define conditionals and check them via `{$ifdef Foo}`, but the program will not see them as an identifier `'Foo'`, so macros do not exist in Borland Pascal.

GPC does support macros, but disables this feature when the `'--no-macros'` option or the dialect option `'--borland-pascal'` or `'--delphi'` is given, to mimic BP's behaviour. Therefore, the following program will react differently when compiled with GPC either without special options or with, e.g., the `'--borland-pascal'` option (and in the latter case, it behaves the same as when compiled with BP).

```
program MacroDemo;

const Foo = 'Borland Pascal';

{$define Foo 'Default'}

begin
  WriteLn (Foo)
end.
```

Of course, you should not rely on such constructs in your programs. To test if the program is compiled with GPC, you can test the `'__GPC__'` conditional, and to test the dialect used in GPC, you can test conditionals like `'__BORLAND_PASCAL__'`.

In general, almost every GPC specific command line option (see [Section 6.1 \[GPC Command Line Options\]](#), page 63) can be turned into a compiler directive (exceptions are those options that contain directory names, such as ‘--unit-path’, because they refer to the installation on a particular system, and therefore should be set system-wide, rather than in a source file):

```
--foo      {$foo}
--no-foo    {$no-foo}
-Wbar       {$W bar}      { note the space after the 'W' }
-Wno-bar    {$W no-bar}
```

The following table lists some such examples as well as all those directives that do not correspond to command-line options or have syntactical alternatives (for convenience and/or BP compatibility).

| | | |
|------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| --[no-]short-circuit | \$B+ \$B- | like in Borland Pascal: \$B- means short-circuit Boolean operators; \$B+ complete evaluation |
| --[no-]io-checking | \$I+ \$I- | like in Borland Pascal: enable/disable I/O checking |
| --[no-]stack-checking | \$S+ \$S- | like in Borland Pascal: enable/disable stack checking |
| --[no-]typed-address | \$T+ \$T- | like in Borland Pascal: make the result of the address operator and the Addr function a typed or untyped pointer |
| -W[no-]warnings | \$W+ \$W- | enable/disable warnings. Note: in ‘--borland-pascal’ mode, the short version is disabled because \$W+/\$W- has a different meaning in Borland Pascal (which can safely be ignored in GPC), but the long version is still available. |
| --[no-]extended-syntax | \$X+ \$X- | mostly like in Borland Pascal: enable/disable extended syntax (ignore function return values, operator definitions, ‘PChar’, pointer arithmetic, ...) |
| --borland-pascal | | disable or warn about GPC features |
| --extended-pascal | | not supported by the standard or |
| --pascal-sc | | dialect given, do not warn about its |
| etc. | | ‘‘dangerous’’ features (especially BP). The dialect can be changed during one compilation via directives like, e.g., ‘{\$borland-pascal}’. |
| {\$M Hello!} | | write message ‘Hello!’ to standard error during compilation. In ‘--borland-pascal’ mode, it is |

| | |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | ignored it if only numbers follow (for compatibility to Borland Pascal's memory directive) |
| <code>{ \$define F00}</code> or <code>{ \$CDefine F00}</code> | like in Borland Pascal: define <i>FOO</i> (for conditional compilation) (case-insensitively) |
| <code>--cdefine=F00</code> | the same on the command line |
| <code>{ \$CSDefine F00}</code> | define <i>FOO</i> case-sensitively |
| <code>-D F00</code> or <code>--csdefine=F00</code> or <code>--define=F00</code> | the same on the command line Note: '--define' on the command line is case-sensitive like in GCC, but '{ \$define}' in the source code is case-insensitive like in BP |
| <code>{ \$define loop while True do}</code> or <code>{ \$CDefine loop ...}</code> | define 'loop' to be 'while True do' as a macro like in C. The name of the macro is case-insensitive. Note: Macros are disabled in '--borland-pascal' mode because BP doesn't support macros. |
| <code>--cdefine="loop=..."</code> | the same on the command line |
| <code>{ \$CSDefine loop ...}</code> | define a case-sensitive macro |
| <code>--csdefine="loop=..."</code> or <code>--define="loop=..."</code> | the same on the command line |
| <code>{ \$I FileName}</code> | like in Borland Pascal: include 'filename.pas' (the name is converted to lower case) |
| <code>{ \$undef F00}</code> | like in Borland Pascal: undefine F00 |
| <code>{ \$ifdef F00}</code> ... <code>{ \$else}</code> ... <code>{ \$endif}</code> | conditional compilation (like in Borland Pascal). Note: GPC predefines the symbol '__GPC__' (with two leading and trailing underscores). |
| <code>{ \$include "filename.pas"}</code> | include (case-sensitive) |
| <code>{ \$include <filename.pas>}</code> | the same, but don't search in the current directory |

...and all the other C preprocessor directives.

You also can use the preprocessor directives in C style, e.g. `#include`, but this is deprecated because of possible confusion with Borland Pascal style `#42` character constants. Besides, in the Pascal style, e.g. `{ $include "foo.bar" }`, there may be more than one directive in the same line.

7.10 Routines Built-in or in the Run Time System

In this section we describe the routines and other declarations that are built into the compiler or part of the Run Time System, sorted by topics.

7.10.1 File Routines

Extended Pascal treats files quite differently from Borland Pascal. GPC supports both forms, even in mixed ways, and provides many extensions.

@@ A lot missing here

- An example of getting the size of a file (though a `FileSize` function is already built-in).

```
function FileSize (FileName : String) : LongInt;
var
  f: bindable file [0 .. MaxInt] of Char;
  b: BindingType;
begin
  Unbind (f);
  b := Binding (f);
  b.Name := FileName;
  Bind(f, b);
  b := Binding(f);
  SeekRead (f, 0);
  if Empty (f) then
    FileSize := 0
  else
    FileSize := LastPosition (f) + 1;
  Unbind(f);
end;
```

Prospero's Extended Pascal has a bug in this case. Replace the `MaxInt` in the type definition of `f` by a sufficiently large integer. GNU Pascal works correct in this case.

- GPC implements *lazy* text file I/O, i.e. does a `Put` as soon as possible and a `Get` as late as possible. This should avoid most of the problems sometimes considered to be the most stupid feature of Pascal. When passing a file buffer as parameter the buffer is validated when the parameter is passed.
- GPC supports direct access files. E.g., declaring a type for a file that contains 100 integers.

```
program DirectAccessFileDemo;
type
  DFile = file [1 .. 100] of Integer;
var
  F: DFile;
  P, N: 1 .. 100;
begin
  Rewrite (F);
  P := 42;
  N := 17;
  SeekWrite (F, P);
```



```

    Write (F, N)
end.

```

The following direct access routines may be applied to a direct access file:

```

SeekRead (F, N); { Open file in inspection mode, seek to record N }
SeekWrite (F, N); { Open file in generation mode, seek to record N }
SeekUpdate (F, N); { Open file in update mode, seek to record N }
Update (F); { Writes F~, position not changed. F~ kept. }
p := Position (F); { Return current record number }
p := LastPosition (F); { Return the last record number in file }

```

If the file is open for inspection or update, `Get` may be applied. If the file is open for generation or update, `Put` may be applied.

- In BP, you can associate file variables with files using the 'Assign' procedure which GPC supports.

```

program AssignTextDemo;
var
  t: Text;
  Line: String (4096);
begin
  Assign (t, 'mytext.txt');
  Reset (t);
  while not EOF (t) do
    begin
      ReadLn (t, Line);
      WriteLn (Line)
    end
  end.

```

- In Extended Pascal, files are considered entities external to your program. External entities, which don't need to be files, need to be bound to a variable your program. Any variable to which external entities can be bound needs to be declared 'bindable'. Extended Pascal has the 'Bind' function that binds a variable to an external entity as well as 'Unbind' to undo a binding and the function 'Binding' to return the current binding of a variable.

GPC supports these routines when applied to files. The compiler will reject binding of other object types.

Only the fields 'Bound' and 'Name' of the predefined record type 'BindingType' are required by Extended Pascal. Additionally, GPC implements some extensions. For the full definition of 'BindingType', see [\[BindingType\]](#), page 274.

The following is an example of binding:

```

program BindingDemo (Input, Output, f);

var
  f: bindable Text;
  b: BindingType;

procedure BindFile (var f: Text);
var
  b: BindingType;
begin
  Unbind (f);
  b := Binding (f);

```

```

repeat
  Write ('Enter a file name: ');
  ReadLn (b.Name);
  Bind (f, b);
  b := Binding (f);
  if not b.Bound then
    WriteLn ('File not bound -- try again.')
until b.Bound
end;

begin
  BindFile (f);
  { Now the file f is bound to an external file. We can use the
    implementation defined fields of BindingType to check if the
    file exists and is readable, writable or executable. }
  b := Binding (f);
  Write ('The file ');
  if b.Existing then
    WriteLn ('exists.')
  else
    WriteLn ('does not exist. ');
  Write ('It is ');
  if not b.Readable then Write ('not ');
  Write ('readable, ');
  if not b.Writable then Write ('not ');
  Write ('writable and ');
  if not b.Executable then Write ('not ');
  WriteLn ('executable.')
end.

```

Note that Prospero's Pascal defaults to creating the file if it does not exists! You need to use Prospero's local addition of setting `b.Existing` to `True` to work-around this. GPC does not behave like this.

7.10.2 String Operations

In the following description, `s1` and `s2` may be arbitrary string expressions, `s` is a variable of string type.

`WriteStr (s, write-parameter-list)`

`ReadStr (s1, read-parameter-list)`

Write to a string and read from a string. The parameter lists are identical to 'Write'/'Read' from Text files. The semantics is closely modeled after file I/O.

`Index (s1, s2)`

If `s2` is empty, return 1 else if `s1` is empty return 0 else returns the position of `s2` in `s1` (an integer).

`Length (s1)`

Return the length of `s1` (an integer from 0 .. `s1.Capacity`).

`Trim (s1)` Returns a new string with spaces stripped of the end of `s`.

`SubStr (s1, i)`

SubStr (s1, i, j)

Return a new substring of **s1** that contains **j** characters starting from **i**. If **j** is missing, return all the characters starting from **i**.

EQ (s1, s2)

NE (s1, s2)

LT (s1, s2)

LE (s1, s2)

GT (s1, s2)

GE (s1, s2)

Lexicographic comparisons of **s1** and **s2**. Returns a boolean result. Strings are not padded with spaces.

s1 = s2

s1 <> s2

s1 < s2

s1 <= s2

s1 > s2

s1 >= s2 Lexicographic comparisons of **s1** and **s2**. Returns a boolean result. The shorter string is blank padded to length of the longer one, but only in '--extended-pascal' mode.

GPC supports string catenation with the + operator or the 'Concat' function. All string-types are compatible, so you may catenate any chars, fixed length strings and variable length strings.

```

program ConcatDemo (Input, Output);

var
  Ch   : Char;
  Str  : String (100);
  Str2 : String (50);
  FStr: packed array [1 .. 20] of Char;

begin
  Ch := '$';
  FStr := 'demo'; { padded with blanks }
  Write ('Give me some chars to play with: ');
  ReadLn (Str);
  Str := '^' + 'prefix:' + Str + ':suffix:' + FStr + Ch;
  WriteLn (Concat ('Le', 'ng', 'th'), ' = ', Length (Str));
  WriteLn (Str)
end.
```

Note: The length of strings in GPC is limited only by the range of 'Integer' (at least 32 bits, i.e., 2 GB), or the available memory, whichever is smaller. :—)

When trying to write programs portable to other EP compilers, it is however save to assume a limit of about 32 KB. At least Prospero's Extended Pascal compiler limits strings to 32760 bytes. DEC Pascal limits strings to 65535 bytes.

7.10.3 Accessing Command Line Arguments

GPC supports access to the command line arguments with the BP compatible `ParamStr` and `ParamCount` functions.

- `ParamStr[0]` is the program name,
- `ParamStr[1] .. ParamStr[ParamCount]` are the arguments.

The program below accesses the command line arguments.

```
program CommandLineArgumentsDemo (Output);

var
  Counter: Integer;

begin
  WriteLn ('This program displays command line arguments one per line.');
```

```
  for Counter := 0 to ParamCount do
    WriteLn ('Command line argument #', Counter, ' is ',
            ParamStr (Counter), ''')
```

```
end.
```

7.10.4 Memory Management Routines

Besides the standard 'New' and 'Dispose' routines, GPC also allows BP style dynamic memory management with `GetMem` and `FreeMem`:

```
GetMem (MyPtr, 1024);
FreeMem (MyPtr, 1024);
```

GPC also supports function style call to `GetMem`:

```
MyPtr := GetMem (1024);
```

(see also: `New` in context of Object Orientated Programming)

One somehow strange feature of Borland is **not** supported: You cannot free parts of a variable with `FreeMem`, while the rest is still used and can be freed later by another `FreeMem` call:

```
program PartialFreeMemDemo;

type
  Vector = array [0 .. 1023] of Integer;
  VecPtr = ^Vector;

var
  p, q: VecPtr;

begin
  GetMem (p, 1024 * SizeOf (Integer));
  q := VecPtr (@p^[512]);

  { ... }

  FreeMem (p, 512 * SizeOf (Integer));

  { ... }

  FreeMem (q, 512 * SizeOf (Integer));
end.
```

7.10.5 Operations for Integer and Ordinal Types

- Bit manipulations: The BP style bit shift operators `shl` and `shr` exist in GPC as well as bitwise `and`, `or`, `xor` and `not` for integer values.

`2#100101 and (1 shl 5) = 2#100000`

GPC also supports `and`, `or`, `xor` and `not` as procedures:

```
program BitOperatorProcedureDemo;
var x: Integer;
begin
  x := 7;
  and (x, 14); { sets x to 6 }
  xor (x, 3);  { sets x to 5 }
end.
```

- Succ, Pred: The standard functions 'Succ' and 'Pred' exist in GPC and accept a second parameter.
- Increment, decrement: The BP built-in Procedures `Inc` and `Dec` exist in GPC.

```
program IncDecDemo;
var
  i: Integer;
  c: Char;
begin
  Inc (i);      { i := i + 1; }
  Dec (i, 7);   { i := i - 7; }
  Inc (c, 3);   { c := Succ (c, 3); }
end.
```

- Min, Max: These are a GNU extension and work for reals as well as for ordinal types. Mixing reals and integers is okay, the result is real then.

7.10.6 Complex Number Operations

@@ A lot of details missing here

- binary operators `+`, `-`, `*`, `/` and unary `-`, `+`
- exponentiation operators (`pow` and `**`)
- functions (`Sqr`, `ArcTan`, `SqRt`, `Exp`, `Ln`, `Sin`, `Cos`)
- number info with `Re`, `Im` and `Arg` functions
- numbers constructed by `Cmplx` or `Polar`

The following sample programs illustrates most of the `Complex` type operations.

```
program ComplexOperationsDemo (Output);

var
  z1, z2: Complex;
  Len, Angle: Real;

begin
  z1 := Cmplx (2, 1);
  WriteLn;
  WriteLn ('Complex number z1 is: (', Re (z1) : 1, ', ', Im (z1) : 1, ')');
  WriteLn;
  z2 := Conjugate(z1); { GPC extension }
```

```

WriteLn ('Conjugate of z1 is: (', Re (z2) : 1, ', ', Im (z2) : 1, ')');
WriteLn;
Len := Abs (z1);
Angle := Arg (z1);
WriteLn ('The polar representation of z1 is: Length=', Len : 1,
        ', Angle=', Angle : 1);
WriteLn;
z2 := Polar (Len, Angle);
WriteLn ('Converting (Length, Angle) back to (x, y) gives: (',
        Re (z2) : 1, ', ', Im (z2) : 1, ')');
WriteLn;
WriteLn ('The following operations operate on the complex number z1');
WriteLn;
z2 := ArcTan (z1);
WriteLn ('ArcTan (z1) = (', Re (z2), ', ', Im (z2), ')');
WriteLn;
z2 := z1 ** 3.141;
WriteLn ('z1 ** 3.141 = ', Re (z2), ', ', Im (z2), ')');
WriteLn;
z2 := Sin (z1);
WriteLn ('Sin (z1) = (', Re (z2), ', ', Im (z2), ')');
WriteLn ('(Cos, Ln, Exp, Sqrt and Sqr exist also.)');
WriteLn;
z2 := z1 pow 8;
WriteLn ('z1 pow 8 = (', Re (z2), ', ', Im (z2), ')');
WriteLn;
z2 := z1 pow (-8);
WriteLn ('z1 pow (-8) = (', Re (z2), ', ', Im (z2), ')');
end.

```

7.10.7 Set Operations

@@ A lot missing here

GPC supports Standard Pascal set operations. In addition it supports the Extended Pascal set operation symmetric difference (`set1 >< set2`) operation whose result consists of those elements which are in exactly one of the operands.

It also has a function that counts the elements in the set: `'a := Card (set1)'`.

7.10.8 Date And Time Routines

```

procedure GetTimeStamp (var t: TimeStamp);
function Date (t: TimeStamp): packed array [1 .. DateLength] of Char;
function Time (t: TimeStamp): packed array [1 .. TimeLength] of Char;

```

`DateLength` and `TimeLength` are implementation dependent constants.

`GetTimeStamp (t)` fills the record `'t'` with values. If they are valid, the Boolean flags are set to `True`.

`TimeStamp` is a predefined type in the Extended Pascal standard. It may be extended in an implementation, and is indeed extended in GPC. For the full definition of `'TimeStamp'`, see [\[TimeStamp\]](#), [page 407](#).

7.11 Interfacing with Other Languages

The standardized GNU compiler back-end makes it relatively easy to share libraries between GNU Pascal and other GNU compilers. On Unix-like platforms (*not* on Dos-like platforms), the GNU compiler back-end usually complies to the standards defined for that system, so communication with other compilers should be easy, too.

In this chapter we discuss how to import libraries written in other languages, and how to import libraries written in GNU Pascal from other languages. While the examples will specialize to compatibility to GNU C, generalization is straightforward if you are familiar with the other language in question.

7.11.1 Importing Libraries from Other Languages

To use a function written in another language, you need to provide an external declaration for it – either in the program, or in the interface part of a unit, or an interface module.

Let's say you want to use the following C library from Pascal:

File 'callc.c':

```
#include <unistd.h>
#include "callc.h"
```

```
int foo = 1;
```

```
void bar (void)
{
    sleep (foo);
}
```

File 'callc.h':

```
/* Actually, we wouldn't need this header file, and could instead
   put these prototypes into callc.c, unless we want to use callc.c
   also from other C source files. */
```

```
extern int foo;
extern void bar (void);
```

Then your program can look like this:

```
program CallCDemo;
```

```
{ $L callc.c } { Or: 'callc.o' if you don't have the source }
```

```
var
```

```
    Foo: Integer; asmname 'foo'; external;
```

```
procedure Bar; asmname 'bar';
```

```
begin
```

```
    Foo := 42;
```

```
    Bar
```

```
end.
```

Or, if you want to provide a 'CallCUnit' unit:

```

unit CallCUnit;

interface

var
    Foo: Integer; asmname 'foo'; external;

procedure Bar; asmname 'bar';

implementation

{$L callc.c} { Or: 'callc.o' if you don't have the source }

end.

program CallCUDemo;

uses CallCUnit;

begin
    foo := 42;
    Bar
end.

```

You can either link your program manually with `'callc.o'` or put a compiler directive `'{$L callc.o}'` into your program or unit, and then GPC takes care of correct linking. If you have the source of the C library (you always have it if it is Free Software), you can even write `'{$L callc.c}'` in the program (like above). Then GPC will also link with `'callc.o'`, but in addition GPC will run the C compiler whenever `'callc.c'` has changed if `'--automake'` is given, too.

While it is convenient for most applications, there is no must to give the C function `'bar'` the name `'Bar'` in Pascal; you can name it as you like.

For external functions completely written in lowercase there is the shortcut `'C'` or `'c_language'` for `'asmname 'bar''`. For external functions written with one uppercase letter and the others in lowercase, you can use `'external'` or `'extern'` instead of `'asmname 'Bar''`. Since GPC internally converts all identifiers to this notation, `'external'` is the natural choice when importing other Pascal functions.

Caution: This syntax (`'C'`, `'asmname'` and such) is subject to change.

It is important that data types of both languages are mapped correctly onto each other. C's `'int'`, for instance, translates to GPC's `'Integer'`, and C's `'unsigned long'` to `'MedCard'`. For a complete list of integer types with their C counterparts, see [Section 7.2.3 \[Integer Types\]](#), page 89.

In some cases it can be reasonable to translate a C pointer parameter to a Pascal `'var'` parameter. Since const parameters in GPC can be passed by value *or* by reference internally, possibly depending on the system, `'const foo *'` parameters to C functions *cannot* reliably declared as `'const'` in Pascal. However, Extended Pascal's `'protected var'` can be used since this guarantees passing by reference.

Some libraries provide a `'main'` function and require your program's "main" to be named differently. To achieve this with GPC, invoke it with an option `'--gpc-main="GPCmain"'` (where `'GPCmain'` is an example how you might want to name the program). You can also write it into your source as a directive `'{$gpc-main="GPCmain"}'`.

7.11.2 Exporting GPC Libraries to Other Languages

The `.o` files produced by GPC are in the same format as those of all other GNU compilers, so there is no problem in writing libraries for other languages in Pascal. To use them, you will need to write kind of interface – a header file in C. However there are some things to take into account, especially if your Pascal unit exports objects:

- By default, GPC capitalizes the first letter (only) of each identifier, so `'procedure FooBAR'` must be imported as `'extern void FooBar()'` from C.
- If you want to specify the external name explicitly, use `'asmname'`:

```
procedure FooBAR; asmname 'FooBAR';
{ Works like a 'forward' declaration }
```

```
procedure FooBAR;
begin
  WriteLn ('FooBAR')
end;
```

This one can be imported from C with `'extern void FooBar()'`.

- Objects are “records” internally. They have an implicit `'vmt'` field which contains a pointer to the “virtual method table”. This table is another record of the following structure:

```
type
  VMT = record
    ObjectSize: PtrInt;      { Size of object in bytes }
    NegObjectSize: PtrInt;   { Negated size }
    Methods: array [1 .. n] of procedure;
    { Pointers to the virtual methods. The entries are of the
      repective procedure or function types. }
  end;
```

You can call a virtual method of an object from C if you explicitly declare this `'struct'` and explicitly dereference the `'Fun'` array. The VMT of an object `'FooBAR'` is an external (in C sense) variable `'vmt_Foobar'` internally.

- Methods of objects are named `'Myobject_Mymethod'` (with exactly two capital letters) internally.
- If you want to put a program in a library for some reason, and you want to give the `'main'` program an internal name different from `'main'`, call GPC with the command-line option `'--gpc-main="GPCmain"'` (see the previous subsection).

7.12 Notes for Debugging

- The GNU debugger, `'gdb'`, does not yet understand Pascal sets, files or subranges. Now `'gdb'` allows you to debug these things, even though it does not yet understand some stabs.
- Forward referencing pointers generate debug info that appears as generic pointers.
- No information of `'with'` statements is currently given to the debugger.
- When debugging, please note that the Initial Letter In Each Identifier Is In Upper Case And The Rest Are In Lower Case, unless explicitly overridden with `'asmname'` (see [\[asmname\]](#), page 269) or a similar directive. This is to reduce name clashes with `'libc.a'` and other possible libraries.
- All visible GPC Run Time System routines have linker names starting with `'_p_'`.
- The linker name of the main program is `'pascal_main_program'`. This is done because ISO Standard wants to have the program name in a separate name space.

7.13 Pascal declarations for GPC's Run Time System

Below is a Pascal source of the declarations in GPC's Run Time System (RTS). A file 'gpc.pas' with the same contents is included in the GPC distribution in a 'units' subdirectory of the directory containing 'libgcc.a'. (To find out the correct directory for your installation, type 'gpc --print-file-name=units' on the command line.)

```
{ This file was generated automatically from gpc-pas.in.
  DO NOT CHANGE THIS FILE MANUALLY! }
```

```
{ Pascal declarations of the GPC Run Time System that are visible to
  each program.
```

This unit contains Pascal declarations of many RTS routines which are not built into the compiler and can be called from programs. Don't copy the declarations from this unit into your programs, but rather include this unit with a 'uses' statement. The reason is that the internal declarations, e.g. the 'asmnames', may change, and this unit will be changed accordingly. @@In the future, this unit might be included into every program automatically, so there will be no need for a 'uses' statement to make the declarations here available.

Note about 'protected var' parameters:

Since const parameters in GPC may be passed by value *or* by reference internally, possibly depending on the system, 'const foo*' parameters to C functions *cannot* reliably be declared as 'const' in Pascal. However, Extended Pascal's 'protected var' can be used since this guarantees passing by reference.

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause

the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```
{ $gnu-pascal, I- }
{ $if __GPC_RELEASE__ <> 20020510 }
{ $error
Trying to compile gpc.pas with a non-matching GPC version is likely
to cause problems.
}
```

In case you are building the RTS separately from GPC, make sure you install a current GPC version previously. If you are building GPC now and this message appears, something is wrong -- if you are overriding the `GCC_FOR_TARGET` or `GPC_FOR_TARGET` make variables, this might be the problem. If you are cross-building GPC, build and install a current GPC cross-compiler first, sorry. If that's not the case, please report it as a bug.

```
If you are not building GPC or the RTS currently, you might have
installed things in the wrong place, so the compiler and RTS
versions do not match.}
{ $endif }
```

```
module GPC interface;
```

```
export
  GPC = all;
  GPC_SP = (eread { @@ not really, but an empty export doesn't work
  } );
  GPC_EP = (eread { @@ not really, but an empty export doesn't work
  } );
  GPC_BP = (MaxLongInt, ExitCode, ErrorAddr, Pos);
  GPC_Delphi = (MaxLongInt, Int64, InitProc, EConvertError,
                ExitCode, ErrorAddr, Pos, SetString, StringOfChar,
                TextFile, AssignFile, CloseFile);
```

```
{ Pascal declarations of the GPC Run Time System routines that are
  implemented in C, from rtsc.pas }
```

```
const
  MaxLongInt = High (LongInt);
```

```
  { Maximum size of a variable }
  MaxVarSize = MaxInt div 8;
```

```
{ If set, characters >= #$80 are assumed to be letters even if the
  locale routines don't say so. This is a kludge because some
  systems don't have correct non-English locale tables. }
```

```
var
  FakeHighLetters: Boolean; asmname '_p_FakeHighLetters'; external;
```

```

type
  PCStrings = ^TCStrings;
  TCStrings = array [0 .. MaxVarSize div SizeOf (CString)] of
    CString;

  Int64 = Integer (64);
  UnixTimeType = LongInt; { This is hard-coded in the compiler. Do
    not change here. }
  MicroSecondTimeType = LongInt;
  FileSizeType = LongInt;
  SignedSizeType = Integer (BitSizeOf (SizeType));
  TSignalHandler = procedure (Signal: Integer);

  StatFSBuffer = record
    BlockSize, BlocksTotal, BlocksFree: LongestInt;
    FilesTotal, FilesFree: Integer
  end;

  InternalSelectType = record
    Handle: Integer;
    Read, Write, Exception: Boolean
  end;

  { '+ 1' is a waste, but it is so the size of the array is not
    zero for Count = 0 }
  PPStrings = ^TPStrings;
  TPStrings (Count: Cardinal) = array [1 .. Count + 1] of ^String;

  GlobBuffer = record
    Result: PPStrings;
    Internal1: Pointer;
    Internal2: PCStrings;
    Internal3: Integer
  end;

{ Mathematical routines }

function SinH (x: Real): Real; attribute (const);
  asmname '_p_SinH';
function CosH (x: Real): Real; attribute (const);
  asmname '_p_CosH';
function ArcTan2 (y: Real; x: Real): Real; attribute (const);
  asmname '_p_ArcTan2';
function IsInfinity (x: LongReal): Boolean; attribute (const);
  asmname '_p_IsInfinity';
function IsNotANumber (x: LongReal): Boolean; attribute (const);
  asmname '_p_IsNotANumber';
procedure SplitReal (x: LongReal; var Exponent: Integer; var
  Mantissa: LongReal); asmname '_p_SplitReal';

```

```

{ Character routines }

{ Convert a character to upper case, according to the current
  locale.
  Except in '--borland-pascal' mode, 'UpCase' does the same. }
function LocaleUpCase (ch: Char): Char; attribute (const);
  asmname '_p_LocaleUpCase';

{ Convert a character to lower case, according to the current
  locale.
  Except in '--borland-pascal' mode, 'UpCase' does the same. }
function LocaleLoCase (ch: Char): Char; attribute (const);
  asmname '_p_LocaleLoCase';
function IsUpCase (ch: Char): Boolean; attribute (const);
  asmname '_p_IsUpCase';
function IsLoCase (ch: Char): Boolean; attribute (const);
  asmname '_p_IsLoCase';
function IsAlpha (ch: Char): Boolean; attribute (const);
  asmname '_p_IsAlpha';
function IsAlphaNum (ch: Char): Boolean; attribute (const);
  asmname '_p_IsAlphaNum';
function IsAlphaNumUnderscore (ch: Char): Boolean; attribute
  (const); asmname '_p_IsAlphaNumUnderscore';
function IsSpace (ch: Char): Boolean; attribute (const);
  asmname '_p_IsSpace';
function IsPrintable (ch: Char): Boolean; attribute (const);
  asmname '_p_IsPrintable';

{ Time routines }

{ Sleep for a given number of seconds. }
procedure Sleep (Seconds: Integer); asmname '_p_Sleep';

{ Sleep for a given number of microseconds. }
procedure SleepMicroSeconds (MicroSeconds: Integer);
  asmname '_p_SleepMicroSeconds';

{ Set an alarm timer. }
function Alarm (Seconds: Integer): Integer; asmname '_p_Alarm';

{ Convert a Unix time value to broken-down local time.
  All parameters except Time may be Null. }
procedure UnixTimeToTime (Time: UnixTimeType; var Year: Integer; var
  Month: Integer; var Day: Integer; var Hour: Integer; var Minute:
  Integer; var Second: Integer;
  var TimeZone: Integer; var DST:
  Boolean; var TZName1: CString; var TZName2: CString);
  asmname '_p_UnixTimeToTime';

{ Convert broken-down local time to a Unix time value. }
function TimeToUnixTime (Year: Integer; Month: Integer; Day:

```

```

Integer; Hour: Integer; Minute: Integer; Second: Integer):
UnixTimeType; asmname '_p_TimeToUnixTime';

{ Get the real time. MicroSecond can be Null and is ignored then. }
function GetUnixTime (var MicroSecond: Integer): UnixTimeType;
    asmname '_p_GetUnixTime';

{ Get the CPU time used. MicroSecond can be Null and is ignored
  then. Now, GetCPUTime can measure long CPU times reliably on most
  systems (e.g. Solaris where it didn't work before). }
function GetCPUTime (var MicroSecond: Integer): Integer;
    asmname '_p_GetCPUTime';

{ Signal and process routines }

{ Extract information from the status returned by PWait }
function StatusExited (Status: Integer): Boolean; attribute
    (const); asmname '_p_StatusExited';
function StatusExitCode (Status: Integer): Integer; attribute
    (const); asmname '_p_StatusExitCode';
function StatusSignaled (Status: Integer): Boolean; attribute
    (const); asmname '_p_StatusSignaled';
function StatusTermSignal (Status: Integer): Integer; attribute
    (const); asmname '_p_StatusTermSignal';
function StatusStopped (Status: Integer): Boolean; attribute
    (const); asmname '_p_StatusStopped';
function StatusStopSignal (Status: Integer): Integer; attribute
    (const); asmname '_p_StatusStopSignal';

{ Install a signal handler and optionally return the previous
  handler. OldHandler and OldRestart may be Null. }
function InstallSignalHandler (Signal: Integer; Handler:
    TSignalHandler; Restart: Boolean; UnlessIgnored: Boolean;
    var OldHandler: TSignalHandler; var OldRestart: Boolean): Boolean;
    asmname '_p_InstallSignalHandler';

{ Block or unblock a signal. }
procedure BlockSignal (Signal: Integer; Block: Boolean);
    asmname '_p_BlockSignal';

{ Test whether a signal is blocked. }
function SignalBlocked (Signal: Integer): Boolean;
    asmname '_p_SignalBlocked';

{ Sends a signal to a process. Returns True if successful. If Signal
  is 0, it doesn't send a signal, but still checks whether it would
  be possible to send a signal to the given process. }
function Kill (PID: Integer; Signal: Integer): Boolean;
    asmname '_p_Kill';

{ Constant for WaitPID }

```

```

const
    AnyChild = -1;

{ Waits for a child process with the given PID (or any child process
  if PID = AnyChild) to terminate or be stopped. Returns the PID of
  the process. WStatus will contain the status and can be evaluated
  with StatusExited etc.. If nothing happened, and Block is False,
  the function will return 0, and WStatus will be 0. If an error
  occurred (especially on single tasking systems where WaitPID is
  not possible), the function will return a negative value, and
  WStatus will be 0. }
function WaitPID (PID: Integer; var WStatus: Integer; Block:
    Boolean): Integer; asmname '_p_WaitPID';

{ Returns the process ID. }
function ProcessID: Integer; asmname '_p_ProcessID';

{ Returns the real or effective user ID of the process. }
function UserID (Effective: Boolean): Integer; asmname '_p_UserID';

{ Returns the real or effective group ID of the process. }
function GroupID (Effective: Boolean): Integer;
    asmname '_p_GroupID';

{ Low-level file routines. Mostly for internal use. }

{ Get information about a file system. }
function StatFS (Path: CString; var Buf: StatFSBuffer): Boolean;
    asmname '_p_StatFS';
function CStringOpenDir (Name: CString): Pointer;
    asmname '_p_CStringOpenDir';
function CStringReadDir (Dir: Pointer): CString;
    asmname '_p_CStringReadDir';
procedure CStringCloseDir (Dir: Pointer);
    asmname '_p_CStringCloseDir';

{ Returns the value of the symlink Name in a CString allocated from
  the heap. Returns nil if it is no symlink or the function is not
  supported. }
function ReadLink (Name: CString): CString; asmname '_p_ReadLink';

{ The result of the following function is a pointer to a *static*
  buffer! }
function CStringRealPath (Path: CString): CString;
    asmname '_p_CStringRealPath';

{ File mode constants that are Ored for BindingType.Mode, ChMod,
  CStringChMod and Stat. The values below are valid for all OSs
  (as far as supported). If the OS uses different values, they're
  converted internally. }
const

```

```

fm_SetUID          = 8#4000;
fm_SetGID          = 8#2000;
fm_Sticky          = 8#1000;
fm_UserReadable    = 8#400;
fm_UserWritable    = 8#200;
fm_UserExecutable  = 8#100;
fm_GroupReadable   = 8#40;
fm_GroupWritable   = 8#20;
fm_GroupExecutable = 8#10;
fm_OthersReadable  = 8#4;
fm_OthersWritable  = 8#2;
fm_OthersExecutable = 8#1;

{ Constants for _p_Access() and _p_OpenHandle() }
const
  MODE_EXEC      = 1 shl 0;
  MODE_WRITE     = 1 shl 1;
  MODE_READ      = 1 shl 2;
  MODE_FILE      = 1 shl 3;
  MODE_DIR       = 1 shl 4;
  MODE_SPECIAL   = 1 shl 5;
  MODE_SYMLINK   = 1 shl 6;
  MODE_CREATE    = 1 shl 7;
  MODE_TRUNCATE  = 1 shl 8;
  MODE_BINARY    = 1 shl 9;

{ Check if a file name is accessible. }
function Access (Name: CString; Request: Integer): Integer;
  asmname '_p_Access';

{ Get information about a file. Any argument except Name can be
  Null. }
function Stat (Name: CString; var Size: FileSizeType;
  var ATime: UnixTimeType; var MTime: UnixTimeType; var CTime:
  UnixTimeType;
  var User: Integer; var Group: Integer; var Mode: Integer; var
  Device: Integer; var INode: Integer; var Links: Integer;
  var SymLink: Boolean; var Dir: Boolean; var Special: Boolean):
  Integer; asmname '_p_Stat';
function OpenHandle (Name: CString; Mode: Integer): Integer;
  asmname '_p_OpenHandle';
function ReadHandle (Handle: Integer; Buffer: Pointer; Size:
  SizeType): SignedSizeType; asmname '_p_ReadHandle';
function WriteHandle (Handle: Integer; Buffer: Pointer; Size:
  SizeType): SignedSizeType; asmname '_p_WriteHandle';
function CloseHandle (Handle: Integer): Integer;
  asmname '_p_CloseHandle';
procedure FlushHandle (Handle: Integer); asmname '_p_FlushHandle';
function CStringRename (OldName: CString; NewName: CString):
  Integer; asmname '_p_CStringRename';
function CStringUnlink (Name: CString): Integer;

```



```

    asmname '_p_CStringUnlink';
function CStringChDir (Name: CString): Integer;
    asmname '_p_CStringChDir';
function CStringMkDir (Name: CString): Integer;
    asmname '_p_CStringMkDir';
function CStringRmDir (Name: CString): Integer;
    asmname '_p_CStringRmDir';
function CStringChMod (Name: CString; Mode: Integer): Integer;
    asmname '_p_CStringChMod';
function CStringChOwn (Name: CString; Owner: Integer; Group:
    Integer): Integer; asmname '_p_CStringChOwn';
function CStringUTime (Name: CString; AccessTime: UnixTimeType;
    ModificationTime: UnixTimeType): Integer;
    asmname '_p_CStringUTime';
function SeekHandle (Handle: Integer; Offset: FileSizeType; Whence:
    Integer): FileSizeType; asmname '_p_SeekHandle';
function TruncateHandle (Handle: Integer; Size: FileSizeType):
    Integer; asmname '_p_TruncateHandle';
function LockHandle (Handle: Integer; WriteLock: Boolean; Block:
    Boolean): Boolean; asmname '_p_LockHandle';
function UnlockHandle (Handle: Integer): Boolean;
    asmname '_p_UnlockHandle';
function SelectHandle (Count: Integer; var Events:
    InternalSelectType; MicroSeconds: MicroSecondTimeType): Integer;
    asmname '_p_SelectHandle';

{ Constants for MMapHandle and MemoryMap }
const
    mm_Readable    = 1;
    mm_Writable     = 2;
    mm_Executable  = 4;

{ Try to map (a part of) a file to memory. }
function MMapHandle (Start: Pointer; Length: SizeType; Access:
    Integer; Shared: Boolean; Handle: Integer; Offset: FileSizeType):
    Pointer; asmname '_p_MMapHandle';

{ Unmap a previous memory mapping. }
function MUnMapHandle (Start: Pointer; Length: SizeType): Integer;
    asmname '_p_MUnMapHandle';

{ Returns the file name of the terminal device that is open on
  Handle. Returns nil if (and only if) Handle is not open or not
  connected to a terminal. If NeedName is False, it doesn't bother
  to search for the real name and just returns DefaultName if it
  is a terminal and nil otherwise. DefaultName is also returned if
  NeedName is True, Handle is connected to a terminal, but the
  system does not provide information about the real file name. }
function GetTerminalNameHandle (Handle: Integer; NeedName: Boolean;
    DefaultName: CString): CString;
    asmname '_p_GetTerminalNameHandle';

```

```

{ I/O routines }

{ Sets the process group of Process (or the current one if Process
  is 0) to ProcessGroup (or its PID if ProcessGroup is 0). Returns
  True if successful. }
function SetProcessGroup (Process: Integer; ProcessGroup: Integer):
  Boolean; asmname '_p_SetProcessGroup';

{ Sets the process group of a terminal given by Terminal (as a file
  handle) to ProcessGroup. ProcessGroup must be the ID of a process
  group in the same session. Returns True if successful. }
function SetTerminalProcessGroup (Handle: Integer; ProcessGroup:
  Integer): Boolean; asmname '_p_SetTerminalProcessGroup';

{ Returns the process group of a terminal given by Terminal (as a
  file handle), or -1 on error. }
function GetTerminalProcessGroup (Handle: Integer): Integer;
  asmname '_p_GetTerminalProcessGroup';

{ Set the standard input's signal generation, if it is a terminal. }
procedure SetInputSignals (Signals: Boolean);
  asmname '_p_SetInputSignals';

{ Get the standard input's signal generation, if it is a terminal. }
function GetInputSignals: Boolean; asmname '_p_GetInputSignals';

{ Internal routines }

{ Returns system information if available. Fields not available will
  be set to nil. }
procedure CStringSystemInfo (var SysName: CString; var NodeName:
  CString; var Release: CString; var Version: CString; var Machine:
  CString; var DomainName: CString); asmname '_p_CStringSystemInfo';

{ Returns the path of the running executable *if possible*. }
function CStringExecutablePath (Buffer: CString): CString;
  asmname '_p_CStringExecutablePath';

{ Sets ErrNo to the value of 'errno' and returns the description
  for this error. May return nil if not supported! ErrNo may be
  Null (then only the description is returned). }
function CStringStrError (var ErrNo: Integer): CString;
  asmname '_p_CStringStrError';

{ File routines }

type
  TOpenMode = (fo_None, fo_Reset, fo_Rewrite, fo_Append,
    fo_SeekRead, fo_SeekWrite, fo_SeekUpdate);
  AnyFile = Text; { @@ create 'AnyFile' parameters }

```

```

PAnyFile = ^AnyFile;

procedure GetBinding (protected var aFile: AnyFile; var aBinding:
  BindingType); asmname '_p_binding';
procedure ClearBinding (var aBinding: BindingType);
  asmname '_p_clearbinding';

{ TFDD interface @@ Subject to change! Use with caution! }

type
  TOpenProc = procedure (var PrivateData; Mode: TOpenMode);
  TSelectFunc = function (var PrivateData; Writing: Boolean):
    Integer; { called before SelectHandle, must return a file handle
  }
  TSelectProc = procedure (var PrivateData; var ReadSelect,
    WriteSelect, ExceptSelect: Boolean); { called before and after
    SelectHandle }
  TReadFunc = function (var PrivateData; var Buffer; Size:
    SizeType): SizeType;
  TWriteFunc = function (var PrivateData; const Buffer; Size:
    SizeType): SizeType;
  TFileProc = procedure (var PrivateData);
  TFlushProc = TFileProc;
  TCloseProc = TFileProc;
  TDoneProc = TFileProc;

procedure AssignTFDD (var f: AnyFile;
  OpenProc : TOpenProc;
  SelectFunc : TSelectFunc;
  SelectProc : TSelectProc;
  ReadFunc : TReadFunc;
  WriteFunc : TWriteFunc;
  FlushProc : TFlushProc;
  CloseProc : TCloseProc;
  DoneProc : TDoneProc;
  PrivateData: Pointer);
  asmname '_p_assign_tfdd';

procedure SetTFDD (var f: AnyFile;
  OpenProc : TOpenProc;
  SelectFunc : TSelectFunc;
  SelectProc : TSelectProc;
  ReadFunc : TReadFunc;
  WriteFunc : TWriteFunc;
  FlushProc : TFlushProc;
  CloseProc : TCloseProc;
  DoneProc : TDoneProc;
  PrivateData: Pointer); asmname '_p_set_tfdd';

{ Any parameter except f may be Null }
procedure GetTFDD (var f: AnyFile;

```

```

        var OpenProc      : TOpenProc;
        var SelectFunc    : TSelectFunc;
        var SelectProc    : TSelectProc;
        var ReadFunc      : TReadFunc;
        var WriteFunc     : TWriteFunc;
        var FlushProc     : TFlushProc;
        var CloseProc     : TCloseProc;
        var DoneProc      : TDoneProc;
        var PrivateData: Pointer);
asmname '_p_get_tfdd';

{ @@ iocritical } procedure FileMove (var f: AnyFile; NewName:
  CString; Overwrite: Boolean); asmname '_p_mv';

{ Flags that can be ORed into FileMode. The default value of
  FileMode is FileMode_Reset_ReadWrite. The somewhat confusing
  values are meant to be compatible to BP (as far as BP supports
  them). }
const
  { Allow writing to binary files opened with Reset }
  FileMode_Reset_ReadWrite      = 2;

  { Do not allow reading from files opened with Rewrite }
  FileMode_Rewrite_WriteOnly    = 4;

  { Do not allow reading from files opened with Extend }
  FileMode_Extend_WriteOnly     = 8;

  { Allow writing to text files opened with Reset }
  FileMode_Text_Reset_ReadWrite = $100;

type
  TextFile = Text;

const
  NoChange = -1; { can be passed to ChOwn for Owner and/or Group to
    not change that value }

procedure CloseFile (var aFile: { @@ AnyFile } File);
  asmname '_p_close';
{ @@ IO critical } procedure ChMod (var aFile: AnyFile; Mode:
  Integer); asmname '_p_chmod';
{ @@ IO critical } procedure ChOwn (var aFile: AnyFile; Owner,
  Group: Integer); asmname '_p_chown';

{ Checks if data are available to be read from aFile. This is
  similar to 'not EOF (aFile)', but does not block on "files" that
  can grow, like TTYS or pipes. }
function CanRead      (var aFile: AnyFile): Boolean;
  asmname '_p_canread';

```

```

{ Get the file handle. }
function FileHandle (protected var aFile: AnyFile): Integer;
    asmname '_p_filehandle';

{ Lock files }
function FileLock (var aFile: AnyFile; WriteLock, Block:
    Boolean): Boolean; asmname '_p_filelock';
function FileUnlock (var aFile: AnyFile): Boolean;
    asmname '_p_fileunlock';

{ Try to map (a part of) a file to memory. }
function MemoryMap (Start: Pointer; Length: SizeType; Access:
    Integer; Shared: Boolean;
                    var aFile: AnyFile; Offset: FileSizeType):
    Pointer; asmname '_p_mmap';

{ Unmap a previous memory mapping. }
procedure MemoryUnMap (Start: Pointer; Length: SizeType);
    asmname '_p_munmap';

{ Mathematical routines, from math.pas }

function Ln1Plus (x: Real): Real; attribute (const);
    asmname '_p_Ln1Plus';

{ String handling routines (lower level), from string.pas }

{ TString is a string type that is used for function results and
  local variables, as long as undiscriminated strings are not
  allowed there. The default size of 2048 characters should be
  enough for file names on any system, but can be changed when
  necessary. It should be at least as big as MAXPATHLEN. }

const
    TStringSize = 2048;
    SpaceCharacters = [' ', #9];
    NewLine = "\n"; { the separator of lines within a string }
    LineBreak = {$if defined (__OS_DOS__) and not defined
        (__CYGWIN__)}
        "\r\n"
    {$else}
        "\n"
    {$endif}; { the separator of lines within a file }

type
    TString = String (TStringSize);
    TStringBuf = packed array [0 .. TStringSize] of Char;
    PString = ^String;
    CharSet = set of Char;

var

```

```

CParamCount: Integer; asmname '_p_argc'; external;
CParameters: PCStrings; asmname '_p_argv'; external;

function MemCmp      (const s1, s2; Size: SizeType): Integer;
    asmname 'memcmp';
function MemComp      (const s1, s2; Size: SizeType): Integer;
    asmname 'memcmp';
function MemCompCase (const s1, s2; Size: SizeType): Boolean;
    asmname '_p_memcmpcase';

procedure UpCaseString (var s: String);
    asmname '_p_upcase_string';
procedure LoCaseString (var s: String);
    asmname '_p_locase_string';
function UpCaseStr      (const s: String): TString;
    asmname '_p_upcase_str';
function LoCaseStr      (const s: String): TString;
    asmname '_p_locase_str';

function StrEqualCase  (const s1, s2: String): Boolean;
    asmname '_p_strequalcase';

function Pos            (const SubString, s: String): Integer;
    asmname '_p_pos';
function LastPos        (const SubString, s: String): Integer;
    asmname '_p_lastpos';
function PosCase        (const SubString, s: String): Integer;
    asmname '_p_poscase';
function LastPosCase    (const SubString, s: String): Integer;
    asmname '_p_lastposcase';
function CharPos        (const Chars: CharSet; const s: String):
    Integer; asmname '_p_charpos';
function LastCharPos    (const Chars: CharSet; const s: String):
    Integer; asmname '_p_lastcharpos';

function PosFrom        (const SubString, s: String; From:
    Integer): Integer; asmname '_p_posfrom';
function LastPosTill    (const SubString, s: String; Till:
    Integer): Integer; asmname '_p_lastpostill';
function PosFromCase    (const SubString, s: String; From:
    Integer): Integer; asmname '_p_posfromcase';
function LastPosTillCase (const SubString, s: String; Till:
    Integer): Integer; asmname '_p_lastpostillcase';
function CharPosFrom    (const Chars: CharSet; const s: String;
    From: Integer): Integer; asmname '_p_charposfrom';
function LastCharPosTill (const Chars: CharSet; const s: String;
    Till: Integer): Integer; asmname '_p_lastcharpostill';

function IsPrefix        (const Prefix, s: String): Boolean;
    asmname '_p_isprefix';
function IsSuffix        (const Suffix, s: String): Boolean;

```

```

    asmname '_p_issuffix';
function IsPrefixCase    (const Prefix, s: String): Boolean;
    asmname '_p_isprefixcase';
function IsSuffixCase    (const Suffix, s: String): Boolean;
    asmname '_p_issuffixcase';

function CStringLength    (Src: CString): SizeType;
    asmname '_p_strlen';
function CStringEnd        (Src: CString): CString;
    asmname '_p_strend';
function CStringNew        (Src: CString): CString;
    asmname '_p_strdup';
function CStringComp       (s1, s2: CString): Integer;
    asmname '_p_strcmp';
function CStringCaseComp   (s1, s2: CString): Integer;
    asmname '_p_strcasecmp';
function CStringLComp       (s1, s2: CString; MaxLen: SizeType):
    Integer; asmname '_p_strncmp';
function CStringLCaseComp   (s1, s2: CString; MaxLen: SizeType):
    Integer; asmname '_p_strncasecmp';
function CStringCopy        (Dest, Source: CString): CString;
    asmname '_p_strcpy';
function CStringCopyEnd     (Dest, Source: CString): CString;
    asmname '_p_strecpy';
function CStringLCopy       (Dest, Source: CString; MaxLen:
    SizeType): CString; asmname '_p_strncpy';
function CStringMove        (Dest, Source: CString; Count:
    SizeType): CString; asmname '_p_strmove';
function CStringCat         (Dest, Source: CString): CString;
    asmname '_p_strcat';
function CStringLCat        (Dest, Source: CString; MaxLen:
    SizeType): CString; asmname '_p_strlcat';
function CStringChPos       (Src: CString; Ch: Char): CString;
    asmname '_p_strscan';
function CStringLastChPos   (Src: CString; Ch: Char): CString;
    asmname '_p_strrscan';
function CStringPos         (s, SubString: CString): CString;
    asmname '_p_strpos';
function CStringLastPos     (s, SubString: CString): CString;
    asmname '_p_strrpos';
function CStringCasePos     (s, SubString: CString): CString;
    asmname '_p_strcasepos';
function CStringLastCasePos (s, SubString: CString): CString;
    asmname '_p_strrcasepos';
function CStringUpCase      (s: CString): CString;
    asmname '_p_strupper';
function CStringLoCase      (s: CString): CString;
    asmname '_p_strlower';
function CStringIsEmpty     (s: CString): Boolean;
    asmname '_p_strempty';
function NewCString         (const Source: String): CString;

```

```

    asmname '_p_newcstring';
function CStringCopyString (Dest: CString; const Source: String):
    CString; asmname '_p_cstringcopystring';
procedure CopyCString      (Source: CString; var Dest: String);
    asmname '_p_copycstring';

function NewString          (const s: String): PString;
    asmname '_p_newstring';
procedure DisposeString    (p: PString); asmname '_p_dispose';

procedure SetString         (var s: String; Buffer: PChar; Count:
    Integer); asmname '_p_set_string';
function StringOfChar      (Ch: Char; Count: Integer) = s: TString;
    asmname '_p_string_of_char';

procedure TrimLeft          (var s: String); asmname '_p_trimleft';
procedure TrimRight         (var s: String); asmname '_p_trimright';
procedure TrimBoth          (var s: String); asmname '_p_trimboth';
function LTrim              (const s: String): TString;
    asmname '_p_trimleft_str';
function TrimLeftStr        (const s: String): TString;
    asmname '_p_trimleft_str';
function TrimRightStr       (const s: String): TString;
    asmname '_p_trimright_str';
function TrimBothStr        (const s: String): TString;
    asmname '_p_trimboth_str';

function GetStringCapacity (const s: String): Integer;
    asmname '_p_get_string_capacity';

{ A shortcut for a common use of WriteStr as a function }
function Integer2String (i: Integer): TString;
    asmname '_p_Integer2String';

{ String handling routines (higher level), from string2.pas }

type
    TChars = packed array [1 .. 1] of Char;
    PChars = ^TChars;

    { Under development. Interface subject to change.
      Use with caution. }
    { When a const or var AnyString parameter is passed, internally
      these records are passed as const parameters. Value AnyString
      parameters are passed like value string parameters. }
    ConstAnyString = record
        Length: Integer;
        Chars: PChars
    end;

    { Capacity is the allocated space (used internally). Count is the

```



```

    actual number of environment strings. The CStrings array
    contains the environment strings, terminated by a nil pointer,
    which is not counted in Count. @CStrings can be passed to libc
    routines like execve which expect an environment (see
    GetCEnvironment). }
PEnvironment = ^TEEnvironment;
TEEnvironment (Capacity: Integer) = record
    Count: Integer;
    CStrings: array [1 .. Capacity + 1] of CString
end;

var
    Environment: PEnvironment; asmname '_p_environment'; external;

{ Get an environment variable. If it does not exist, GetEnv returns
  the empty string, which can't be distinguished from a variable
  with an empty value, while CStringGetEnv returns nil then. Note,
  Dos doesn't know empty environment variables, but treats them as
  non-existing, and does not distinguish case in the names of
  environment variables. However, even under Dos, empty environment
  variables and variable names with different case can now be set
  and used within GPC programs. }
function GetEnv (const EnvVar: String): TString;
    asmname '_p_getenv';
function CStringGetEnv (EnvVar: CString): CString;
    asmname '_p_cstringgetenv';

{ Sets an environment variable with the name given in VarName to the
  value Value. A previous value, if any, is overwritten. }
procedure SetEnv (const VarName, Value: String);
    asmname '_p_setenv';

{ Un-sets an environment variable with the name given in VarName. }
procedure UnSetEnv (const VarName: String); asmname '_p_unsetenv';

{ Returns @Environment^.CStrings, converted to PCStrings, to be
  passed to libc routines like execve which expect an environment. }
function GetCEnvironment: PCStrings; asmname '_p_getcenvironment';

type
    FormatStringTransformType = ^function (const Format: String):
        TString;

var
    FormatStringTransformPtr: FormatStringTransformType;
    asmname '_p_FormatStringTransformPtr'; external;

{ Runtime error and signal handling routines, from error.pas }

const
    EAssert = 381;

```

```

EOpen = 405;
EOpenRead = 442;
EOpenWrite = 443;
EOpenUpdate = 444;
EReading = 464;
EWriting = 466;
ERead = 413;
EWrite = 414;
EWriteReadOnly = 422;
EMMap = 408;
ECannotFork = 600;
ECannotSpawn = 601;
EProgramNotFound = 602;
EProgramNotExecutable = 603;
EPipe = 604;
EPrinterRead = 610;
EIOctl = 630;
EConvertError = 875;
ELibraryFunction = 952;
EExitReturned = 953;

RuntimeErrorExitValue = 42;

DummyReturnAddress = Pointer ($deadbeef);

var
  { Error number (after runtime error) or exit status (after Halt)
    or 0 (during program run and after succesful termination). }
  ExitCode: Integer; asmname '_p_ExitCode'; external;

  { Contains the address of the code where a runtime occurred, nil
    if no runtime error occurred. }
  ErrorAddr: Pointer; asmname '_p_ErrorAddr'; external;

  { Error message }
  ErrorMessageString: TString; asmname '_p_ErrorMessageString';
  external;

  { String parameter to some error messages, *not* the text of the
    error message (the latter can be obtained with
    GetErrorMessage). }
  InOutResString: PString; asmname '_p_InOutResString'; external;

  { Optional libc error string to some error messages. }
  InOutResCErrorString: PString; asmname '_p_InOutResCErrorString';
  external;

  RTSErrorFD: Integer; asmname '_p_ErrorFD'; external;
  RTSErrorFileName: PString; asmname '_p_ErrorFileName'; external;

function  GetErrorMessage                      (n: Integer): CString;

```

```

    asmname '_p_errmsg';
procedure RuntimeError                      (n: Integer);
    attribute (noreturn); asmname '_p_error';
procedure RuntimeErrorErrNo                (n: Integer);
    attribute (noreturn); asmname '_p_error_errno';
procedure RuntimeErrorInteger              (n: Integer; i: MedInt);
    attribute (noreturn); asmname '_p_error_integer';
procedure RuntimeErrorCString              (n: Integer; s: CString);
    attribute (noreturn); asmname '_p_error_string';
procedure InternalError                   (n: Integer);
    attribute (noreturn); asmname '_p_internal_error';
procedure InternalErrorInteger             (n: Integer; i: MedInt);
    attribute (noreturn); asmname '_p_internal_error_integer';
procedure InternalErrorCString             (n: Integer; s: CString);
    attribute (noreturn); asmname '_p_internal_error_string';
procedure RuntimeWarning                   (Message: CString);
    asmname '_p_warning';
procedure RuntimeWarningInteger            (Message: CString; i:
    MedInt); asmname '_p_warning_integer';
procedure RuntimeWarningCString            (Message: CString; s:
    CString); asmname '_p_warning_string';
procedure DebugStatement                   (const FileName: String;
    Line: Integer); asmname '_p_debug_statement';

{ @@ iocritical } procedure IOError                      (n:
    Integer; ErrNoFlag: Boolean); asmname '_p_io_error';
{ @@ iocritical } procedure IOErrorInteger              (n:
    Integer; i: MedInt; ErrNoFlag: Boolean);
    asmname '_p_io_error_integer';
{ @@ iocritical } procedure IOErrorCString              (n:
    Integer; s: CString; ErrNoFlag: Boolean);
    asmname '_p_io_error_cstring';
{ @@ iocritical } procedure IOErrorFile                  (n:
    Integer; protected var f: AnyFile; ErrNoFlag: Boolean);
    asmname '_p_io_error_file';

function  GetIOErrorMessage: TString;
    asmname '_p_get_io_error_message';
procedure CheckInOutRes; asmname '_p_check_inoutres';

{ Registers a procedure to be called to restore the terminal for
  another process that accesses the terminal, or back for the
  program itself. Used e.g. by the CRT unit. The procedures must
  allow for being called multiple times in any order, even at the
  end of the program (see the comment for RestoreTerminal). }
procedure RegisterRestoreTerminal (ForAnotherProcess: Boolean;
    procedure Proc); asmname '_p_RegisterRestoreTerminal';

{ Unregisters a procedure registered with RegisterRestoreTerminal.
  Returns False if the procedure had not been registered, and True
  if it had been registered and was unregistered successfully. }

```

```

function  UnregisterRestoreTerminal (ForAnotherProcess: Boolean;
    procedure Proc): Boolean; asmname '_p_UnregisterRestoreTerminal';

{ Calls the procedures registered by RegisterRestoreTerminal. When
  restoring the terminal for another process, the procedures are
  called in the opposite order of registration. When restoring back
  for the program, they are called in the order of registration.

  'RestoreTerminal (True)' will also be called at the end of the
  program, before outputting any runtime error message. It can also
  be used if you want to write an error message and exit the program
  (especially when using e.g. the CRT unit). For this purpose, to
  avoid side effects, call RestoreTerminal immediately before
  writing the error message (to StdErr, not to Output!), and then
  exit the program (e.g. with Halt). }
procedure RestoreTerminal (ForAnotherProcess: Boolean);
    asmname '_p_RestoreTerminal';

procedure AtExit (procedure Proc); asmname '_p_atexit';

function  ReturnAddr2Hex (p: Pointer): TString;
    asmname '_p_ReturnAddr2Hex';

{ This function is used to write error messages etc. It does not use
  the Pascal I/O system here because it is usually called at the
  very end of a program after the Pascal I/O system has been shut
  down. }
function  WriteErrorMessage (const s: String; StdErrFlag: Boolean):
    Boolean; asmname '_p_WriteErrorMessage';

procedure SetReturnAddress (Address: Pointer);
    asmname '_p_SetReturnAddress';
procedure RestoreReturnAddress; asmname '_p_RestoreReturnAddress';
function  SetTempDummyReturnAddress: Pointer;
    asmname '_p_SetTempDummyReturnAddress';
procedure RestoreTempReturnAddress (Address: Pointer);
    asmname '_p_RestoreTempReturnAddress';

{ Returns a description for a signal }
function  StrSignal (Signal: Integer): TString;
    asmname '_p_strsignal';

{ Installs some signal handlers that cause runtime errors on certain
  signals. This procedure runs only once, and returns immediately
  when called again (so you can't use it to set the signals again if
  you changed them meanwhile). @@Does not work on all systems (since
  the handler might have too little stack space). }
procedure InstallDefaultSignalHandlers;
    asmname '_p_InstallDefaultSignalHandlers';

var

```

```

{ Signal actions }
SignalDefault: TSignalHandler; asmname '_p_SIG_DFL'; external;
SignalIgnore : TSignalHandler; asmname '_p_SIG_IGN'; external;
SignalError  : TSignalHandler; asmname '_p_SIG_ERR'; external;

{ Signals. The constants are set to the signal numbers, and
  are 0 for signals not defined. }
{ POSIX signals }
SigHUP   : Integer; asmname '_p_SIGHUP'; external;
SigInt   : Integer; asmname '_p_SIGINT'; external;
SigQuit  : Integer; asmname '_p_SIGQUIT'; external;
SigILL   : Integer; asmname '_p_SIGILL'; external;
SigAbrt  : Integer; asmname '_p_SIGABRT'; external;
SigFPE   : Integer; asmname '_p_SIGFPE'; external;
SigKill  : Integer; asmname '_p_SIGKILL'; external;
SigSegV  : Integer; asmname '_p_SIGSEGV'; external;
SigPipe  : Integer; asmname '_p_SIGPIPE'; external;
SigAlrm  : Integer; asmname '_p_SIGALRM'; external;
SigTerm  : Integer; asmname '_p_SIGTERM'; external;
SigUshr1 : Integer; asmname '_p_SIGUSR1'; external;
SigUshr2 : Integer; asmname '_p_SIGUSR2'; external;
SigChld  : Integer; asmname '_p_SIGCHLD'; external;
SigCont  : Integer; asmname '_p_SIGCONT'; external;
SigStop  : Integer; asmname '_p_SIGSTOP'; external;
SigTStp  : Integer; asmname '_p_SIGTSTP'; external;
SigTTIn  : Integer; asmname '_p_SIGTTIN'; external;
SigTTOu  : Integer; asmname '_p_SIGTTOU'; external;

{ Non-POSIX signals }
SigTrap  : Integer; asmname '_p_SIGTRAP'; external;
SigIOT   : Integer; asmname '_p_SIGIOT'; external;
SigEMT   : Integer; asmname '_p_SIGEMT'; external;
SigBus   : Integer; asmname '_p_SIGBUS'; external;
SigSys   : Integer; asmname '_p_SIGSYS'; external;
SigStkFlt: Integer; asmname '_p_SIGSTKFLT'; external;
SigUrg   : Integer; asmname '_p_SIGURG'; external;
SigIO    : Integer; asmname '_p_SIGIO'; external;
SigPoll  : Integer; asmname '_p_SIGPOLL'; external;
SigXCPU  : Integer; asmname '_p_SIGXCPU'; external;
SigXFSz  : Integer; asmname '_p_SIGXFSZ'; external;
SigVTArm : Integer; asmname '_p_SIGVTALRM'; external;
SigProf  : Integer; asmname '_p_SIGPROF'; external;
SigPwr   : Integer; asmname '_p_SIGPWR'; external;
SigInfo  : Integer; asmname '_p_SIGINFO'; external;
SigLost  : Integer; asmname '_p_SIGLOST'; external;
SigWinCh : Integer; asmname '_p_SIGWINCH'; external;

{ Signal subcodes (only used on some systems, -1 if not used) }
FPEIntegerOverflow      : Integer; asmname '_p_FPE_INTOVF_TRAP';
external;
FPEIntegerDivisionByZero: Integer; asmname '_p_FPE_INTDIV_TRAP';

```

```

external;
FPESubscriptRange      : Integer; asmname '_p_FPE_SUBRNG_TRAP';
external;
FPERealOverflow        : Integer; asmname '_p_FPE_FLTOVF_TRAP';
external;
FPERealDivisionByZero  : Integer; asmname '_p_FPE_FLTDIV_TRAP';
external;
FPERealUnderflow       : Integer; asmname '_p_FPE_FLTUND_TRAP';
external;
FPEDecimalOverflow     : Integer; asmname '_p_FPE_DECOVF_TRAP';
external;

{ Routines for the 'is' and 'as' operators. }
function ObjectTypeIs (Left, Right: PObjectType): Boolean;
  attribute (const); asmname '_p_ObjectTypeIs';
procedure ObjectTypeAsError; asmname '_p_ObjectTypeAsError';

{ Time and date routines, from time.pas }

const
  DateLength = 11; { from constants.h }
  TimeLength = 8;  { from constants.h }
  InvalidYear = - MaxInt;

type
  DateString = packed array [1 .. DateLength] of Char;
  TimeString = packed array [1 .. TimeLength] of Char;

var
  { DayOfWeekName is a constant and therefore does not respect the
    locale. Therefore, it's recommended to use FormatTime instead. }
  DayOfWeekName: array [0 .. 6] of String [9]; asmname '_p_downame';
  external;

  { MonthName is a constant and therefore does not respect the
    locale. Therefore, it's recommended to use FormatTime instead. }
  MonthName: array [1 .. 12] of String [9]; asmname '_p_monthname';
  external;

function GetDayOfWeek (Day, Month, Year: Integer): Integer;
  asmname '_p_dayofweek';
function GetDayOfYear (Day, Month, Year: Integer): Integer;
  asmname '_p_dayofyear';
function GetSundayWeekOfYear (Day, Month, Year: Integer): Integer;
  asmname '_p_getsundayweekofyear';
function GetMondayWeekOfYear (Day, Month, Year: Integer): Integer;
  asmname '_p_getmondayweekofyear';
procedure GetISOWeekOfYear (Day, Month, Year: Integer; var ISOWeek,
  ISOWeekYear: Integer); asmname '_p_getisoweekofyear';
procedure UnixTimeToTimeStamp (UnixTime: UnixTimeType; var
  aTimeStamp: TimeStamp); asmname '_p_unix_time_to_time_stamp';

```

```

function TimestampToUnixTime (protected var aTimeStamp: Timestamp):
    UnixTimeType; asmname '_p_time_stamp_to_unix_time';
function GetMicroSecondTime: MicroSecondTimeType;
    asmname '_p_get_micro_second_time';

{ Is the year a leap year? }
function IsLeapYear (Year: Integer): Boolean;
    asmname '_p_is_leap_year';

{ Returns the length of the month, taking leap years into account. }
function MonthLength (Month, Year: Integer): Integer;
    asmname '_p_month_length';

{ Formats a Timestamp value according to a Format string. The format
  string can contain date/time items consisting of '%', followed by
  the specifiers listed below. All characters outside of these items
  are copied to the result unmodified. The specifiers correspond to
  those of the C function strftime(), including POSIX.2 and glibc
  extensions and some more extensions. The extensions are also
  available on systems whose strftime() doesn't support them.

```

The following modifiers may appear after the '%':

- '_' The item is left padded with spaces to the given or default width.
- '-' The item is not padded at all.
- '0' The item is left padded with zeros to the given or default width.
- '/' The item is right trimmed if it is longer than the given width.
- '^' The item is converted to upper case.
- '~' The item is converted to lower case.

After zero or more of these flags, an optional width may be specified for padding and trimming. It must be given as a decimal number (not starting with '0' since '0' has a meaning of its own, see above).

Afterwards, the following optional modifiers may follow. Their meaning is locale-dependent, and many systems and locales just ignore them.

- 'E' Use the locale's alternate representation for date and time. In a Japanese locale, for example, '%Ex' might yield a date format based on the Japanese Emperors' reigns.

'O' Use the locale's alternate numeric symbols for numbers. This modifier applies only to numeric format specifiers.

Finally, exactly one of the following specifiers must appear. The padding rules listed here are the defaults that can be overridden with the modifiers listed above.

'a' The abbreviated weekday name according to the current locale.

'A' The full weekday name according to the current locale.

'b' The abbreviated month name according to the current locale.

'B' The full month name according to the current locale.

'c' The preferred date and time representation for the current locale.

'C' The century of the year. This is equivalent to the greatest integer not greater than the year divided by 100.

'd' The day of the month as a decimal number ('01' .. '31').

'D' The date using the format '%m/%d/%y'. NOTE: Don't use this format if it can be avoided. Things like this caused Y2K bugs!

'e' The day of the month like with '%d', but padded with blanks (' 1' .. '31').

'F' The date using the format '%Y-%m-%d'. This is the form specified in the ISO 8601 standard and is the preferred form for all uses.

'g' The year corresponding to the ISO week number, but without the century ('00' .. '99'). This has the same format and value as 'y', except that if the ISO week number (see 'V') belongs to the previous or next year, that year is used instead. NOTE: Don't use this format if it can be avoided. Things like this caused Y2K bugs!

'G' The year corresponding to the ISO week number. This has the same format and value as 'Y', except that if the ISO week number (see 'V') belongs to the previous or next year, that year is used instead.

'h' The abbreviated month name according to the current locale. This is the same as 'b'.

'H' The hour as a decimal number, using a 24-hour clock ('00' .. '23').

- 'I' The hour as a decimal number, using a 12-hour clock ('01' .. '12').
- 'j' The day of the year as a decimal number ('001' .. '366').
- 'k' The hour as a decimal number, using a 24-hour clock like 'H', but padded with blanks (' 0' .. '23').
- 'l' The hour as a decimal number, using a 12-hour clock like 'I', but padded with blanks (' 1' .. '12').
- 'm' The month as a decimal number ('01' .. '12').
- 'M' The minute as a decimal number ('00' .. '59').
- 'n' A single newline character.
- 'p' Either 'AM' or 'PM', according to the given time value; or the corresponding strings for the current locale. Noon is treated as 'PM' and midnight as 'AM'.
- 'P' Either 'am' or 'pm', according to the given time value; or the corresponding strings for the current locale, printed in lowercase characters. Noon is treated as 'pm' and midnight as 'am'.
- 'Q' The fractional part of the second. This format has special effects on the modifiers. The width, if given, determines the number of digits to output. Therefore, no actual clipping or trimming is done. However, if padding with spaces is specified, any trailing (i.e., right!) zeros are converted to spaces, and if "no padding" is specified, they are removed. The default is "padding with zeros", i.e. trailing zeros are left unchanged. The digits are cut when necessary without rounding (otherwise, the value would not be consistent with the seconds given by 'S' and 's'). Note that GPC's TimeStamp currently provides for microsecond resolution, so there are at most 6 valid digits (which is also the default width), any further digits will be 0 (but if TimeStamp will ever change, this format will be adjusted). However, the actual resolution provided by the operating system via GetTimeStamp etc. may be far lower (e.g., ~1/18s under Dos).
- 'r' The complete time using the AM/PM format of the current locale.
- 'R' The hour and minute in decimal numbers using the format '%H:%M'.
- 's' Unix time, i.e. the number of seconds since the epoch, i.e.,

since 1970-01-01 00:00:00 UTC. Leap seconds are not counted unless leap second support is available.

- 'S' The seconds as a decimal number ('00' .. '60').
- 't' A single tab character.
- 'T' The time using decimal numbers using the format '%H:%M:%S'.
- 'u' The day of the week as a decimal number ('1' .. '7'), Monday being '1'.
- 'U' The week number of the current year as a decimal number ('00' .. '53'), starting with the first Sunday as the first day of the first week. Days preceding the first Sunday in the year are considered to be in week '00'.
- 'V' The ISO 8601:1988 week number as a decimal number ('01' .. '53'). ISO weeks start with Monday and end with Sunday. Week '01' of a year is the first week which has the majority of its days in that year; this is equivalent to the week containing the year's first Thursday, and it is also equivalent to the week containing January 4. Week '01' of a year can contain days from the previous year. The week before week '01' of a year is the last week ('52' or '53') of the previous year even if it contains days from the new year.
- 'w' The day of the week as a decimal number ('0' .. '6'), Sunday being '0'.
- 'W' The week number of the current year as a decimal number ('00' .. '53'), starting with the first Monday as the first day of the first week. All days preceding the first Monday in the year are considered to be in week '00'.
- 'x' The preferred date representation for the current locale, but without the time.
- 'X' The preferred time representation for the current locale, but with no date.
- 'y' The year without a century as a decimal number ('00' .. '99'). This is equivalent to the year modulo 100.
NOTE: Don't use this format if it can be avoided. Things like this caused Y2K bugs!
- 'Y' The year as a decimal number, using the Gregorian calendar. Years before the year '1' are numbered '0', '-1', and so on.
- 'z' RFC 822/ISO 8601:1988 style numeric time zone (e.g., '-0600' or '+0100'), or nothing if no time zone is determinable.

```

    'Z'   The time zone abbreviation (empty if the time zone can't be
          determined).

    '%'   (i.e., an item '%%') A literal '%' character. }
function FormatTime (const Time: TimeStamp; const Format: String):
    TString; asmname '_p_format_time';

{ Pseudo random number generator, from random.pas }

type
    RandomSeedType = Cardinal (32);
    RandomizeType   = ^procedure;
    SeedRandomType  = ^procedure (Seed: RandomSeedType);
    RandRealType    = ^function: LongestReal;
    RandIntType     = ^function (MaxValue: LongestCard): LongestCard;

var
    RandomizePtr : RandomizeType; asmname '_p_randomize_ptr';
    external;
    SeedRandomPtr: SeedRandomType; asmname '_p_seedrandom_ptr';
    external;
    RandRealPtr  : RandRealType; asmname '_p_randreal_ptr'; external;
    RandIntPtr   : RandIntType;  asmname '_p_randint_ptr'; external;

procedure SeedRandom (Seed: RandomSeedType);
    asmname '_p_seedrandom';

{ File name routines, from filename.pas }

{ Define constants for different systems:

    OSDosFlag:          flag to indicate whether the target system is
                        Dos

    QuotingCharacter:   the character used to quote wild cards and
                        other special characters (#0 if not available)

    PathSeparator:      the separator of multiple paths, e.g. in the
                        PATH environment variable

    DirSeparator:       the separator of the directories within a full
                        file name

    DirSeparators:      a set of all possible directory and drive name
                        separators

    ExtSeparator:       the separator of a file name extension

    DirRoot:            the name of the root directory

```

```

DirSelf:           the name of a directory in itself

DirParent:         the name of the parent directory

MaskNoStdDir:      a file name mask that matches all names except
                   the standard directories DirSelf and DirParent

NullDeviceName:    the full file name of the null device

TTYDeviceName:     the full file name of the current TTY

ConsoleDeviceName: the full file name of the system console. On
                   Dos systems, this is the same as the TTY, but
                   on systems that allow remote login, this is a
                   different thing and may reach a completely
                   different user than the one running the
                   program, so use it with care.

EnvVarCharsFirst:  the characters accepted at the beginning of the
                   name of an environment variable without quoting

EnvVarChars:       the characters accepted in the name of an
                   environment variable without quoting

PathEnvVar:        the name of the environment variable which
                   (usually) contains the executable search path

ShellEnvVar:       the name of the environment variable which
                   (usually) contains the path of the shell
                   executable (see GetShellPath)

ShellExecCommand:  the option to the (default) shell to execute
                   the command specified in the following argument
                   (see GetShellPath)

ConfigFileMask:    a mask for the option file name as returned by
                   ConfigFileName

FileNamesCaseSensitive:
                   flag to indicate whether file names are case
                   sensitive }

const
  UnixShellEnvVar      = 'SHELL';
  UnixShellExecCommand = '-c';

{$ifdef __OS_DOS__}

const
  OSDosFlag      = True;
  QuotingCharacter = #0;

```

```

PathSeparator          = {$ifdef __CYGWIN__} ':' {$else} '\';
{$endif};
DirSeparator           = '\';
DirSeparators          = [':', '\', '/'];
ExtSeparator           = '.';
DirRoot                = '\';
DirSelf                = '.';
DirParent              = '..';
MaskNoStdDir           = '{*,.[^.],..?*}';
NullDeviceName         = 'nul';
TTYDeviceName          = 'con';
ConsoleDeviceName      = 'con';
EnvVarCharsFirst       = ['A' .. 'Z', 'a' .. 'z', '_'];
EnvVarChars            = EnvVarCharsFirst + ['0' .. '9'];
PathEnvVar             = 'PATH';
ShellEnvVar            = 'COMSPEC';
ShellExecCommand       = '/c';
ConfigFileMask         = '*.cfg';
FileNamesCaseSensitive = False;

{$else}

const
  OSDosFlag             = False;
  QuotingCharacter      = '\';
  PathSeparator         = ':';
  DirSeparator          = '/';
  DirSeparators         = ['/'];
  ExtSeparator          = '.';
  DirRoot               = '/';
  DirSelf               = '.';
  DirParent             = '..';
  MaskNoStdDir          = '{*,.[^.],..?*}';
  NullDeviceName        = '/dev/null';
  TTYDeviceName         = '/dev/tty';
  ConsoleDeviceName     = '/dev/console';
  EnvVarCharsFirst      = ['A' .. 'Z', 'a' .. 'z', '_'];
  EnvVarChars           = EnvVarCharsFirst + ['0' .. '9'];
  PathEnvVar            = 'PATH';
  ShellEnvVar           = UnixShellEnvVar;
  ShellExecCommand      = UnixShellExecCommand;
  ConfigFileMask        = '*.';
  FileNamesCaseSensitive = True;

{$endif}

const
  WildCardChars = ['*', '?', '[', '']];
  FileNameSpecialChars = (WildCardChars + SpaceCharacters +
    ['{', '}', '$', QuotingCharacter]) - DirSeparators;

```

```

type
  DirPtr = Pointer;

{ Convert ch to lower case if FileNamesCaseSensitive is False, leave
  it unchanged otherwise. }
function  FileNameLoCase (ch: Char): Char;
  asmname '_p_filenameelocase';

{ Change a file name to use the OS dependent directory separator }
function  Slash2OSDirSeparator (const s: String): TString;
  asmname '_p_slash2osdirseparator';

{ Change a file name to use '/' as directory separator }
function  OSDirSeparator2Slash (const s: String): TString;
  asmname '_p_osdirseparator2slash';

{ Like Slash2OSDirSeparator for CStrings. *Note*: overwrites the
  CString }
function  Slash2OSDirSeparator_CString (s: CString): CString;
  asmname '_p_slash2osdirseparator_cstring';

{ Like OSDirSeparator2Slash for CStrings. *Note*: overwrites the
  CString }
function  OSDirSeparator2Slash_CString (s: CString): CString;
  asmname '_p_osdirseparator2slash_cstring';

{ Add a DirSeparator to the end of s, if there is not already one
  and s denotes an existing directory }
function  AddDirSeparator (const s: String): TString;
  asmname '_p_adddirseparator';

{ Like AddDirSeparator, but also if the directory does not exist }
function  ForceAddDirSeparator (const s: String): TString;
  asmname '_p_forceaddirseparator';

{ Remove all trailing DirSeparators from s, if there are any, as
  long as removing them doesn't change the meaning (i.e., they don't
  denote the root directory. }
function  RemoveDirSeparator (const s: String): TString;
  asmname '_p_removedirseparator';

{ Returns the current directory using OS dependent directory
  separators }
function  GetCurrentDirectory: TString;
  asmname '_p_get_current_directory';

{ Returns a directory suitable for storing temporary files using OS
  dependent directory separators. If found, the result always ends
  in DirSeparator. If no suitable directory is found, an empty
  string is returned. }
function  GetTempDirectory: TString;

```

```

    asmname '_p_get_temp_directory';

{ Returns a non-existing file name in the directory given. If the
  directory doesn't exist or the Directory name is empty, a runtime
  error is raised, and GetTempFileNameInDirectory returns the empty
  string. }
{ @@ iocritical } function GetTempFileNameInDirectory (const
  Directory: String): TString;
  asmname '_p_get_temp_file_name_in_directory';

{ Returns a non-existing file name in GetTempDirectory. If no temp
  directory is found, i.e. GetTempDirectory returns the empty
  string, a runtime error is raised, and GetTempFileName returns the
  empty string as well. }
{ @@ iocritical } function GetTempFileName: TString;
  asmname '_p_get_temp_file_name';

{ The same as GetTempFileName, but returns a CString allocated from
  the heap. }
{ @@ iocritical } function GetTempFileName_CString: CString;
  asmname '_p_get_temp_file_name_cstring';

{ Get the external name of a file }
function FileName (protected var f: AnyFile): TString;
  asmname '_p_file_name';

{ Returns True if the given file name is an existing plain file }
function FileExists (const aFileName: String): Boolean;
  asmname '_p_file_exists';

{ Returns True if the given file name is an existing directory }
function DirectoryExists (const aFileName: String): Boolean;
  asmname '_p_directory_exists';

{ Returns True if the given file name is an existing file, directory
  or special file (device, pipe, socket, etc.) }
function PathExists (const aFileName: String): Boolean;
  asmname '_p_path_exists';

{ If a file of the given name exists in one of the directories given
  in DirList (separated by PathSeparator), returns the full path,
  otherwise returns an empty string. If aFileName already contains
  an element of DirSeparators, returns Slash2OSDirSeparator
  (aFileName) if it exists. }
function FSearch (const aFileName, DirList: String): TString;
  asmname '_p_fsearch';

{ Like FSearch, but only find executable files. Under Dos, if not
  found, the function tries appending '.com', '.exe', '.bat' and
  '.cmd' (the last one only if $COMSPEC points to a 'cmd.exe'), so
  you don't have to specify these extensions in aFileName (and with

```

```

    respect to portability, it might be preferable not to do so). }
function FSearchExecutable (const aFileName, DirList: String):
    TString; asmname '_p_fsearch_executable';

{ Replaces all occurrences of '$FOO' and '~' in s by the value of
  the environment variables FOO or HOME, respectively. If a variable
  is not defined, the function returns False, and s contains the
  name of the undefined variable (or the empty string if the
  variable name is invalid, i.e., doesn't start with a character
  from EnvVarCharsFirst). Otherwise, if all variables are found, s
  contains the replaced string, and True is returned. }
function ExpandEnvironment (var s: String): Boolean;
    asmname '_p_expand_environment';

{ Expands the given path name to a full path name. Relative paths
  are expanded using the current directory, and occurrences of
  DirSelf and DirParent are resolved. Under Dos, the result is
  converted to lower case and a trailing ExtSeparator (except in a
  trailing DirSelf or DirParent) is removed, like Dos does. If the
  directory, i.e. the path without the file name, is invalid, the
  empty string is returned. }
function FExpand      (const Path: String): TString;
    asmname '_p_fexpand';

{ Like FExpand, but unquotes the directory before expanding it, and
  quotes WildCardChars again afterwards. Does not check if the
  directory is valid (because it may contain wild card characters).
  Symlinks are expanded only in the directory part, not the file
  name. }
function FExpandQuoted (const Path: String): TString;
    asmname '_p_fexpandquoted';

{ FExpands Path, and then removes the current directory from it, if
  it is a prefix of it. If OnlyCurDir is set, the current directory
  will be removed only if Path denotes a file in, not below, it. }
function RelativePath (const Path: String; OnlyCurDir, Quoted:
    Boolean): TString; asmname '_p_relative_path';

{ Is aFileName a UNC filename? (Always returns False on non-Dos
  systems.) }
function IsUNC (const aFileName: String): Boolean;
    asmname '_p_IsUNC';

{ Splits a file name into directory, name and extension. Each of
  Dir, Name and Ext may be Null. }
procedure FSplit (const Path: String; var Dir, Name, Ext: String);
    asmname '_p_fsplitt';

{ Functions that extract one or two of the parts from FSplit.
  DirFromPath returns DirSelf + DirSeparator if the path contains no
  directory. }

```



```

function DirFromPath      (const Path: String): TString;
  asmname '_p_dir_from_path';
function NameFromPath     (const Path: String): TString;
  asmname '_p_name_from_path';
function ExtFromPath      (const Path: String): TString;
  asmname '_p_ext_from_path';
function NameExtFromPath  (const Path: String): TString;
  asmname '_p_name_ext_from_path';

{ Start reading a directory. If successful, a pointer is returned
  that can be used for subsequent calls to ReadDir and finally
  CloseDir. On failure, an I/O error is raised and (in case it is
  ignored) nil is returned. }
{ @@ iocritical } function OpenDir  (const Name: String): DirPtr;
  asmname '_p_opendir';

{ Reads one entry from the directory Dir, and returns the file name.
  On errors or end of directory, the empty string is returned. }
function ReadDir  (Dir: DirPtr): TString; asmname '_p_readdir';

{ Closes a directory opened with OpenDir. }
procedure CloseDir (Dir: DirPtr); asmname '_p_closedir';

{ Returns the first position of a non-quoted character of CharSet in
  s, or 0 if no such character exists. }
function FindNonQuotedChar (Chars: CharSet; const s: String; From:
  Integer): Integer; asmname '_p_findnonquotedchar';

{ Returns the first occurrence of SubString in s that is not quoted
  at the beginning, or 0 if no such occurrence exists. }
function FindNonQuotedStr (const SubString, s: String; From:
  Integer): Integer; asmname '_p_findnonquotedstr';

{ Does a string contain non-quoted wildcard characters? }
function HasWildCards (const s: String): Boolean;
  asmname '_p_haswildcards';

{ Does a string contain non-quoted wildcard characters, braces or
  spaces? }
function HasWildCardsOrBraces (const s: String): Boolean;
  asmname '_p_haswildcardsorbraces';

{ Insert QuotingCharacter into s before any special characters }
function QuoteFileName (const s: String; const SpecialCharacters:
  CharSet): TString; asmname '_p_quote_filename';

{ Remove QuotingCharacter from s }
function UnQuoteFileName (const s: String): TString;
  asmname '_p_unquote_filename';

{ Splits s at non-quoted spaces and expands non-quoted braces like

```

```

    bash does. The result and its entries should be disposed after
    usage, e.g. with DisposePPStrings. }
function BraceExpand (const s: String): PPStrings;
    asmname '_p_braceexpand';

{ Dispose of a PPStrings array as well as the strings it contains.
  If you want to keep the strings (by assigning them to other string
  pointers), you should instead free the PPStrings array with
  'Dispose'. }
procedure DisposePPStrings (Strings: PPStrings);
    asmname '_p_DisposePPStrings';

{ Tests if a file name matches a shell wildcard pattern (?, *, []) }
function FileNameMatch (const Pattern, Name: String): Boolean;
    asmname '_p_filenameematch';

{ FileNameMatch with BraceExpand }
function MultiFileNameMatch (const Pattern, Name: String): Boolean;
    asmname '_p_multifilenameematch';

{ File name globbing }
{ GlobInit is implied by Glob and MultiGlob, not by GlobOn and
  MultiGlobOn. GlobOn and MultiGlobOn must be called after GlobInit,
  Glob or MultiGlob. MultiGlob and MultiGlobOn do brace expansion,
  Glob and GlobOn do not. GlobFree frees the memory allocated by the
  globbing functions and invalidates the results in Buf. It should
  be called after globbing. }
procedure GlobInit      (var Buf: GlobBuffer); asmname '_p_globinit';
procedure Glob          (var Buf: GlobBuffer; const Pattern: String);
    asmname '_p_glob';
procedure GlobOn        (var Buf: GlobBuffer; const Pattern: String);
    asmname '_p_globon';
procedure MultiGlob     (var Buf: GlobBuffer; const Pattern: String);
    asmname '_p_multiglob';
procedure MultiGlobOn   (var Buf: GlobBuffer; const Pattern: String);
    asmname '_p_multiglobon';
procedure GlobFree      (var Buf: GlobBuffer); asmname '_p_globfree';

type
    TPasswordEntry = record
        UserName, RealName, Password, HomeDirectory, Shell: PString;
        UID, GID: Integer
    end;

    PPasswordEntries = ^TPasswordEntries;
    TPasswordEntries (Count: Integer) = array [1 .. Count] of
        TPasswordEntry;

{ Finds a password entry by user name. Returns True if found, False
  otherwise. }
function GetPasswordEntryByName (const UserName: String; var Entry:

```

```

    TPasswordEntry): Boolean; asmname '_p_getpasswordentrybyname';

{ Finds a password entry by UID. Returns True if found, False
  otherwise. }
function GetPasswordEntryByUID (UID: Integer; var Entry:
    TPasswordEntry): Boolean; asmname '_p_getpasswordentrybyuid';

{ Returns all password entries, or nil if none found. }
function GetPasswordEntries: PPasswordEntries;
    asmname '_p_getpasswordentries';

{ Dispose of a TPasswordEntry. }
procedure DisposePasswordEntry (Entry: TPasswordEntry);
    asmname '_p_DisposePasswordEntry';

{ Dispose of a PPasswordEntries. }
procedure DisposePasswordEntries (Entries: PPasswordEntries);
    asmname '_p_DisposePasswordEntries';

{ Returns the mount point (Unix) or drive (Dos) which is part of the
  given path. If the path does not contain any (i.e., is a relative
  path), an empty string is returned. Therefore, if you want to get
  the mount point or drive in any case, apply 'FExpand' or
  'RealPath' to the argument. }
function GetMountPoint (const Path: String): TString;
    asmname '_p_GetMountPoint';

type
    TSystemInfo = record
        OSName,
        OSRelease,
        OSVersion,
        MachineType,
        HostName,
        DomainName: TString
    end;

{ Returns system information if available. Fields not available will
  be empty. }
function SystemInfo: TSystemInfo; asmname '_p_SystemInfo';

{ Returns the path to the shell (as the return value) and the option
  that makes it execute the command specified in the following
  argument (in 'Option'). Usually these are the environment value of
  ShellEnvVar, and ShellExecCommand, but on Dos systems, the
  function will first try UnixShellEnvVar, and UnixShellExecCommand
  because ShellEnvVar will usually point to command.com, but
  UnixShellEnvVar can point to bash which is usually a better choice
  when present. If UnixShellEnvVar is not set, or the shell given
  does not exist, it will use ShellEnvVar, and ShellExecCommand.
  Option may be Null (in case you want to invoke the shell

```

```

    interactively). }
function  GetShellPath (var Option: String): TString;
    asmname '_p_GetShellPath';

{ Returns the path of the running executable. *Note*: On most
  systems, this is *not* guaranteed to be the full path, but often
  just the same as 'ParamStr (0)' which usually is the name given on
  the command line. Only on some systems with special support, it
  returns the full path when 'ParamStr (0)' doesn't. }
function  ExecutablePath: TString; asmname '_p_executable_path';

{ Returns a file name suitable for a global (system-wide) or local
  (user-specific) configuration file, depending on the Global
  parameter. The function does not guarantee that the file name
  returned exists or is readable or writable.

```

In the following table, the base name '<base>' is given with the Name parameter. If it is empty, the base name is the name of the running program (as returned by ExecutablePath, without directory and extension. '<prefix>' (Unix only) stands for the value of the Prefix parameter (usual values include '', '/usr' and '/usr/local'). '<dir>' (Dos only) stands for the directory where the running program resides. '\$foo' stands for the value of the environment variable 'foo'.

| | Global | Local |
|--------|--------------------------------------------|---------------------------------------|
| Unix: | <prefix>/etc/<base>.conf | \$HOME/.<base> |
| DJGPP: | \$DJDIR\etc\<base>.ini <dir>\<base>.ini | \$HOME\<base>.cfg <dir>\<base>.cfg |
| Other | \$HOME\<base>.ini | \$HOME\<base>.cfg |
| Dos: | <dir>\<base>.ini | <dir>\<base>.cfg |

As you see, there are two possibilities under Dos. If the first file exists, it is returned. Otherwise, if the second file exists, that is returned. If none of them exists (but the program might want to create a file), if the environment variable (DJDIR or HOME, respectively) is set, the first file name is returned, otherwise the second one. This rather complicated scheme should give the most reasonable results for systems with or without DJGPP installed, and with or without already existing config files. Note that DJDIR is always set on systems with DJGPP installed, while HOME is not. However, it is easy for users to set it if they want their config files in a certain directory rather than with the executables. }

```

function  ConfigFileName (const Prefix, Name: String; Global:
    Boolean): TString; asmname '_p_config_file_name';

{ Returns a directory name suitable for global, machine-independent
  data. The function guarantees that the name returned ends with a

```

DirSeparator, but does not guarantee that it exists or is readable or writable.

Note: If the prefix is empty, it is assumed to be '/usr'. (If you really want /share, you could pass '/' as the prefix, but that's very uncommon.)

Unix: <prefix>/share/<base>/

DJGPP: \$DJDIR\share\<base>\
<dir>\

Other \$HOME\<base>\
Dos: <dir>\

About the symbols used above, and the two possibilities under Dos, see the comments for ConfigFileName. }

```
function DataDirectoryName (const Prefix, Name: String): TString;
asmname '_p_data_directory_name';

{ Executes a command line. Reports execution errors via the IOResult
  mechanism and returns the exit status of the executed program.
  Execute calls RestoreTerminal with the argument True before and
  False after executing the process, ExecuteNoTerminal does not. }
{ @@ iocritical } function Execute (const CmdLine: String):
  Integer; asmname '_p_execute';
{ @@ iocritical } function ExecuteNoTerminal (const CmdLine:
  String): Integer; asmname '_p_executenoterminal';

{ File handling routines, from files.pas }

type
  Natural = 1 .. MaxInt;
  IOSelectEvents = (SelectReadOrEOF, SelectRead, SelectEOF,
    SelectWrite, SelectException, SelectAlways);

const
  IOSelectEventMin = {@@ Low (IOSelectEvents); } SelectReadOrEOF;
  IOSelectEventMax = Pred (SelectAlways);

type
  IOSelectType = record
    f: PAnyFile;
    Wanted: set of IOSelectEvents;
    Occurred: set of IOSelectEventMin .. IOSelectEventMax
  end;

{ Waits for one of several events to happen. Returns when one or
  more of the wanted events for one of the files occur. If they have
  already occurred before calling the function, it returns
  immediately. MicroSeconds can specify a timeout. If it is 0, the
```

function will return immediately, whether or not an event has occurred. If it is negative, the function will wait forever until an event occurs. The Events parameter can be Null, in which case the function only waits for the timeout. If any of the file pointers (f) in Events are nil or the files pointed to are closed, they are simply ignored for convenience.

It returns the index of one of the files for which any event has occurred. If events have occurred for several files, is it undefined which of these file's index is returned. If no event occurs until the timeout, 0 is returned. If an error occurs or the target system does not have a select() system call and Events is not Null, a negative value is returned. In the Occurred field of the elements of Events, events that have occurred are set. The state of events not wanted is undefined.

The possible events are:

SelectReadOrEOF: the file is at EOF or data can be read now.
 SelectRead: data can be read now.
 SelectEOF: the file is at EOF.
 SelectWrite: data can be written now.
 SelectException: an exception occurred on the file.
 SelectAlways: if this is set, *all* requested events will be checked for this file in any case. Otherwise, checks may be skipped if already another event for this or another file was found.

Notes:

Checking for EOF requires some reading ahead internally (just like the EOF function) which can be avoided by setting SelectReadOrEOF instead of SelectRead and SelectEOF. If this is followed by, e.g., a BlockRead with 4 parameters, the last parameter will be 0 if and only the file is at EOF, and otherwise, data will be read directly from the file without reading ahead and buffering.

SelectAlways should be set for files for which events are considered to be of higher priority than others. Otherwise, if one is interested in just any event, not setting SelectAlways may be a little faster. }

```
function IOSelect (var Events: array [m .. n: Natural] of
  IOSelectType; MicroSeconds: MicroSecondTimeType): Integer;
  asmname '_p_ioselect';
```

```
{ A simpler interface to SelectIO for the most common use. Waits for
  SelectReadOrEOF on all files and returns an index. }
```

```
function IOSelectRead (const Files: array [m .. n: Natural] of
  PAnyFile; MicroSeconds: MicroSecondTimeType): Integer;
  asmname '_p_ioselectread';
```

```
{ Bind a filename to an external file }
```

```
procedure AssignFile (var T: AnyFile; const Name: String);
```

```

    asmname '_p_assign';
procedure AssignBinary (var T: Text; const Name: String);
    asmname '_p_assign_binary';
procedure AssignHandle (var T: AnyFile; Handle: Integer; CloseFlag:
    Boolean); asmname '_p_assign_handle';

{ BP compatible seeking routines }
function SeekEOF (var f: Text): Boolean; asmname '_p_seekEOF';
function SeekEOLn (var f: Text): Boolean; asmname '_p_seekEOLn';

{ Under development }
procedure AnyStringTFDD_Reset (var f: AnyFile; var Buf:
    ConstAnyString); asmname '_p_anystring_tfdd_reset';
{ @@ procedure AnyStringTFDD_Rewrite (var f: AnyFile; var Buf:
    VarAnyString); asmname '_p_anystring_tfdd_rewrite'; }
procedure StringTFDD_Reset (var f: AnyFile; var Buf: ConstAnyString;
    const s: String); asmname '_p_string_tfdd_reset';
{ @@ procedure StringTFDD_Rewrite (var f: AnyFile; var Buf:
    VarAnyString; var s: String); asmname '_p_string_tfdd_rewrite'; }

{ Returns True if a terminal device is open on the file f, False if
  f is not open or not connected to a terminal. }
function IsTerminal (protected var f: AnyFile): Boolean;
    asmname '_p_isatty';

{ Returns the file name of the terminal device that is open on the
  file f. Returns the empty string if (and only if) f is not open or
  not connected to a terminal. }
function GetTerminalName (protected var f: AnyFile): TString;
    asmname '_p_ttyname';

{ Command line option parsing, from getopt.pas }

const
    EndOfOptions      = #255;
    NoOption          = #1;
    UnknownOption     = '?';
    LongOption        = #0;
    UnknownLongOption = '?';

var
    FirstNonOption      : Integer; asmname '_p_first_non_option';
    external;
    HasOptionArgument   : Boolean; asmname '_p_has_option_argument';
    external;
    OptionArgument      : TString; asmname '_p_option_argument';
    external;
    UnknownOptionCharacter: Char;
    asmname '_p_unknown_option_character'; external;
    GetOptErrorFlag     : Boolean; asmname '_p_getopt_error_flag';
    external;

```

{ Parses command line arguments for options and returns the next one.

If a command line argument starts with '-', and is not exactly '-' or '--', then it is an option element. The characters of this element (aside from the initial '-') are option characters. If 'GetOpt' is called repeatedly, it returns successively each of the option characters from each of the option elements.

If 'GetOpt' finds another option character, it returns that character, updating 'FirstNonOption' and internal variables so that the next call to 'GetOpt' can resume the scan with the following option character or command line argument.

If there are no more option characters, 'GetOpt' returns EndOfOptions. Then 'FirstNonOption' is the index of the first command line argument that is not an option. (The command line arguments have been permuted so that those that are not options now come last.)

OptString must be of the form '[+|-]abcd:e:f:g::h::i::'.

a, b, c are options without arguments

d, e, f are options with required arguments

g, h, i are options with optional arguments

Arguments are text following the option character in the same command line argument, or the text of the following command line argument. They are returned in OptionArgument. If an option has no argument, OptionArgument is empty. The variable HasOptionArgument tells whether an option has an argument. This is mostly useful for options with optional arguments, if one wants to distinguish an empty argument from no argument.

If the first character of OptString is '+', GetOpt stops at the first non-option argument.

If it is '-', GetOpt treats non-option arguments as options and return NoOption for them.

Otherwise, GetOpt permutes arguments and handles all options, leaving all non-options at the end. However, if the environment variable POSIXLY_CORRECT is set, the default behaviour is to stop at the first non-option argument, as with '+'.

The special argument '--' forces an end of option-scanning regardless of the first character of OptString. In the case of '-', only '--' can cause GetOpt to return EndOfOptions with FirstNonOption <= ParamCount.

If an option character is seen that is not listed in `OptString`, `UnknownOption` is returned. The unrecognized option character is stored in `UnknownOptionCharacter`. Unless `GetOptErrorFlag` is set to `False`, an error message is printed to `StdErr` automatically. }

```
function GetOpt (const OptString: String): Char;
  asmname '_p_getopt';
```

```
type
```

```
  OptArgType = (NoArgument, RequiredArgument, OptionalArgument);
```

```
  OptionType = record
```

```
    Name      : CString;
```

```
    Argument: OptArgType;
```

```
    Flag      : ^Char; { if nil, V is returned. Otherwise, Flag^ is
    ... }
```

```
    V          : Char    { ... set to V, and LongOption is returned }
  end;
```

```
{ Recognize short options, described by OptString as above, and long
  options, described by LongOptions.
```

Long-named options begin with `--` instead of `-`. Their names may be abbreviated as long as the abbreviation is unique or is an exact match for some defined option. If they have an argument, it follows the option name in the same argument, separated from the option name by a `=`, or else the in next argument. When `GetOpt` finds a long-named option, it returns `LongOption` if that option's `'Flag'` field is non-nil, and the value of the option's `'V'` field if the `'Flag'` field is nil.

`LongIndex`, if not `Null`, returns the index in `LongOptions` of the long-named option found. It is only valid when a long-named option has been found by the most recent call.

If `LongOnly` is set, `-` as well as `--` can indicate a long option. If an option that starts with `-` (not `--`) doesn't match a long option, but does match a short option, it is parsed as a short option instead. If an argument has the form `-f`, where `f` is a valid short option, don't consider it an abbreviated form of a long option that starts with `f`. Otherwise there would be no way to give the `-f` short option. On the other hand, if there's a long option `fubar` and the argument is `-fu`, do consider that an abbreviation of the long option, just like `--fu`, and not `-f` with argument `u`. This distinction seems to be the most useful approach.

As an additional feature (not present in the C counterpart), if the last character of `OptString` is `-` (after a possible starting `+` or `-` character), or `OptString` is empty, all long options with a nil `'Flag'` field will automatically be recognized as short options with the character given by the `'V'` field. This means, in

```

the common (and recommended) case that all short options have long
equivalents, you can simply pass an empty OptString (or pass '+'
or '--' as OptString if you want this behaviour, see the comment
for GetOpt), and you will only have to maintain the LongOptions
array when you add or change options. }
function  GetOptLong (const OptString: String; var LongOptions:
    array [m .. n: Integer] of OptionType { can be Null };
                    var LongIndex: Integer { can be Null };
    LongOnly: Boolean): Char; asmname '_p_getopt_long';

{ Reset GetOpt's state and make the next GetOpt or GetOptLong start
  (again) with the StartArgument'th argument (may be 1). This is
  useful for special purposes only. It is *necessary* to do this
  after altering the contents of CParamCount/CParameters (which is
  not usually done, either). }
procedure ResetGetOpt (StartArgument: Integer);
    asmname '_p_ResetGetOpt';

{ Set operations, from sets.pas }

{ All set operations are built-in identifiers and not declared in
  gpc.pas. }

{ Heap management routines, from heap.pas }

{ GPC implements both Mark/Release and Dispose. Both can be mixed
  freely in the same program. Dispose should be preferred, since
  it's faster. }

{ C heap management routines. NOTE: if Release is used anywhere in
  the program, CFreeMem and CReAllocMem may not be used for pointers
  that were not allocated with CGetMem. }
function  CGetMem      (Size: SizeType): Pointer; asmname 'malloc';
procedure CFreeMem     (aPointer: Pointer); asmname 'free';
function  CReAllocMem  (aPointer: Pointer; NewSize: SizeType):
    Pointer; asmname 'realloc';

type
    GetMemType      = ^function (Size: SizeType): Pointer;
    FreeMemType     = ^procedure (aPointer: Pointer);
    ReAllocMemType  = ^function (aPointer: Pointer; NewSize: SizeType):
        Pointer;

{ These variables can be set to user-defined routines for memory
  allocation/deallocation. GetMemPtr may return nil when
  insufficient memory is available. GetMem/New will produce a
  runtime error then. }
var
    GetMemPtr      : GetMemType; asmname '_p_getmem_ptr'; external;
    FreeMemPtr     : FreeMemType; asmname '_p_freemem_ptr'; external;
    ReAllocMemPtr  : ReAllocMemType; asmname '_p_reallocmem_ptr';

```

```

external;

{ Points to the lowest byte of heap used }
HeapBegin: Pointer; asmname '_p_heap_begin'; external;

{ Points to the highest byte of heap used }
HeapHigh : Pointer; asmname '_p_heap_high'; external;

const
  UndocumentedReturnNil = Pointer (-1);

{ Calls the procedure Proc for each block that would be released
  with 'Release (aMark)'. aMark must have been marked with Mark. For
  an example of its usage, see the HeapMon unit. }
procedure ForEachMarkedBlock (aMark: Pointer; procedure Proc
  (aPointer: Pointer; aSize: SizeType; aCaller: Pointer));
  asmname '_p_foreachmarkedblock';

procedure ReAllocMem (var aPointer: Pointer; NewSize: SizeType);
  asmname '_p_reallocmem';

{ 'Move' and related transfer procedures, from move.pas }

{ The move operations are built-in identifiers and not declared in
  gpc.pas. }

{ Routines to handle endianness, from endian.pas }

{ Boolean constants about endianness and alignment }

const
  BitsBigEndian = {$ifdef __BITS_LITTLE_ENDIAN__}
    False
  {$elif defined (__BITS_BIG_ENDIAN__)}
    True
  {$else}
    {$error Bit endianness is not defined!}
  {$endif};

  BytesBigEndian = {$ifdef __BYTES_LITTLE_ENDIAN__}
    False
  {$elif defined (__BYTES_BIG_ENDIAN__)}
    True
  {$else}
    {$error Byte endianness is not defined!}
  {$endif};

  WordsBigEndian = {$ifdef __WORDS_LITTLE_ENDIAN__}
    False
  {$elif defined (__WORDS_BIG_ENDIAN__)}
    True

```

```

        {$else}
        {$error Word endianness is not defined!}
        {$endif};

NeedAlignment = {$ifdef __NEED_ALIGNMENT__}
    True
    {$elif defined (__NEED_NO_ALIGNMENT__)}
    False
    {$else}
    {$error Alignment is not defined!}
    {$endif};

{ Convert single variables from or to little or big endian format.
  This only works for a single variable or a plain array of a simple
  type. For more complicated structures, this has to be done for
  each component separately! Currently, ConvertFromFooEndian and
  ConvertToFooEndian are the same, but this might not be the case on
  middle-endian machines. Therefore, we provide different names. }
procedure ReverseBytes      (var Buf; ElementSize, Count:
    SizeType); asmname '_p_reversebytes';
procedure ConvertFromLittleEndian (var Buf; ElementSize, Count:
    SizeType); asmname '_p_converttlittleendian';
procedure ConvertFromBigEndian   (var Buf; ElementSize, Count:
    SizeType); asmname '_p_converttbigendian';
procedure ConvertToLittleEndian  (var Buf; ElementSize, Count:
    SizeType); asmname '_p_converttlittleendian';
procedure ConvertToBigEndian     (var Buf; ElementSize, Count:
    SizeType); asmname '_p_converttbigendian';

{ Read a block from a file and convert it from little or
  big endian format. This only works for a single variable or a
  plain array of a simple type, note the comment for
  'ConvertFromLittleEndian' and 'ConvertFromBigEndian'. }
{ @@ iocritical } procedure BlockReadLittleEndian (var aFile:
    File; var Buf; ElementSize, Count: SizeType);
    asmname '_p_blockread_littleendian';
{ @@ iocritical } procedure BlockReadBigEndian     (var aFile:
    File; var Buf; ElementSize, Count: SizeType);
    asmname '_p_blockread_bigendian';

{ Write a block variable to a file and convert it to little or big
  endian format before. This only works for a single variable or a
  plain array of a simple type. Apart from this, note the comment
  for 'ConvertToLittleEndian' and 'ConvertToBigEndian'. }
{ @@ iocritical } procedure BlockWriteLittleEndian (var aFile:
    File; const Buf; ElementSize, Count: SizeType);
    asmname '_p_blockwrite_littleendian';
{ @@ iocritical } procedure BlockWriteBigEndian    (var aFile:
    File; const Buf; ElementSize, Count: SizeType);
    asmname '_p_blockwrite_bigendian';

```

```

{ Read and write strings from/to binary files, where the length is
  stored in the given endianness and with a fixed size (64 bits),
  and therefore is independent of the system. }
{ @@ iocritical } procedure ReadStringLittleEndian (var f: File;
  var s: String); asmname '_p_ReadStringLittleEndian';
{ @@ iocritical } procedure ReadStringBigEndian (var f: File;
  var s: String); asmname '_p_ReadStringBigEndian';
{ @@ iocritical } procedure WriteStringLittleEndian (var f: File;
  const s: String); asmname '_p_WriteStringLittleEndian';
{ @@ iocritical } procedure WriteStringBigEndian (var f: File;
  const s: String); asmname '_p_WriteStringBigEndian';

{ Initialization, from init.pas }

var
  InitProc: ^procedure; asmname '_p_initproc'; external;

end.

```

7.14 Units included with GPC

GPC distributions now include a number of useful Pascal units and a complete set of BP compatibility units – except for the ‘**Graph**’ unit (which is currently distributed separately due to its license) and the OOP stuff. The main use of these units is to provide a way to port BP programs to GPC as easily as possible. Some of the units also implement functionality not available otherwise.

Most of the BP compatibility units – except ‘**CRT**’ and ‘**Printer**’ – are merely meant to let programs written for BP compile with GPC as easily as possible. They should not be used in newly written code, and for code ported from BP to GPC, it is suggested to replace them successively with the more powerful – and often easier to use – alternatives that GPC’s Run Time System (see [Section 7.13 \[Run Time System\]](#), [page 128](#)) offers.

The following sections describe all units included with GPC (besides the ‘**GPC**’ module which describes the interface to the Run Time System, [Section 7.13 \[Run Time System\]](#), [page 128](#)).

7.14.1 BP compatibility: CRT & WinCRT, portable, with many extensions

The following listing contains the interface of the CRT unit.

‘**CRT**’ is a ‘**curses**’ based unit for text screen handling. It is compatible to BP’s ‘**CRT**’ unit, even in a lot of minor details like the values of function key codes and includes some routines for compatibility with TP5’s ‘**Win**’ unit as well as BP’s ‘**WinCrt**’ and Turbo Power’s ‘**TPCrt**’ units, and some extensions.

The unit has been extended by many functions that were lacking in BP’s unit and required assembler code or direct memory/port access to be implemented under BP. The GPC version is now fully suited for portable, real-world programming without any dirty tricks.

The unit is also available as ‘**WinCRT**’, completely identical to ‘**CRT**’. The only purpose of this “feature” is to let programs written for TPW or BP, with a ‘**uses WinCRT**’ directive, compile without changes. Unlike TPW/BP’s ‘**WinCRT**’ unit, GPC’s unit is not crippled, compared to ‘**CRT**’.

To use this unit, you will need the ‘**ncurses**’ (version 5.0 or newer) or ‘**PDCurses**’ library which can be found in <http://www.gnu-pascal.de/libs/>.

```
{ CRT (Crt Replacement Tool)
  Portable BP compatible CRT unit for GPC with many extensions
```

This unit is aware of terminal types. This means programs using this unit will work whether run locally or while being logged in remotely from a system with a completely different terminal type (as long as the appropriate terminfo entry is present on the system where the program is run).

NOTES:

- The CRT unit needs the ncurses and panel libraries which should be available for almost any system. For Dos systems, where ncurses is not available, it is configured to use the PDCurses and its panel library instead. On Unix systems with X11, it can also use PDCurses (xcurses) and xpanel to produce X11 programs. The advantage is that the program won't need an xterm with a valid terminfo entry, the output may look a little nicer and function keys work better than in an xterm, but the disadvantage is that it will only run under X. The ncurses and PDCurses libraries (including panel and xpanel, resp.) can be found in <http://www.gnu-pascal.de/libs/> (Note that ncurses is already installed on many Unix systems.) For ncurses, version 5.0 or newer is strongly recommended because older versions contain a bug that severely affects CRT programs.

When an X11 version under Unix is wanted, give '-DX11' when compiling crt.pas and crtc.c (or when compiling crt.pas or a program that uses CRT with '--automake'). On pre-X11R6 systems, give '-DNOX11R6' additionally. You might also have to give the path to the X11 libraries with '-L', e.g. '-L /usr/X11/lib'.

- A few features cannot be implemented in a portable way and are only available on some systems:

| | | | | | | |
|------------------------------------|--------|------|------|------|------|--|
| Sound, NoSound 1) | -----. | | | | | |
| GetShiftState | -----. | | | | | |
| TextMode etc. 2) | -----. | | | | | |
| CRTSavePreviousScreen | -----. | | | | | |
| Interrupt signal (Ctrl-C) handling | ---. | | | | | |
| | | | | | | |
| Linux/IA32 3) (terminal) | X | X 4) | X 5) | X 6) | X 6) | |
| Other Unix (terminal) | X | X 7) | X 5) | - | - | |
| Unix (X11 version) | X | X | - 8) | X | - | |
| Dos (DJGPP) | X | X | X | X | X | |
| MS-Windows (Cygwin or mingw) | X | - | X 9) | X | - | |

Notes:

- 1) If you define NO_CRT_DUMMY_SOUND while compiling CRT, you

will get linking errors when your program tries to use Sound/NoSound on a platform where it's not supported (which is useful to detect at compile time if playing sound is a major task of your program). Otherwise, Sound/NoSound will simply do nothing (which is usually acceptable if the program uses these routines just for an occasional beep).

- 2) Changing to monochrome modes works on all platforms. Changing the screen size only works on those indicated. However, even on the platforms not supported, the program will react to screen size changes by external means (e.g. changing the window size with the mouse if running in a GUI window or resizing a console or virtual terminal).
 - 3) Probably also on other processors, but I've had no chance to test this yet.
 - 4) Only on a local console with access permissions to the corresponding virtual console memory device or using the 'crtscreen' utility (see crtscreen.c in the demos directory).
 - 5) Only if supported by an external command (e.g., in xterms and on local Linux consoles). The command to be called can be defined in the environment variable 'RESIZETERM' (where the variables 'columns' and 'lines' in the command are set to the size wanted). If not set, the code will try 'resize -s' in an xterm and otherwise 'SVGATextMode' and 'setfont'. For this to work, these utilities need to be present in the PATH or '/usr/sbin' or '/usr/local/sbin'. Furthermore, SVGATextMode and setfont require root permissions, either to the executable of the program compiled with CRT or to resizecons (called by setfont) or SVGATextMode. To allow the latter, do "chmod u+s 'which resizecons'" and/or "chmod u+s 'which SVGATextMode'", as root once, but only if you really want each user to be allowed to change the text mode.
 - 6) Only on local consoles.
 - 7) Some terminals only. Most xterms etc. support it as well as other terminals that support an "alternate screen" in the smcup/rmcup terminal capabilities.
 - 8) But the user can resize the window.
 - 9) Only with PDCurses, not with ncurses. Changing the number of screen *columns* doesn't work in a full-screen session.
- When CRT is initialized (automatically or explicitly; see the comments for CRTInit), the screen is cleared, and at the end of the program, the cursor is placed at the bottom of the screen

(curses behaviour).

- All the other things (including most details like color and function key constants) are compatible with BP's CRT unit, and there are many extensions that BP's unit does not have.
- When the screen size is changed by an external event (e.g., resizing an xterm or changing the screen size from another VC under Linux), the virtual "function key" `kbScreenSizeChanged` is returned. Applications can use the virtual key to resize their windows. `kbScreenSizeChanged` will not be returned if the screen size change was initiated by the program itself (by using `TextMode` or `SetScreenSize`). Note that `TextMode` sets the current panel to the full screen size, sets the text attribute to the default and clears the window (BP compatibility), while `SetScreenSize` does not.
- After the screen size has been changed, whether by using `TextMode`, `SetScreenSize` or by an external event, `ScreenSize` will return the new screen size. The current window and all panels will have been adjusted to the new screen size. This means, if their right or lower ends are outside the new screen size, the windows are moved to the left and/or top as far as necessary. If this is not enough, i.e., if they are wider/higher than the new screen size, they are shrunk to the total screen width/height. When the screen size is enlarged, window sizes are not changed, with one exception: Windows that extend through the whole screen width/height are enlarged to the whole new screen width/height (in particular, full-screen windows remain full-screen). This behaviour might not be optimal for all purposes, but you can always resize your windows in your application after the screen size change.
- (ncurses only) The environment variable `'ESCDELAY'` specifies the number of milliseconds allowed between an `'Esc'` character and the rest of an escape sequence (default 1000). Setting it to a value too small can cause problems with programs not recognizing escape sequences such as function keys, especially over slow network connections. Setting it to a value too large can delay the recognition of an `'ESC'` key press notably. On local Linux consoles, e.g., 10 seems to be a good value.
- When trying to write portable programs, don't rely on exactly the same look of your output and the availability of all the key combinations. Some kinds of terminals support only some of the display attributes and special characters, and usually not all of the keys declared are really available. Therefore, it's safer to provide the same function on different key combinations and to not use the more exotic ones.
- CRT supports an additional modifier key (if present), called

'Extra'. On DJGPP, it's the <Scroll Lock> key, under X11 it's the modifier #4, and on a local Linux console, it's the 'CtrlL' modifier (value 64) which is unused on many keytabs and can be mapped to any key(s), e.g. to those keys on new keyboards with these ugly symbols waiting to be replaced by penguins (keycodes 125 and 127) by inserting the following two lines into your /etc/default.keytab and reloading the keytab with 'loadkeys' (you usually have to do this as root):

```
keycode 125 = CtrlL
keycode 127 = CtrlL
```

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License.

Please also note the license of the curses library used. }

```
{ $gnu-pascal, I- }
{ $if __GPC_RELEASE__ < 20010620 }
{ $error This unit requires GPC release 20010620 or newer. }
{ $endif }

unit { $ifdef THIS_IS_WINCRT } WinCRT { $else } CRT { $endif };

interface
```

```

uses GPC;

const
  { CRT modes }
  BW40          = 0;          { 40x25 Black/White }
  CO40          = 1;          { 40x25 Color }
  BW80          = 2;          { 80x25 Black/White }
  CO80          = 3;          { 80x25 Color }
  Mono          = 7;          { 80x25 Black/White }
  Font8x8       = 256;        { Add-in for 80x43 or 80x50 mode }

  { Mode constants for Turbo Pascal 3.0 compatibility }
  C40           = CO40;
  C80           = CO80;

  { Foreground and background color constants }
  Black         = 0;
  Blue          = 1;
  Green         = 2;
  Cyan          = 3;
  Red           = 4;
  Magenta       = 5;
  Brown         = 6;
  LightGray     = 7;

  { Foreground color constants }
  DarkGray      = 8;
  LightBlue     = 9;
  LightGreen    = 10;
  LightCyan     = 11;
  LightRed      = 12;
  LightMagenta  = 13;
  Yellow        = 14;
  White         = 15;

  { Add-in for blinking }
  Blink         = 128;

type
  TTextAttr = Byte;

var
  { If False (default: True), catch interrupt signals (SIGINT;
    Ctrl-C), and other flow control characters as well as SIGTERM,
    SIGHUP and perhaps other signals }
  CheckBreak: Boolean = True; asmname 'crt_CheckBreak';

  { If True (default : False), replace Ctrl-Z by #0 in input }
  CheckEOF: Boolean = False; asmname 'crt_CheckEOF';

  { Ignored -- meaningless here }

```

```

DirectVideo: Boolean = True;

{ Ignored -- curses or the terminal driver will take care of that
  when necessary }
CheckSnow: Boolean = False;

{ Current (sic!) text mode }
LastMode: Word = 3; asmname 'crt_LastMode';

{ Current text attribute }
TextAttr: TTextAttr = 7; asmname 'crt_TextAttr';

{ Window upper left coordinates. *Obsolete*! Please see WindowMin
  below. }
WindMin: Word = not Word (0); asmname 'crt_WindMin';

{ Window lower right coordinates. *Obsolete*! Please see WindowMax
  below. }
WindMax: Word = not Word (0); asmname 'crt_WindMax';

procedure AssignCRT (var F: Text);
function KeyPressed: Boolean; asmname 'crt_keypressed';
function ReadKey: Char; asmname 'crt_readkey';

{ Not effective on all platforms, see above. See also SetScreenSize
  and SetMonochrome. }
procedure TextMode (Mode: Integer);

procedure Window (x1, y1, x2, y2: Integer); asmname 'crt_window';
procedure GotoXY (x, y: Integer); asmname 'crt_gotoxy';
function WhereX: Integer; asmname 'crt_whereX';
function WhereY: Integer; asmname 'crt_whereY';
procedure ClrScr; asmname 'crt_clrscr';
procedure ClrEOL; asmname 'crt_clreol';
procedure InsLine; asmname 'crt_inslne';
procedure DelLine; asmname 'crt_dellne';
procedure TextColor (Color: TTextAttr);
procedure TextBackground (Color: TTextAttr);
procedure LowVideo;
procedure HighVideo;
procedure NormVideo;
procedure Delay (MS: Word); asmname 'crt_delay';

{ Not available on all platforms, see above }
procedure Sound (Hz: Word); asmname 'crt_sound';
procedure NoSound; asmname 'crt_nosound';

{ ===== Extensions over BP's CRT ===== }

{ Initializes the CRT unit. Should be called before using any of
  CRT's routines.

```

Note: For BP compatibility, CRT is initialized automatically when (almost) any of its routines are used for the first time. In this case, some defaults are set to match BP more closely. In particular, the PC charset (see `SetPCCharSet`) is enabled then (disabled otherwise), and the update level (see `SetCRTUpdate`) is set to `UpdateRegularly` (`UpdateWaitInput` otherwise). This feature is meant for BP compatibility *only*. Don't rely on it when writing a new program. Use `CRTInit` then, and set the defaults to the values you want explicitly.

`SetCRTUpdate` is one of those few routines which will not cause CRT to be initialized immediately, and a value set with it will survive both automatic and explicit initialization, so you can use it to set the update level without caring which way CRT will be initialized. (This does not apply to `SetPCCharSet`. Since it works on a per-panel basis, it has to initialize CRT first, so there is a panel to start with.)

If you terminate the program before calling `CRTInit` or any routine that causes automatic initialization, curses will never be initialized, so e.g., the screen won't be cleared. This can be useful, e.g., to check the command line arguments (or anything else) and if there's a problem, write an error and abort. Just be sure to write the error to `StdErr`, not `Output` (because `Output` will be assigned to CRT, and therefore writing to `Output` will cause CRT to be initialized, and because errors belong to `StdErr`, anyway), and to call '`RestoreTerminal (True)`' before (just to be sure, in case some code -- perhaps added later, or hidden in the initialization of some unit -- does initialize CRT). }

```
procedure CRTInit; asmname 'crt_init';
```

{ Changes the input and output file and the terminal description CRT uses. Only effective with ncurses, and only if called before CRT is initialized (automatically or explicitly; see the comments for `CRTInit`). If `TerminalType` is nil, the default will be used. If `InputFile` and/or `OutputFile` are Null, they remain unchanged. }

```
procedure CRTSetTerminal (TerminalType: CString; var InputFile,
    OutputFile: AnyFile); asmname 'crt_SetTerminal';
```

{ If called, causes CRT to save the previous screen contents if possible (see the comments at the beginning of the unit), and restore them when calling `RestoreTerminal (True)`. After `RestoreTerminal (False)`, they're saved again, and at the end of the program, they're restored. Should be called before initializing CRT (using `CRTInit` or automatically), otherwise the previous screen contents may already have been overwritten. Note that on some terminals (e.g., `xterms` and similar), this is the default behaviour. Ignored under `XCurses`, because the program it uses its own window, anyway. }

```
procedure CRTSavePreviousScreen; asmname 'crt_save_previous_screen';
```

```

{ Returns True if CRTSavePreviousScreen was called and is available.
  Note that CRTSavePreviousScreenWorks does not work reliably until
  CRT is initialized, while CRTSavePreviousScreen should be called
  before CRT is initialized. That's why they are two separate
  routines. }
function CRTSavePreviousScreenWorks: Boolean;
  asmname 'crt_save_previous_screen_works';

{ If CRT is initialized automatically, not via CRTInit, and
  CRTAutoInitProc is not nil, it will be called before actually
  initializing CRT. }
var
  CRTAutoInitProc: procedure = nil; asmname 'crt_auto_init_proc';

{ Aborts with a runtime error saying that CRT was not initialized.
  If you set CRTAutoInitProc to this procedure, you can effectively
  disable CRT's automatic initialization. }
procedure CRTNotInitialized; asmname 'crt_not_initialized';

{ Set terminal to shell or curses mode. An internal procedure
  registered by CRT via RegisterRestoreTerminal does this as well,
  so CRTSetCursesMode has to be called only in unusual situations,
  e.g. after executing a process that changes terminal modes, but
  does not restore them (e.g. because it crashed or was killed), and
  the process was not executed with the Execute routine, and
  RestoreTerminal was not called otherwise. If you set it to False
  temporarily, be sure to set it back to True before doing any
  further CRT operations, otherwise the result may be strange. }
procedure CRTSetCursesMode (On: Boolean);
  asmname 'crt_set_curses_mode';

{ Do the same as 'RestoreTerminal (True)', but also clear the screen
  after restoring the terminal (except for XCurse, because the
  program uses its own window, anyway). Does not restore and save
  again the previous screen contents if CRTSavePreviousScreen was
  called. }
procedure RestoreTerminalClearCRT;
  asmname 'crt_RestoreTerminalClearCRT';

{ Keyboard and character graphics constants -- BP compatible! =:-}
{$i crt.inc}

var
  { Tells whether the XCurse version of CRT is used }
  XCRT: Boolean = {$ifdef XCURSES} True {$else} False {$endif};
  asmname 'crt_XCRT';

  { If True (default: False), the Beep procedure and writing #7 do a
    Flash instead }
  VisualBell: Boolean = False; asmname 'crt_VisualBell';

```

```

type
  TKey = Word;

  TCursorShape = (CursorIgnored, CursorHidden, CursorNormal,
    CursorFat, CursorBlock);

  TCRTUpdate = (UpdateNever, UpdateWaitInput, UpdateInput,
    UpdateRegularly, UpdateAlways);

  TPoint = record
    X, Y: Integer
  end;

  PCharAttr = ^TCharAttr;
  TCharAttr = record
    Ch      : Char;
    Attr    : TTextAttr;
    PCCharSet: Boolean
  end;

  PCharAttrs = ^TCharAttrs;
  TCharAttrs = array [1 .. MaxVarSize div SizeOf (TCharAttr)] of
    TCharAttr;

  TWindowXY = packed record
    {$ifdef __BYTES_BIG_ENDIAN__}
    Fill: Integer (BitSizeOf (Word) - 16);
    Y, X: Word (8)
    {$elif defined (__BYTES_LITTLE_ENDIAN__)}
    X, Y: Word (8);
    Fill: Integer (BitSizeOf (Word) - 16)
    {$else}
    {$error Endianness is not defined!}
    {$endif}
  end;

{ Make sure TWindowXY really has the same size as WindMin and
  WindMax. If not, compilation will abort here with 'division by
  zero'. Otherwise, the value of the constant will always be 1, and
  is of no further interest. }
const
  AssertTWindowXYSize = 1 / Ord ((SizeOf (TWindowXY) = SizeOf
    (WindMin)) and
                                (SizeOf (TWindowXY) = SizeOf
    (WindMax)));

var
  { Window upper and left coordinates. More comfortable to access
    than WindMin, but also *obsolete*. WindMin and WindowMin still
    work, but have the problem that they implicitly limit the window

```

```

size to 255x255 characters. Though that's not really small for a
text window, it's easily possible to create bigger ones (e.g. in
an xterm with a small font, on a high resolution screen and/or
extending over several virtual desktops). When using coordinates
greater than 254, the corresponding bytes in WindowMin/WindowMax
will be set to 254, so, e.g., programs which do
'Inc (WindowMin.X)' will not fail quite as badly (but probably
still fail). The routines Window and GetWindow use Integer
coordinates, and don't suffer from any of these problems, so
they should be used instead. }
WindowMin: TWindowXY absolute WindMin;

{ Window lower right coordinates. More comfortable to access than
WindMax, but also *obsolete* (see the comments for WindowMin).
Use Window and GetWindow instead. }
WindowMax: TWindowXY absolute WindMax;

{ The attribute set by NormVideo }
NormAttr: TTextAttr = 7; asmname 'crt_NormAttr';

{ Tells whether the current mode is monochrome }
IsMonochrome: Boolean = False; asmname 'crt_IsMonochrome';

{ This value can be set to a combination of the shFoo constants
and will be ORed to the actual shift state returned by
GetShiftState. This can be used to easily simulate shift keys on
systems where they can't be accessed. }
VirtualShiftState: Integer = 0; asmname 'crt_VirtualShiftState';

{ Returns the size of the screen. Note: In BP's WinCRT unit,
ScreenSize is a variable. But since writing to it from a program
is pointless, anyway, providing a function here should not cause
any incompatibility. }
function ScreenSize: TPoint; asmname 'crt_GetScreenSize';

{ Change the screen size if possible. }
procedure SetScreenSize (x, y: Integer);
asmname 'crt_SetScreenSize';

{ Turns colors off or on. }
procedure SetMonochrome (Monochrome: Boolean);
asmname 'crt_SetMonochrome';

{ Tell which modifier keys are currently pressed. The result is a
combination of the shFoo constants defined in crt.inc, or 0 on
systems where this function is not supported -- but note
VirtualShiftState. If supported, ReadKey automatically converts
kbIns and kbDel keys to kbShIns and kbShDel, resp., if shift is
pressed. }
function GetShiftState: Integer; asmname 'crt_getshiftstate';

```

```

{ Get the extent of the current window. Use this procedure rather
  than reading WindMin and WindMax or WindowMin and WindowMax, since
  this routine allows for window sizes larger than 255. The
  resulting coordinates are 1-based (like in Window, unlike WindMin,
  WindMax, WindowMin and WindowMax). Any of the parameters may be
  Null in case you're interested in only some of the coordinates. }
procedure GetWindow (var x1, y1, x2, y2: Integer);
  asmname 'crt_getwindow';

{ Determine when to update the screen. The possible values are the
  following. The given conditions *guarantee* updates. However,
  updates may occur more frequently (even if the update level is set
  to UpdateNever). About the default value, see the comments for
  CRTInit.

UpdateNever      : never (unless explicitly requested with
                  CRTUpdate)
UpdateWaitInput: before Delay and CRT input, unless typeahead is
                  detected
UpdateInput      : before Delay and CRT input
UpdateRegularly: before Delay and CRT input and otherwise in
                  regular intervals without causing too much
                  refresh. This uses a timer on some systems
                  (currently, Unix with ncurses). This was created
                  for BP compatibility, but for many applications,
                  a lower value causes less flickering in the
                  output, and additionally, timer signals won't
                  disturb other operations. Under DJGPP, this
                  always updates immediately, but this fact should
                  not mislead DJGPP users into thinking this is
                  always so.

UpdateAlways     : after each output. This can be very slow. (Not so
                  under DJGPP, but this fact should not mislead
                  DJGPP users ...) }
procedure SetCRTUpdate (UpdateLevel: TCRTUpdate);
  asmname 'crt_setupdatelevel';

{ Do an update now, independently of the update level }
procedure CRTUpdate; asmname 'crt_update_immediately';

{ Do an update now and completely redraw the screen }
procedure CRTRedraw; asmname 'crt_redraw';

{ Return Ord (key) for normal keys and $100 * Ord (fkey) for
  function keys }
function ReadKeyWord: TKey; asmname 'crt_readkeyword';

{ Extract the character and scan code from a TKey value }
function Key2Char (k: TKey): Char;
function Key2Scan (k: TKey): Char;

```



```

{ Convert a key to upper/lower case if it is a letter, leave it
  unchanged otherwise }
function UpCaseKey (k: TKey): TKey;
function LoCaseKey (k: TKey): TKey;

{ Return key codes for the combination of the given key with Ctrl,
  Alt, AltGr or Extra, resp. Returns 0 if the combination is
  unknown. }
function CtrlKey (ch: Char): TKey; asmname 'crt_ctrlkey';
function AltKey (ch: Char): TKey; asmname 'crt_altkey';
function AltGrKey (ch: Char): TKey; asmname 'crt_altgrkey';
function ExtraKey (ch: Char): TKey; asmname 'crt_extrakey';

{ Check if k is a pseudo key generated by a deadly signal trapped }
function IsDeadlySignal (k: TKey): Boolean;

{ Produce a beep or a screen flash }
procedure Beep; asmname 'crt_beep';
procedure Flash; asmname 'crt_flash';

{ Get size of current window (calculated using GetWindow) }
function GetXMax: Integer;
function GetYMax: Integer;

{ Get/goto an absolute position }
function WhereXAbs: Integer;
function WhereYAbs: Integer;
procedure GotoXYAbs (X, Y: Integer);

{ Turn scrolling on or off }
procedure SetScroll (State: Boolean); asmname 'crt_setscroll';

{ Read back whether scrolling is enabled }
function GetScroll: Boolean; asmname 'crt_getscroll';

{ Determine whether to interpret non-ASCII characters as PC ROM
  characters (True), or in a system dependent way (False). About the
  default, see the comments for CRTInit. }
procedure SetPCCharSet (PCCharSet: Boolean);
  asmname 'crt_setpccharset';

{ Read back the value set by SetPCCharSet }
function GetPCCharSet: Boolean; asmname 'crt_getpccharset';

{ Determine whether to interpret #7, #8, #10, #13 as control
  characters (True, default), or as graphics characters (False) }
procedure SetControlChars (UseControlChars: Boolean);
  asmname 'crt_setcontrolchars';

{ Read back the value set by SetControlChars }
function GetControlChars: Boolean; asmname 'crt_getcontrolchars';

```

```

procedure SetCursorShape (Shape: TCursorShape);
  asmname 'crt_setcursorshape';
function  GetCursorShape: TCursorShape;
  asmname 'crt_getcursorshape';

procedure HideCursor;
procedure HiddenCursor;
procedure NormalCursor;
procedure FatCursor;
procedure BlockCursor;
procedure IgnoreCursor;

{ Simulates a block cursor by writing a block character onto the
  cursor position. The procedure automatically finds the topmost
  visible panel whose shape is not CursorIgnored and places the
  simulated cursor there (just like the hardware cursor), with
  matching attributes, if the cursor shape is CursorFat or
  CursorBlock (otherwise, no simulated cursor is shown).

  Calling this procedure again makes the simulated cursor disappear.
  In particular, to get the effect of a blinking cursor, you have to
  call the procedure repeatedly (say, 8 times a second). CRT will
  not do this for you, since it does not intend to be your main
  event loop. }
procedure SimulateBlockCursor; asmname 'crt_SimulateBlockCursor';

{ Makes the cursor simulated by SimulateBlockCursor disappear if it
  is active. Does nothing otherwise. You should call this procedure
  after using SimulateBlockCursor before doing any further CRT
  output (though failing to do so should not hurt except for
  possibly leaving the simulated cursor in its old position longer
  than it should). }
procedure SimulateBlockCursorOff;
  asmname 'crt_SimulateBlockCursorOff';

function  GetTextColor: Integer;
function  GetTextBackground: Integer;

{ Write string at the given position without moving the cursor.
  Truncated at the right margin. }
procedure WriteStrAt (x, y: Integer; const s: String; Attr:
  TTextAttr);

{ Write (several copies of) a char at then given position without
  moving the cursor. Truncated at the right margin. }
procedure WriteCharAt (x, y, Count: Integer; Ch: Char; Attr:
  TTextAttr);

{ Write characters with specified attributes at the given position
  without moving the cursor. Truncated at the right margin. }

```

```

procedure WriteCharAttrAt (x, y, Count: Integer; CharAttr:
  PCharAttrs); asmname 'crt_writecharattrat';

{ Write a char while moving the cursor }
procedure WriteChar (Ch: Char);

{ Read a character from a screen position }
procedure ReadChar (x, y: Integer; var Ch: Char; var Attr:
  TTextAttr); asmname 'crt_readchar';

{ Change only text attributes, leave characters. Truncated at the
  right margin. }
procedure ChangeTextAttr (x, y, Count: Integer; NewAttr: TTextAttr);

{ Fill current window }
procedure FillWin (Ch: Char; Attr: TTextAttr);
  asmname 'crt_fillwin';

{ Calculate size of memory required for ReadWin in current window. }
function WinSize: SizeType; asmname 'crt_winsize';

{ Save window contents. Buf must be WinSize bytes large. }
procedure ReadWin (var Buf); asmname 'crt_readwin';

{ Restore window contents saved by ReadWin. The size of the current
  window must match the size of the window from which ReadWin was
  used, but the position may be different. }
procedure WriteWin (const Buf); asmname 'crt_writewin';

type
  WinState = record
    x1, y1, x2, y2, WhereX, WhereY, NewX1, NewY1, NewX2, NewY2:
      Integer;
    TextAttr: TTextAttr;
    CursorShape: TCursorShape;
    ScreenSize: TPoint;
    Buffer: ^Byte
  end;

{ Save window position and size, cursor position, text attribute and
  cursor shape -- *not* the window contents. }
procedure SaveWin (var State: WinState);

{ Make a new window (like Window), and save the contents of the
  screen below the window as well as the position and size, cursor
  position, text attribute and cursor shape of the old window. }
procedure MakeWin (var State: WinState; x1, y1, x2, y2: Integer);

{ Create window in full size, save previous text mode and all values
  that MakeWin does. }
procedure SaveScreen (var State: WinState);

```

```

{ Restore the data saved by SaveWin, MakeWin or SaveScreen. }
procedure RestoreWin (var State: WinState);

{ Panels }

type
  TPanel = Pointer;

function  GetActivePanel: TPanel; asmname 'crt_GetActivePanel';
procedure PanelNew          (x1, y1, x2, y2: Integer;
  BindToBackground: Boolean); asmname 'crt_PanelNew';
procedure PanelDelete       (Panel: TPanel);
  asmname 'crt_PanelDelete';
procedure PanelBindToBackground (Panel: TPanel; BindToBackground:
  Boolean); asmname 'crt_PanelBindToBackground';
function  PanelIsBoundToBackground (Panel: TPanel): Boolean;
  asmname 'crt_PanelIsBoundToBackground';
procedure PanelActivate     (Panel: TPanel);
  asmname 'crt_PanelActivate';
procedure PanelHide         (Panel: TPanel);
  asmname 'crt_PanelHide';
procedure PanelShow         (Panel: TPanel);
  asmname 'crt_PanelShow';
function  PanelHidden       (Panel: TPanel): Boolean;
  asmname 'crt_PanelHidden';
procedure PanelTop          (Panel: TPanel);
  asmname 'crt_PanelTop';
procedure PanelBottom       (Panel: TPanel);
  asmname 'crt_PanelBottom';
procedure PanelMoveAbove    (Panel, Above: TPanel);
  asmname 'crt_PanelMoveAbove';
procedure PanelMoveBelow    (Panel, Below: TPanel);
  asmname 'crt_PanelMoveBelow';
function  PanelAbove        (Panel: TPanel): TPanel;
  asmname 'crt_PanelAbove';
function  PanelBelow        (Panel: TPanel): TPanel;
  asmname 'crt_PanelBelow';

{ TPCRT compatibility }

{ Write a string at the given position without moving the cursor.
  Truncated at the right margin. }
procedure WriteString (const s: String; y, x: Integer);

{ Write a string at the given position with the given attribute
  without moving the cursor. Truncated at the right margin. }
procedure FastWriteWindow (const s: String; y, x: Integer; Attr:
  TTextAttr);

{ Write a string at the given absolute position with the given

```

```

    attribute without moving the cursor. Truncated at the right
    margin. }
procedure FastWrite      (const s: String; y, x: Integer; Attr:
    TTextAttr);

{ WinCrt compatibility }

const
    cw_UseDefault = Integer ($8000);

var
    WindowOrg : TPoint = (cw_UseDefault, cw_UseDefault); { Ignored }
    WindowSize: TPoint = (cw_UseDefault, cw_UseDefault); { Ignored }
    Cursor     : TPoint = (0, 0); { Cursor location, 0-based }
    asmname 'crt_cursor_pos';
    Origin     : TPoint = (0, 0); { Ignored }
    InactiveTitle: PChar = '(Inactive %s)'; { Ignored }
    AutoTracking: Boolean = True; { Ignored }
    WindowTitle: {$ifdef __BP_TYPE_SIZES__}
        array [0 .. 79] of Char
    {$else}
        TStringBuf
    {$endif}; { CRT window title, ignored }

procedure InitWinCrt; asmname 'crt_initwincrt';

{ Halts the program }
procedure DoneWinCrt; attribute (noreturn);
    asmname 'crt_donewincrt';

procedure WriteBuf (Buffer: PChar; Count: SizeType);
    asmname 'crt_writebuf';

function ReadBuf (Buffer: PChar; Count: SizeType): SizeType;
    asmname 'crt_readbuf';

{ 0-based coordinates! }
procedure CursorTo (x, y: Integer); asmname 'crt_cursorto';

{ Dummy }
procedure ScrollTo (x, y: Integer); asmname 'crt_scrollto';

{ Dummy }
procedure TrackCursor; asmname 'crt_trackcursor';

```

7.14.2 BP compatibility: Dos

The following listing contains the interface of the Dos unit.

This is a portable implementation of most routines from BP's 'Dos' unit. A few routines that are Dos – or even IA32 real mode – specific, are only available if '`__BP_UNPORTABLE_ROUTINES__`' is defined, [Section 5.2 \[BP Incompatibilities\]](#), [page 43](#).

The same functionality and much more is available in the Run Time System, [Section 7.13 \[Run Time System\]](#), page 128. In some cases, the RTS routines have the same interface as the routines in this unit (e.g. 'GetEnv', 'FSplit', 'FExpand', 'FSearch'), in other cases, they have different names and/or easier and less limiting interfaces (e.g. 'ReadDir' etc. vs. 'FindFirst' etc.), and are often more efficient.

Therefore, using this unit is not recommended in newly written programs.

```
{ Portable BP compatible Dos unit
```

```

This unit supports most of the routines and declarations of BP's
Dos unit.
```

```
Notes:
```

- The procedures Keep, GetIntVec, SetIntVec are not supported since they make only sense for Dos real-mode programs (and GPC compiled programs do not run in real-mode, even on IA32 under Dos). The procedures Intr and MsDos are only supported under DJGPP if '__BP_UNPORTABLE_ROUTINES__' is defined (with the '-D__BP_UNPORTABLE_ROUTINES__' option). A few other routines are also only supported with this define, but on all platforms (but they are crude hacks, that's why they are not supported without this define).
- The internal structure of file variables (FileRec and TextRec) is different in GPC. However, as far as TFDDs are concerned, there are other ways to achieve the same in GPC, see the GPC unit.

```
Copyright (C) 1998-2002 Free Software Foundation, Inc.
```

```
Authors: Frank Heckenbach <frank@pascal.gnu.de>
```

```
        Prof. Abimbola A. Olowofoyeku <African_Chief@bigfoot.com>
```

```
This file is part of GNU Pascal.
```

```
GNU Pascal is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published
by the Free Software Foundation; either version 2, or (at your
option) any later version.
```

```
GNU Pascal is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
```

```
You should have received a copy of the GNU General Public License
along with GNU Pascal; see the file COPYING. If not, write to the
Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA
02111-1307, USA.
```

```
As a special exception, if you link this file with files compiled
```

with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```
{ $gnu-pascal, I- }
{ $if __GPC_RELEASE__ < 20020225 }
{ $error This unit requires GPC release 20020225 or newer. }
{ $endif }

unit Dos;

interface

{ GPC and this unit use 'AnyFile' for different meanings. Import
  renaming helps us to avoid a conflict here. If you use both units,
  the meaning of the latter one will be effective, but you always
  get the meaning from the GPC module by using 'GPC_AnyFile'. }
import GPC (AnyFile => Internal_GPC_AnyFile); System;

type
  GPC_AnyFile = Internal_GPC_AnyFile;
  Byte8 = Cardinal (8);
  TDosAttr = Word;

const
  { File attribute constants }
  ReadOnly    = $01;
  Hidden      = $02; { set for dot files except '.' and '..' }
  SysFile     = $04; { not supported }
  VolumeID    = $08; { not supported }
  Directory   = $10;
  Archive     = $20; { means: not executable }
  { $local W- } AnyFile    = $3f; { $endlocal }

  { Flag bit masks -- only used by the unportable Dos routines }
  FCarry      = 1;
  FParity     = 4;
  FAuxiliary  = $10;
  FZero       = $40;
  FSign       = $80;
  FOverflow   = $800;

  { DosError codes }
  DosError_FileNotFound = 2;
  DosError_PathNotFound = 3;
  DosError_AccessDenied = 5;
  DosError_InvalidMem   = 9;
  DosError_InvalidEnv   = 10;
  DosError_NoMoreFiles  = 18;
```

```

DosError_IOError      = 29;
DosError_ReadFault    = 30;

type
  { String types. Not used in this unit, but declared for
    compatibility. }
  ComStr  = String [127]; { Command line string }
  PathStr = String [79];  { File pathname string }
  DirStr  = String [67];  { Drive and directory string }
  NameStr = String [8];   { File name string }
  ExtStr  = String [4];   { File extension string }

  TextBuf = array [0 .. 127] of Char;

  { Search record used by FindFirst and FindNext }
  SearchRecFill = packed array [1 .. 21] of Byte8;
  SearchRec = {$ifdef __BP_TYPE_SIZES__} packed {$endif} record
    Fill: SearchRecFill;
    Attr: Byte8;
    Time,
    Size: LongInt;
    Name: {$ifdef __BP_TYPE_SIZES__}
      String [12]
    {$else}
      TString
    {$endif}
  end;

  { Date and time record used by PackTime and UnpackTime }
  DateTime = record
    Year, Month, Day, Hour, Min, Sec: Word
  end;

  { 8086 CPU registers -- only used by the unportable Dos routines }
  Registers = record
  case Boolean of
    False: (AX, BX, CX, DX, BP, SI, DI, DS, ES, Flags: Word16);
    True : (AL, AH, BL, BH, CL, CH, DL, DH: Byte8)
  end;

var
  { Error status variable }
  DosError: Integer = 0; asmname '_p_DosError';

procedure GetDate (var Year, Month, Day, DayOfWeek: Word);
  asmname '_p_getdate';
procedure GetTime (var Hour, Minute, Second, Sec100: Word);
  asmname '_p_gettime';
procedure GetCBreak (var BreakOn: Boolean); asmname '_p_getcbreak';
procedure SetCBreak (BreakOn: Boolean); asmname '_p_setcbreak';
{ GetVerify and SetVerify are dummies except for DJGPP (in the

```



```

    assumption that any real OS knows by itself when and how to verify
    its disks). }
procedure GetVerify (var VerifyOn: Boolean); asmname '_p_getverify';
procedure SetVerify (VerifyOn: Boolean); asmname '_p_setverify';
function  DiskFree (Drive: Byte): LongInt; asmname '_p_diskfree';
function  DiskSize (Drive: Byte): LongInt; asmname '_p_disksize';
procedure GetFAttr (var F { @@ anyfile: GPC_AnyFile } ; var Attr:
    TDosAttr); asmname '_p_getfattr';
procedure SetFAttr (var F { @@ anyfile: GPC_AnyFile } ; Attr:
    TDosAttr); asmname '_p_setfattr';
procedure GetFTime (var F { @@ anyfile: GPC_AnyFile } ; var aTime:
    LongInt); asmname '_p_getftime';
procedure SetFTime (var F { @@ anyfile: GPC_AnyFile } ; aTime:
    LongInt); asmname '_p_setftime';

{ FindFirst and FindNext are quite inefficient since they emulate
  all the brain-dead Dos stuff. If at all possible, the standard
  routines OpenDir, ReadDir and CloseDir (in the GPC unit) should be
  used instead. }
procedure FindFirst (const Path: String; Attr: TDosAttr; var SR:
    SearchRec); asmname '_p_findfirst';
procedure FindNext  (var SR: SearchRec); asmname '_p_findnext';

procedure FindClose (var SR: SearchRec); asmname '_p_findclose';
procedure UnpackTime (P: LongInt; var T: DateTime);
    asmname '_p_unpacktime';
procedure PackTime (const T: DateTime; var P: LongInt);
    asmname '_p_packtime';
function  FSearch (const aFileName, DirList: String): TString;
    asmname '_p_fsearch';
function  FExpand (const Path: String): TString;
    asmname '_p_fexpand';
procedure FSplit  (const Path: String; var Dir, Name, Ext: String);
    asmname '_p_fsplitt';
function  EnvCount: Integer;
function  EnvStr (EnvIndex: Integer): TString;
function  GetEnv (const EnvVar: String): TString;
    asmname '_p_getenv';
procedure SwapVectors;
{ Exec executes a process via Execute, so RestoreTerminal is called
  with the argument True before and False after executing the
  process. }
procedure Exec (const Path, Params: String);
function  DosExitCode: Word;

{ Unportable Dos-only routines and declarations }

{$ifdef __BP_UNPORTABLE_ROUTINES__}
{$ifdef DJGPP}
{ These are unportable Dos-only declarations and routines, since
  interrupts are Dos and CPU specific (and have no place in a

```

```

    high-level program, anyway). }
procedure Intr (IntNo: Byte; var Regs: Registers);
    asmname '_p_intr';
procedure MsDos (var Regs: Registers); asmname '_p_msdos';
{$endif}

{ Though probably all non-Dos system have versions numbers as well,
  returning them here would usually not do what is expected, e.g.
  testing if certain Dos features are present by comparing the
  version number. Therefore, this routine always returns 7 (i.e.,
  version 7.0) on non-Dos systems, in the assumption that any real
  OS has at least the features of Dos 7. }
function  DosVersion: Word; asmname '_p_dosversion';

{ Changing the system date and time is a system administration task,
  not allowed to a normal process. On non-Dos systems, these
  routines emulate the changed date/time, but only for GetTime and
  GetDate (not the RTS date/time routines), and only for this
  process, not for child processes or even the parent process or
  system-wide. }
procedure SetDate (Year, Month, Day: Word); asmname '_p_setdate';
procedure SetTime (Hour, Minute, Second, Sec100: Word);
    asmname '_p_settime';
{$endif}

```

7.14.3 Overcome some differences between Dos and Unix

The following listing contains the interface of the DosUnix unit.

This unit is there to overcome some of those differences between Dos and Unix systems that are not automatically hidden by GPC and the Run Time System. Currently features translation of bash style input/output redirections ('foo 2>&1') into 'redir' calls for DJGPP ('redir -eo foo') and a way to read files with Dos CR/LF pairs on any system.

When necessary, new features will be added to the unit in future releases.

```

{ Some routines to support writing programs portable between Dos and
  Unix. Perhaps it would be a good idea not to put features to make
  Dos programs Unix-compatible (shell redirections) and vice versa
  (reading Dos files from Unix) together into one unit, but rather
  into two units, DosCompat and UnixCompat or so -- let's wait and
  see, perhaps when more routines suited for this/these unit(s) will
  be found, the design will become clearer ...

```

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your

option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```
{ $gnu-pascal, I- }
{ $if __GPC_RELEASE__ < 20001023 }
{ $error This unit requires GPC release 20001023 or newer. }
{ $endif }

unit DosUnix;

interface

uses GPC;

{ This function is meant to be used when you want to invoke a system
  shell command (e.g. via Execute or Exec from the Dos unit) and
  want to specify input/output redirections for the command invoked.
  It caters for the different syntax between DJGPP (with the 'redir'
  utility) and other systems.
```

To use it, code your redirections in bash style (see the table below) in your command line string, pass this string to this function, and the function's result to Execute or the other routines.

The function translates the following bash style redirections (characters in brackets are optional) into a redir call under Dos systems except EMX, and leave them unchanged under other systems. Note: 'redir' comes with DJGPP, but it should be possible to install it on other Dos systems as well. OS/2's shell, however, supports bash style redirections, I was told, so we don't translate on EMX.

```
[0]<    file      redirect standard input from file
[1]>[|]  file      redirect standard output to file
```

```

[1]>>   file      append standard output to file
[1]>&2    redirect standard output to standard error
2>[|]    file      redirect standard error to file
2>>     file      append standard error to file
2>&1     redirect standard error to standard output
&> file    redirect both standard output and standard
           error to file }
function TranslateRedirections (const Command: String): TString;
asmname '_p_TranslateRedirections';

{ Under Unix, translates CR/LF pairs to single LF characters when
  reading from f, and back when writing to f. Under Dos, does
  nothing because the run time system already does this job. In the
  result, you can read both Dos and Unix files, and files written
  will be Dos. }
procedure AssignDos (var f: AnyFile; const Name: String);
asmname '_p_AssignDos';

{ Translates a character from the "OEM" charset used under Dos to
  the ISO-8859-1 (AKA Latin1) character set. }
function OEM2Latin1 (ch: Char): Char; asmname '_p_OEM2Latin1';

{ Translates a character from the ISO-8859-1 (AKA Latin1) character
  set to the "OEM" charset used under Dos. }
function Latin12OEM (ch: Char): Char; asmname '_p_Latin12OEM';

```

7.14.4 Higher level file and directory handling

The following listing contains the interface of the FileUtils unit.

This unit provides some routines for file and directory handling on a higher level than those provided by the RTS.

```

{ Some routines for file and directory handling on a higher level
  than those provided by the RTS.

```

Copyright (C) 2000-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```
{ $gnu-pascal, I- }
{ $if __GPC_RELEASE__ < 20001023 }
{ $error This unit requires GPC release 20001023 or newer. }
{ $endif }

unit FileUtils;

interface

uses GPC;

type
  TStringProc = procedure (const Name: String);

{ Finds all files matching the given Mask in the given Directory and
  all subdirectories of it. The matching is done using all wildcards
  and brace expansion, like MultiFileNameMatch does. For each file
  found, FileAction is executed. For each directory found (including
  '.' and '..' if they match the Mask!), DirAction is executed. If
  MainDirFirst is True, this happens before processing the files in
  the directory and below, otherwise afterwards. (The former is
  useful, e.g., if this is used to copy a directory tree and
  DirAction does a Mkdir, while the latter behaviour is required
  when removing a directory tree and DirAction does a Rmdir.) Both
  FileAction and DirAction can be nil in which case nothing is done
  for files or directories found, respectively. (If DirAction is
  nil, the value of DirsFirst does not matter.) Of course,
  FileAction and DirAction may also be identical. The procedure
  leaves InOutRes set in case of any error. If FileAction or
  DirAction return with InOutRes set, FindFiles recognizes this and
  returns immediately. }
{ @@ iocritical } procedure FindFiles (const Directory, Mask:
  String; MainDirFirst: Boolean;
                                     FileAction, DirAction: TStringProc);
  asmname '_p_findfiles';

{ Creates the directory given by Path and all directories in between
  that are necessary. Does not report an error if Path already
  exists and is a directory, but, of course, if it cannot be created
```

```

    because of missing permissions or because Path already exists as a
    file. }
{ @@ iocritical } procedure MkDirs (const Path: String);
  asmname '_p_mkdirs';

{ Removes Path if empty as well as any empty parent directories.
  Does not report an error if Path is not empty. }
{ @@ iocritical } procedure RmDirs (const Path: String);
  asmname '_p_rmdir';

{ Copies the file Source to Dest, overwriting Dest if it exists and
  can be written to. Returns any errors in IOResult. If Mode >= 0,
  it will change the permissions of Dest to Mode immediately after
  creating it and before writing any data to it. That's useful,
  e.g., if Dest is not meant to be world-readable, because if you'd
  do a ChMod after FileCopy, you would leave the data readable
  (depending on the umask) during the copying. If Mode < 0, Dest
  will be set to the same permissions Source has. In any case, Dest
  will be set to the modification time of Source after copying. }
{ @@ iocritical } procedure FileCopy (const Source, Dest: String;
  Mode: Integer); asmname '_p_filecopy';

{ Creates a backup of FileName in the directory BackupDirectory or,
  if BackupDirectory is empty, in the directory of FileName. Errors
  are returned in IOResult, but if FileName does not exist, this
  does not count as an error (i.e., BackupFile will just return
  without setting IOResult then). If OnlyUserReadable is True, the
  backup file will be given only user-read permissions, nothing
  else.

```

The name chosen for the backup depends on the Simple and Short parameters. The short names will fit into 8+3 characters (whenever possible), while the long ones conform to the conventions used by most GNU tools. If Simple is True, a simple backup file name will be used, and previous backups under the same name will be overwritten (if possible). Otherwise, backups will be numbered, where the number is chosen to be larger than all existing backups, so it will be unique and increasing in chronological order. In particular:

| Simple | Short | Backup name |
|--------|-------|------------------------------------------------------------------|
| True | True | Base name of FileName plus '.bak' |
| False | True | Base name of FileName plus '.b' plus a number |
| True | False | Base name plus extension of FileName plus '~' |
| False | False | Base name plus extension of FileName plus '~', a number and '' } |

```

{ @@ iocritical } procedure BackupFile (const FileName,
  BackupDirectory: String; Simple, Short, OnlyUserReadable:
  Boolean); asmname '_p_backupfile';

```

7.14.5 Arithmetic with unlimited size and precision

The following listing contains the interface of the GMP unit.

This unit provides an interface to the GNU Multiprecision Library to perform arithmetic on integer, rational and real numbers of unlimited size and precision.

To use this unit, you will need the 'gmp' library which can be found in <http://www.gnu-pascal.de/libs/>.

```
{ Definitions for GNU multiple precision functions: arithmetic with
  integer, rational and real numbers of arbitrary size and
  precision.
```

```
Translation of the C header (gmp.h) of the GMP library. Tested
with GMP 2.0.2 and 3.0.1.
```

```
To use the GMP unit, you will need the GMP library which can be
found in http://www.gnu-pascal.de/libs/
```

```
Copyright (C) 1998-2002 Free Software Foundation, Inc.
```

```
Author: Frank Heckenbach <frank@pascal.gnu.de>
```

```
This file is part of GNU Pascal.
```

```
GNU Pascal is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published
by the Free Software Foundation; either version 2, or (at your
option) any later version.
```

```
GNU Pascal is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
```

```
You should have received a copy of the GNU General Public License
along with GNU Pascal; see the file COPYING. If not, write to the
Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA
02111-1307, USA.
```

```
As a special exception, if you link this file with files compiled
with a GNU compiler to produce an executable, this does not cause
the resulting executable to be covered by the GNU General Public
License. This exception does not however invalidate any other
reasons why the executable file might be covered by the GNU
General Public License.
```

```
Please also note the license of the GMP library. }
```

```
{ $gnu-pascal, I - }
{ $if __GPC_RELEASE__ < 20000412 }
{ $error This unit requires GPC release 20000412 or newer. }
{ $endif }
```

```

{$nested-comments}

{ If HAVE_GMP3 is set, routines new in GMP 3.x will be made
  available. The define will have no effect on the other interface
  changes between GMP 2.x and 3.x, i.e. the other routines will work
  correctly even if this define is set incorrectly, except on 64 bit
  machines, Crays and other systems where the types are different
  between the GMP versions. Otherwise, the only possible problem if
  setting the define while using GMP 2.x are linking errors if you
  actually use any of the new routines.

  If HAVE_GMP4 is set (the default unless HAVE_GMP2 or HAVE_GMP3 are
  set, some interface changes made in GMP 4 are taken into account.
  I.e., if this is set wrong, programs might fail. However, this
  only affects a few routines related to random numbers. }
{$if not defined (HAVE_GMP2) and not defined (HAVE_GMP3)}
{$define HAVE_GMP4}
{$endif}

unit gmp;

interface

uses GPC;

{$if defined (__mips) and defined (_ABIN32) and defined (HAVE_GMP3)}
{ Force the use of 64-bit limbs for all 64-bit MIPS CPUs if ABI
  permits. }
{$define _LONG_LONG_LIMB}
{$endif}

type
  {$ifdef _SHORT_LIMB}
    mp_limb_t      = Cardinal;
    mp_limb_signed_t = Integer;
    {$elif defined (_LONG_LONG_LIMB)}
    mp_limb_t      = LongCard;
    mp_limb_signed_t = LongInt;
    {$else}
    mp_limb_t      = MedCard;
    mp_limb_signed_t = MedInt;
    {$endif}

    mp_ptr          = ^mp_limb_t;

    {$if defined (_CRAY) and not defined (_CRAYMPP) and defined
      (HAVE_GMP3)}
    mp_size_t       = Integer;
    mp_exp_t        = Integer;
    {$else}
    mp_size_t       = MedInt;
  
```



```

mp_exp_t      = MedInt;
{$endif}

mpz_t = record
  mp_alloc,
  mp_size: {$if defined (__MP_SMALL__) and defined (HAVE_GMP3)}
            ShortInt
            {$else}
            Integer
            {$endif};
  mp_d:      mp_ptr
end;

mpz_array_ptr = ^mpz_array;
mpz_array = array [0 .. MaxVarSize div SizeOf (mpz_t)] of mpz_t;

mpq_t = record
  mp_num,
  mp_den: mpz_t
end;

mpf_t = record
  mp_prec,
  mp_size: Integer;
  mp_exp:  mp_exp_t;
  mp_d:    mp_ptr
end;

TAllocFunction   = function (Size: SizeType): Pointer;
TReAllocFunction = function (var Dest: Pointer; OldSize, NewSize:
SizeType): Pointer;
TDeAllocProcedure = procedure (Src: Pointer; Size: SizeType);

procedure mp_set_memory_functions (AllocFunction: TAllocFunction;
                                   ReAllocFunction:
                                   TReAllocFunction;
                                   DeAllocProcedure:
                                   TDeAllocProcedure); asmname '__gmp_set_memory_functions';

function mp_bits_per_limb: Integer; asmname '_p_mp_bits_per_limb';

{***** Integer (i.e. Z) routines. *****)}

procedure mpz_init      (var Dest: mpz_t);
  asmname '__gmpz_init';
procedure mpz_clear     (var Dest: mpz_t);
  asmname '__gmpz_clear';
function mpz_realloc    (var Dest: mpz_t; NewAlloc:
  mp_size_t): Pointer; asmname '__gmpz_realloc';
procedure mpz_array_init (Dest: mpz_array_ptr; ArraySize,
  FixedNumBits: mp_size_t); asmname '__gmpz_array_init';

```

```

procedure mpz_set          (var Dest: mpz_t; protected var Src:
    mpz_t); asmname '__gmpz_set';
procedure mpz_set_ui      (var Dest: mpz_t; Src: MedCard);
    asmname '__gmpz_set_ui';
procedure mpz_set_si      (var Dest: mpz_t; Src: MedInt);
    asmname '__gmpz_set_si';
procedure mpz_set_d       (var Dest: mpz_t; Src: Double);
    asmname '__gmpz_set_d';
procedure mpz_set_q       (var Dest: mpz_t; Src: mpq_t);
    asmname '__gmpz_set_q';
procedure mpz_set_f       (var Dest: mpz_t; Src: mpf_t);
    asmname '__gmpz_set_f';
function mpz_set_str      (var Dest: mpz_t; Src: CString; Base:
    Integer): Integer; asmname '__gmpz_set_str';

procedure mpz_init_set    (var Dest: mpz_t; protected var Src:
    mpz_t); asmname '__gmpz_init_set';
procedure mpz_init_set_ui (var Dest: mpz_t; Src: MedCard);
    asmname '__gmpz_init_set_ui';
procedure mpz_init_set_si (var Dest: mpz_t; Src: MedInt);
    asmname '__gmpz_init_set_si';
procedure mpz_init_set_d  (var Dest: mpz_t; Src: Double);
    asmname '__gmpz_init_set_d';
function mpz_init_set_str (var Dest: mpz_t; Src: CString; Base:
    Integer): Integer; asmname '__gmpz_init_set_str';

function mpz_get_ui       (protected var Src: mpz_t): MedCard;
    asmname '__gmpz_get_ui';
function mpz_get_si       (protected var Src: mpz_t): MedInt;
    asmname '__gmpz_get_si';
function mpz_get_d        (protected var Src: mpz_t): Double;
    asmname '__gmpz_get_d';
{ Pass nil for Dest to let the function allocate memory for it }
function mpz_get_str      (Dest: CString; Base: Integer;
    protected var Src: mpz_t): CString; asmname '__gmpz_get_str';

procedure mpz_add          (var Dest: mpz_t; protected var Src1,
    Src2: mpz_t); asmname '__gmpz_add';
procedure mpz_add_ui      (var Dest: mpz_t; protected var Src1:
    mpz_t; Src2: MedCard); asmname '__gmpz_add_ui';
procedure mpz_sub          (var Dest: mpz_t; protected var Src1,
    Src2: mpz_t); asmname '__gmpz_sub';
procedure mpz_sub_ui      (var Dest: mpz_t; protected var Src1:
    mpz_t; Src2: MedCard); asmname '__gmpz_sub_ui';
procedure mpz_mul          (var Dest: mpz_t; protected var Src1,
    Src2: mpz_t); asmname '__gmpz_mul';
procedure mpz_mul_ui      (var Dest: mpz_t; protected var Src1:
    mpz_t; Src2: MedCard); asmname '__gmpz_mul_ui';
procedure mpz_mul_2exp     (var Dest: mpz_t; protected var Src1:
    mpz_t; Src2: MedCard); asmname '__gmpz_mul_2exp';

```

```

procedure mpz_neg          (var Dest: mpz_t; protected var Src:
  mpz_t); asmname '__gmpz_neg';
procedure mpz_abs          (var Dest: mpz_t; protected var Src:
  mpz_t); asmname '__gmpz_abs';
procedure mpz_fac_ui       (var Dest: mpz_t; Src: MedCard);
  asmname '__gmpz_fac_ui';

procedure mpz_tdiv_q       (var Dest: mpz_t; protected var Src1,
  Src2: mpz_t); asmname '__gmpz_tdiv_q';
procedure mpz_tdiv_q_ui    (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard); asmname '__gmpz_tdiv_q_ui';
procedure mpz_tdiv_r       (var Dest: mpz_t; protected var Src1,
  Src2: mpz_t); asmname '__gmpz_tdiv_r';
procedure mpz_tdiv_r_ui    (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard); asmname '__gmpz_tdiv_r_ui';
procedure mpz_tdiv_qr      (var DestQ, DestR: mpz_t; protected
  var Src1, Src2: mpz_t); asmname '__gmpz_tdiv_qr';
procedure mpz_tdiv_qr_ui   (var DestQ, DestR: mpz_t; protected
  var Src1: mpz_t; Src2: MedCard); asmname '__gmpz_tdiv_qr_ui';

procedure mpz_fdiv_q       (var Dest: mpz_t; protected var Src1,
  Src2: mpz_t); asmname '__gmpz_fdiv_q';
function  mpz_fdiv_q_ui    (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard): MedCard; asmname '__gmpz_fdiv_q_ui';
procedure mpz_fdiv_r       (var Dest: mpz_t; protected var Src1,
  Src2: mpz_t); asmname '__gmpz_fdiv_r';
function  mpz_fdiv_r_ui    (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard): MedCard; asmname '__gmpz_fdiv_r_ui';
procedure mpz_fdiv_qr      (var DestQ, DestR: mpz_t; protected
  var Src1, Src2: mpz_t); asmname '__gmpz_fdiv_qr';
function  mpz_fdiv_qr_ui   (var DestQ, DestR: mpz_t; protected
  var Src1: mpz_t; Src2: MedCard): MedCard;
  asmname '__gmpz_fdiv_qr_ui';
function  mpz_fdiv_ui      (protected var Src1: mpz_t; Src2:
  MedCard): MedCard; asmname '__gmpz_fdiv_ui';

procedure mpz_cdiv_q       (var Dest: mpz_t; protected var Src1,
  Src2: mpz_t); asmname '__gmpz_cdiv_q';
function  mpz_cdiv_q_ui    (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard): MedCard; asmname '__gmpz_cdiv_q_ui';
procedure mpz_cdiv_r       (var Dest: mpz_t; protected var Src1,
  Src2: mpz_t); asmname '__gmpz_cdiv_r';
function  mpz_cdiv_r_ui    (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard): MedCard; asmname '__gmpz_cdiv_r_ui';
procedure mpz_cdiv_qr      (var DestQ, DestR: mpz_t; protected
  var Src1, Src2: mpz_t); asmname '__gmpz_cdiv_qr';
function  mpz_cdiv_qr_ui   (var DestQ, DestR: mpz_t; protected
  var Src1: mpz_t; Src2: MedCard): MedCard;
  asmname '__gmpz_cdiv_qr_ui';
function  mpz_cdiv_ui      (protected var Src1: mpz_t;
  Src2: MedCard): MedCard; asmname '__gmpz_cdiv_ui';

```

```

procedure mpz_mod          (var Dest: mpz_t; protected var
  Src1,Src2: mpz_t); asmname '__gmpz_mod';
procedure mpz_divexact     (var Dest: mpz_t; protected var
  Src1,Src2: mpz_t); asmname '__gmpz_divexact';

procedure mpz_tdiv_q_2exp  (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard); asmname '__gmpz_tdiv_q_2exp';
procedure mpz_tdiv_r_2exp  (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard); asmname '__gmpz_tdiv_r_2exp';
procedure mpz_fdiv_q_2exp  (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard); asmname '__gmpz_fdiv_q_2exp';
procedure mpz_fdiv_r_2exp  (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard); asmname '__gmpz_fdiv_r_2exp';

procedure mpz_powm         (var Dest: mpz_t; protected var Base,
  Exponent, Modulus: mpz_t); asmname '__gmpz_powm';
procedure mpz_powm_ui      (var Dest: mpz_t; protected var Base:
  mpz_t; Exponent: MedCard; protected var Modulus: mpz_t);
  asmname '__gmpz_powm_ui';
procedure mpz_pow_ui       (var Dest: mpz_t; protected var Base:
  mpz_t; Exponent: MedCard); asmname '__gmpz_pow_ui';
procedure mpz_ui_pow_ui    (var Dest: mpz_t; Base, Exponent:
  MedCard); asmname '__gmpz_ui_pow_ui';

procedure mpz_sqrt         (var Dest: mpz_t; protected var Src:
  mpz_t); asmname '__gmpz_sqrt';
procedure mpz_sqrtrem      (var Dest, DestR: mpz_t; protected
  var Src: mpz_t); asmname '__gmpz_sqrtrem';
function mpz_perfect_square_p (protected var Src: mpz_t): Integer;
  asmname '__gmpz_perfect_square_p';

function mpz_probab_prime_p (protected var Src: mpz_t;
  Repetitions: Integer): Integer; asmname '__gmpz_probab_prime_p';
procedure mpz_gcd          (var Dest: mpz_t; protected var Src1,
  Src2: mpz_t); asmname '__gmpz_gcd';
function mpz_gcd_ui        (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard): MedCard; asmname '__gmpz_gcd_ui';
procedure mpz_gcdext       (var Dest, DestA, DestB: mpz_t;
  protected var SrcA, SrcB: mpz_t); asmname '__gmpz_gcdext';
function mpz_invert        (var Dest: mpz_t; protected var Src,
  Modulus: mpz_t): Integer; asmname '__gmpz_invert';
function mpz_jacobi        (protected var Src1, Src2: mpz_t):
  Integer; asmname '__gmpz_jacobi';

function mpz_cmp           (protected var Src1, Src2: mpz_t):
  Integer; asmname '__gmpz_cmp';
function mpz_cmp_ui        (protected var Src1: mpz_t; Src2:
  MedCard): Integer; asmname '__gmpz_cmp_ui';
function mpz_cmp_si        (protected var Src1: mpz_t; Src2:
  MedInt): Integer; asmname '__gmpz_cmp_si';

```

```

function mpz_sgn                (protected var Src: mpz_t): Integer;

procedure mpz_and                (var Dest: mpz_t; protected var Src1,
    Src2: mpz_t); asmname '__gmpz_and';
procedure mpz_ior                (var Dest: mpz_t; protected var Src1,
    Src2: mpz_t); asmname '__gmpz_ior';
procedure mpz_com                (var Dest: mpz_t; protected var Src:
    mpz_t); asmname '__gmpz_com';
function mpz_popcount            (protected var Src: mpz_t): MedCard;
    asmname '__gmpz_popcount';
function mpz_hamdist            (protected var Src1, Src2: mpz_t):
    MedCard; asmname '__gmpz_hamdist';
function mpz_scan0              (protected var Src: mpz_t;
    StartingBit: MedCard): MedCard; asmname '__gmpz_scan0';
function mpz_scan1              (protected var Src: mpz_t;
    StartingBit: MedCard): MedCard; asmname '__gmpz_scan1';
procedure mpz_setbit             (var Dest: mpz_t; BitIndex: MedCard);
    asmname '__gmpz_setbit';
procedure mpz_clrbit             (var Dest: mpz_t; BitIndex: MedCard);
    asmname '__gmpz_clrbit';

procedure mpz_random             (var Dest: mpz_t; MaxSize:
    mp_size_t); asmname '__gmpz_random';
procedure mpz_random2           (var Dest: mpz_t; MaxSize:
    mp_size_t); asmname '__gmpz_random2';
function mpz_sizeinbase         (protected var Src: mpz_t; Base:
    Integer): SizeType; asmname '__gmpz_sizeinbase';

{***** Rational (i.e. Q) routines. *****)}

procedure mpq_canonicalize       (var Dest: mpq_t);
    asmname '__gmpq_canonicalize';

procedure mpq_init               (var Dest: mpq_t);
    asmname '__gmpq_init';
procedure mpq_clear              (var Dest: mpq_t);
    asmname '__gmpq_clear';
procedure mpq_set                (var Dest: mpq_t; protected var Src:
    mpq_t); asmname '__gmpq_set';
procedure mpq_set_z              (var Dest: mpq_t; protected var Src:
    mpz_t); asmname '__gmpq_set_z';
procedure mpq_set_ui             (var Dest: mpq_t; Nom, Den: MedCard);
    asmname '__gmpq_set_ui';
procedure mpq_set_si             (var Dest: mpq_t; Nom: MedInt; Den:
    MedCard); asmname '__gmpq_set_si';

procedure mpq_add                (var Dest: mpq_t; protected var Src1,
    Src2: mpq_t); asmname '__gmpq_add';
procedure mpq_sub                (var Dest: mpq_t; protected var Src1,
    Src2: mpq_t); asmname '__gmpq_sub';
procedure mpq_mul                (var Dest: mpq_t; protected var Src1,

```

```

    Src2: mpq_t); asmname '__gmpq_mul';
procedure mpq_div      (var Dest: mpq_t; protected var Src1,
    Src2: mpq_t); asmname '__gmpq_div';
procedure mpq_neg      (var Dest: mpq_t; protected var Src:
    mpq_t); asmname '__gmpq_neg';
procedure mpq_inv      (var Dest: mpq_t; protected var Src:
    mpq_t); asmname '__gmpq_inv';

function mpq_cmp      (protected var Src1, Src2: mpq_t):
    Integer; asmname '__gmpq_cmp';
function mpq_cmp_ui    (protected var Src1: mpq_t; Nom2,
    Den2: MedCard): Integer; asmname '__gmpq_cmp_ui';
function mpq_sgn      (protected var Src: mpq_t): Integer;
function mpq_equal     (protected var Src1, Src2: mpq_t):
    Integer; asmname '__gmpq_equal';

function mpq_get_d      (protected var Src: mpq_t): Double;
    asmname '__gmpq_get_d';
procedure mpq_set_num    (var Dest: mpq_t; protected var Src:
    mpz_t); asmname '__gmpq_set_num';
procedure mpq_set_den    (var Dest: mpq_t; protected var Src:
    mpz_t); asmname '__gmpq_set_den';
procedure mpq_get_num    (var Dest: mpz_t; protected var Src:
    mpq_t); asmname '__gmpq_get_num';
procedure mpq_get_den    (var Dest: mpz_t; protected var Src:
    mpq_t); asmname '__gmpq_get_den';

{***** Float (i.e. R) routines. *****)}

procedure mpf_set_default_prec (Precision: MedCard);
    asmname '__gmpf_set_default_prec';
procedure mpf_init      (var Dest: mpf_t);
    asmname '__gmpf_init';
procedure mpf_init2      (var Dest: mpf_t; Precision:
    MedCard); asmname '__gmpf_init2';
procedure mpf_clear      (var Dest: mpf_t);
    asmname '__gmpf_clear';
procedure mpf_set_prec    (var Dest: mpf_t; Precision:
    MedCard); asmname '__gmpf_set_prec';
function mpf_get_prec     (protected var Src: mpf_t): MedCard;
    asmname '__gmpf_get_prec';
procedure mpf_set_prec_raw (var Dest: mpf_t; Precision:
    MedCard); asmname '__gmpf_set_prec_raw';

procedure mpf_set      (var Dest: mpf_t; protected var Src:
    mpf_t); asmname '__gmpf_set';
procedure mpf_set_ui    (var Dest: mpf_t; Src: MedCard);
    asmname '__gmpf_set_ui';
procedure mpf_set_si    (var Dest: mpf_t; Src: MedInt);
    asmname '__gmpf_set_si';
procedure mpf_set_d      (var Dest: mpf_t; Src: Double);

```

```

    asmname '__gmpf_set_d';
procedure mpf_set_z          (var Dest: mpf_t; protected var Src:
    mpz_t); asmname '__gmpf_set_z';
procedure mpf_set_q          (var Dest: mpf_t; protected var Src:
    mpq_t); asmname '__gmpf_set_q';
function mpf_set_str         (var Dest: mpf_t; Src: CString; Base:
    Integer): Integer; asmname '__gmpf_set_str';

procedure mpf_init_set       (var Dest: mpf_t; protected var Src:
    mpf_t); asmname '__gmpf_init_set';
procedure mpf_init_set_ui    (var Dest: mpf_t; Src: MedCard);
    asmname '__gmpf_init_set_ui';
procedure mpf_init_set_si    (var Dest: mpf_t; Src: MedInt);
    asmname '__gmpf_init_set_si';
procedure mpf_init_set_d     (var Dest: mpf_t; Src: Double);
    asmname '__gmpf_init_set_d';
function mpf_init_set_str    (var Dest: mpf_t; Src: CString; Base:
    Integer): Integer; asmname '__gmpf_init_set_str';

function mpf_get_d           (protected var Src: mpf_t): Double;
    asmname '__gmpf_get_d';
{ Pass nil for Dest to let the function allocate memory for it }
function mpf_get_str         (Dest: CString; var Exponent:
    mp_exp_t; Base: Integer;
                                NumberOfDigits: SizeType; protected
    var Src: mpf_t): CString; asmname '__gmpf_get_str';

procedure mpf_add            (var Dest: mpf_t; protected var Src1,
    Src2: mpf_t); asmname '__gmpf_add';
procedure mpf_add_ui         (var Dest: mpf_t; protected var Src1:
    mpf_t; Src2: MedCard); asmname '__gmpf_add_ui';
procedure mpf_sub            (var Dest: mpf_t; protected var Src1,
    Src2: mpf_t); asmname '__gmpf_sub';
procedure mpf_ui_sub         (var Dest: mpf_t; Src1: MedCard;
    protected var Src2: mpf_t); asmname '__gmpf_ui_sub';
procedure mpf_sub_ui         (var Dest: mpf_t; protected var Src1:
    mpf_t; Src2: MedCard); asmname '__gmpf_sub_ui';
procedure mpf_mul            (var Dest: mpf_t; protected var Src1,
    Src2: mpf_t); asmname '__gmpf_mul';
procedure mpf_mul_ui         (var Dest: mpf_t; protected var Src1:
    mpf_t; Src2: MedCard); asmname '__gmpf_mul_ui';
procedure mpf_div            (var Dest: mpf_t; protected var Src1,
    Src2: mpf_t); asmname '__gmpf_div';
procedure mpf_ui_div         (var Dest: mpf_t; Src1: MedCard;
    protected var Src2: mpf_t); asmname '__gmpf_ui_div';
procedure mpf_div_ui         (var Dest: mpf_t; protected var Src1:
    mpf_t; Src2: MedCard); asmname '__gmpf_div_ui';
procedure mpf_sqrt           (var Dest: mpf_t; protected var Src:
    mpf_t); asmname '__gmpf_sqrt';
procedure mpf_sqrt_ui        (var Dest: mpf_t; Src: MedCard);
    asmname '__gmpf_sqrt_ui';

```



```

procedure mpf_neg          (var Dest: mpf_t; protected var Src:
    mpf_t); asmname '__gmpf_neg';
procedure mpf_abs          (var Dest: mpf_t; protected var Src:
    mpf_t); asmname '__gmpf_abs';
procedure mpf_mul_2exp     (var Dest: mpf_t; protected var Src1:
    mpf_t; Src2: MedCard); asmname '__gmpf_mul_2exp';
procedure mpf_div_2exp     (var Dest: mpf_t; protected var Src1:
    mpf_t; Src2: MedCard); asmname '__gmpf_div_2exp';

function mpf_cmp           (protected var Src1, Src2: mpf_t):
    Integer; asmname '__gmpf_cmp';
function mpf_cmp_si       (protected var Src1: mpf_t; Src2:
    MedInt): Integer;
function mpf_cmp_ui       (protected var Src1: mpf_t; Src2:
    MedCard): Integer;
function mpf_eq           (protected var Src1, Src2: mpf_t;
    NumberOfBits: MedCard): Integer; asmname '__gmpf_eq';
procedure mpf_reldiff      (var Dest: mpf_t; protected var Src1,
    Src2: mpf_t); asmname '__gmpf_reldiff';
function mpf_sgn          (protected var Src: mpf_t): Integer;

procedure mpf_random2      (var Dest: mpf_t; MaxSize: mp_size_t;
    MaxExp: mp_exp_t); asmname '__gmpf_random2';

{$if False} { @@ commented out because they use C file pointers }
function mpz_inp_str       (var Dest: mpz_t; Src: CFilePtr;
    Base: Integer): SizeType; asmname '__gmpz_inp_str';
function mpz_inp_raw       (var Dest: mpz_t; Src: CFilePtr):
    SizeType ; asmname '__gmpz_inp_raw';
function mpz_out_str       (Dest: CFilePtr; Base: Integer;
    protected var Src: mpz_t): SizeType; asmname '__gmpz_out_str';
function mpz_out_raw       (Dest: CFilePtr; protected var Src:
    mpz_t): SizeType ; asmname '__gmpz_out_raw';
{ @@ mpf_out_str has a bug in GMP 2.0.2: it writes a spurious #0
  before the exponent for negative numbers }
function mpf_out_str       (Dest: CFilePtr; Base: Integer;
    NumberOfDigits: SizeType; protected var Src: mpf_t): SizeType;
    asmname '__gmpf_out_str';
function mpf_inp_str       (var Dest: mpf_t; Src: CFilePtr;
    Base: Integer): SizeType; asmname '__gmpf_inp_str';
{$endif}

{ New declarations in GMP 3.x. @@ Mostly untested! }
{$ifdef HAVE_GMP3}

{ Available random number generation algorithms. }
type
    gmp_randalg_t = (GMPRandAlgLC { Linear congruential. });

const
    GMPRandAlgDefault = GMPRandAlgLC;

```



```

{ Linear congruential data struct. }
type
  gmp_randata_lc = record
    a: mpz_t; { Multiplier. }
    c: MedCard; { Adder. }
    m: mpz_t; { Modulus (valid only if m2exp = 0). }
    m2exp: MedCard; { If <> 0, modulus is 2 ^ m2exp. }
  end;

type
  gmp_randstate_t = record
    Seed: mpz_t; { Current seed. }
    Alg: gmp_randalg_t; { Algorithm used. }
    AlgData: record { Algorithm specific data. }
      case gmp_randalg_t of
        GMPRandAlgLC: (lc: ^gmp_randata_lc) { Linear congruential. }
      end
    end;

procedure gmp_randinit      (var State: gmp_randstate_t; Alg:
  gmp_randalg_t; ...); asmname '__gmp_randinit';
procedure gmp_randinit_lc  (var State: gmp_randstate_t; A:
  {$ifdef HAVE_GMP4} protected var {$endif} mpz_t; C: MedCard; M:
  {$ifdef HAVE_GMP4} protected var {$endif} mpz_t);
  asmname '__gmp_randinit_lc';
procedure gmp_randinit_lc_2exp (var State: gmp_randstate_t; A:
  {$ifdef HAVE_GMP4} protected var {$endif} mpz_t; C: MedCard;
  M2Exp: MedCard); asmname '__gmp_randinit_lc_2exp';
procedure gmp_randseed     (var State: gmp_randstate_t; Seed:
  mpz_t); asmname '__gmp_randseed';
procedure gmp_randseed_ui  (var State: gmp_randstate_t; Seed:
  MedCard); asmname '__gmp_randseed_ui';
procedure gmp_randclear    (var State: gmp_randstate_t);
  asmname '__gmp_randclear';

procedure mpz_addmul_ui     (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard); asmname '__mpz_addmul_ui';
procedure mpz_bin_ui       (var Dest: mpz_t; protected var Src1:
  mpz_t; Src2: MedCard); asmname '__mpz_bin_ui';
procedure mpz_bin_uiui     (var Dest: mpz_t; Src1, Src2:
  MedCard); asmname '__mpz_bin_uiui';
function mpz_cmpabs        (protected var Src1, Src2: mpz_t):
  Integer; asmname '__mpz_cmpabs';
function mpz_cmpabs_ui     (protected var Src1: mpz_t; Src2:
  MedCard): Integer; asmname '__mpz_cmpabs_ui';
procedure mpz_dump         (protected var Src: mpz_t);
  asmname '__mpz_dump';
procedure mpz_fib_ui       (var Dest: mpz_t; Src: MedCard);
  asmname '__mpz_fib_ui';
function mpz_fits_sint_p   (protected var Src: mpz_t): Integer;

```

```

    asmname '__gmpz_fits_sint_p';
function mpz_fits_slong_p    (protected var Src: mpz_t): Integer;
    asmname '__gmpz_fits_slong_p';
function mpz_fits_sshort_p   (protected var Src: mpz_t): Integer;
    asmname '__gmpz_fits_sshort_p';
function mpz_fits_uint_p     (protected var Src: mpz_t): Integer;
    asmname '__gmpz_fits_uint_p';
function mpz_fits_ulong_p    (protected var Src: mpz_t): Integer;
    asmname '__gmpz_fits_ulong_p';
function mpz_fits_ushort_p   (protected var Src: mpz_t): Integer;
    asmname '__gmpz_fits_ushort_p';
procedure mpz_lcm             (var Dest: mpz_t; protected var Src1,
    Src2: mpz_t); asmname '__gmpz_lcm';
procedure mpz_nextprime      (var Dest: mpz_t; protected var Src:
    mpz_t); asmname '__gmpz_nextprime';
function mpz_perfect_power_p (protected var Src: mpz_t): Integer;
    asmname '__gmpz_perfect_power_p';
function mpz_remove          (var Dest: mpz_t; protected var Src1,
    Src2: mpz_t): MedCard; asmname '__gmpz_remove';
function mpz_root             (var Dest: mpz_t; protected var Src:
    mpz_t; N: MedCard): Integer; asmname '__gmpz_root';
procedure mpz_rrandomb        (var ROP: mpz_t; var State:
    gmp_randstate_t; N: MedCard); asmname '__gmpz_rrandomb';
procedure mpz_swap            (var v1, v2: mpz_t);
    asmname '__gmpz_swap';
function mpz_tdiv_ui          (protected var Src1: mpz_t; Src2:
    MedCard): MedCard; asmname '__gmpz_tdiv_ui';
function mpz_tstbit           (protected var Src1: mpz_t; Src2:
    MedCard): Integer; asmname '__gmpz_tstbit';
procedure mpz_urandomb         ({$ifdef HAVE_GMP4} var {$endif} ROP:
    mpz_t; var State: gmp_randstate_t; N: MedCard);
    asmname '__gmpz_urandomb';
procedure mpz_urandomm         ({$ifdef HAVE_GMP4} var {$endif} ROP:
    mpz_t; var State: gmp_randstate_t; {$ifdef HAVE_GMP4} protected
    var {$endif} N: mpz_t); asmname '__gmpz_urandomm';
procedure mpz_xor              (var Dest: mpz_t; protected var Src1,
    Src2: mpz_t); asmname '__gmpz_xor';

procedure mpq_set_d            (var Dest: mpq_t; Src: Double);
    asmname '__gmpq_set_d';

procedure mpf_ceil             (var Dest: mpf_t; protected var Src:
    mpf_t); asmname '__gmpf_ceil';
procedure mpf_floor            (var Dest: mpf_t; protected var Src:
    mpf_t); asmname '__gmpf_floor';
procedure mpf_pow_ui           (var Dest: mpf_t; protected var Src1:
    mpf_t; Src2: MedCard); asmname '__gmpf_pow_ui';
procedure mpf_trunc            (var Dest: mpf_t; protected var Src:
    mpf_t); asmname '__gmpf_trunc';
procedure mpf_urandomb         (ROP: mpf_t; var State:
    gmp_randstate_t; N: MedCard); asmname '__gmpf_urandomb';

```

```

const
  GMPErrorNone = 0;
  GMPErrorUnsupportedArgument = 1;
  GMPErrorDivisionByZero = 2;
  GMPErrorSqrtOfNegative = 4;
  GMPErrorInvalidArgument = 8;
  GMPErrorAllocate = 16;

var
  gmp_errno: Integer; asmname '__gmp_errno'; external;

{$endif}

{ Extensions to the GMP library, implemented in this unit }

procedure mpf_exp      (var Dest: mpf_t; protected var Src: mpf_t);
procedure mpf_ln       (var Dest: mpf_t; protected var Src: mpf_t);
procedure mpf_pow      (var Dest: mpf_t; protected var Src1, Src2:
  mpf_t);
procedure mpf_arctan   (var c: mpf_t; protected var x: mpf_t);
procedure mpf_pi       (var c: mpf_t);

```

7.14.6 Turbo Power compatibility, etc.

The following listing contains the interface of the GPCUtil unit.

This unit provides some utility routines for compatibility to some units available for BP, like some *Turbo Power* units.

```

{ Some utility routines for compatibility to some units available
  for BP, like some 'Turbo Power' units.

@@NOTE - SOME OF THE ROUTINES IN THIS UNIT MAY NOT WORK CORRECTLY.
TEST CAREFULLY AND USE WITH CARE!

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Authors: Prof. Abimbola A. Olowofoyeku <African_Chief@bigfoot.com>
         Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published
by the Free Software Foundation; either version 2, or (at your
option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

```

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```
{ $gnu-pascal, I- }
{ $if __GPC_RELEASE__ < 20011202 }
{ $error This unit requires GPC release 20011202 or newer. }
{ $endif }

unit GPCUtil;

interface

uses GPC;

{ Replace all occurrences of OldC with NewC in s and return the
  result }
function ReplaceChar (const s: String; OldC, NewC: Char): TString;

{ Return the current working directory }
function ThisDirectory: TString;
  asmname '_p_get_current_directory';

{ Does a directory exist? }
function IsDirectory (const aFileName: String): Boolean;
  asmname '_p_directory_exists';

{ Break a string into 2 parts, using Ch as a marker }
function BreakStr (const Src: String; var Dest1, Dest2: String; Ch:
  Char): Boolean;

{ Convert a CString to an Integer }
function PChar2Int (s: CString): Integer;

{ Convert a CString to a LongInt }
function PChar2Long (s: CString): LongInt;

{ Convert a CString to a Double }
function PChar2Double (s: CString): Double;

{ Search for s as an executable in the path and return its location
  (full pathname) }
```

```

function PathLocate (const s: String): TString;

{ Copy file Src to Dest and return the number of bytes written }
function CopyFile (const Src, Dest: String; BufSize: Integer):
    LongInt;

{ Copy file Src to Dest and return the number of bytes written;
  report the number of bytes written versus total size of the source
  file }
function CopyFileEx (const Src, Dest: String; BufSize: Integer;
    function Report (Reached, Total: LongInt): LongInt): LongInt;

{ Turbo Power compatibility }

{ Execute the program prog. Dummy1 and Dummy2 are for compatibility
  only; they are ignored. }
function ExecDos (const Prog: String; Dummy1: Boolean; Dummy2:
    Pointer): Integer;

{ Return whether Src exists in the path as an executable -- if so
  return its full location in Dest }
function ExistOnPath (const Src: String; var Dest: String):
    Boolean;

{ Does file name s exist? }
function ExistFile (const aFileName: String): Boolean;
    asmname '_p_file_exists';

{ Return just the directory path of Path. Returns DirSelf +
  DirSeparator if Path contains no directory. }
function JustPathName (const Path: String): TString;
    asmname '_p_dir_from_path';

{ Return just the file name part without extension of Path. Empty if
  Path contains no file name. }
function JustFileName (const Path: String): TString;
    asmname '_p_name_from_path';

{ Return just the extension of Path. Empty if Path contains no
  extension. }
function JustExtension (const Path: String): TString;
    asmname '_p_ext_from_path';

{ Change the extension of s to Ext (do not include the dot!) }
function ForceExtension (const s, Ext: String): TString;

{ Return the full pathname of Path }
function FullPathName (const Path: String): TString;
    asmname '_p_fexpand';

{ Add a DirSeparator to the end of s if there is not already one }

```

```

function  AddBackSlash (const s: String): TString;
    asmname '_p_forceadddirseparator';

{ Convert Integer to PChar; uses NewCString to allocate memory for
  the result, so you must call StrDispose to free the memory later }
function  Int2PChar (i: Integer): PChar;

{ Convert Integer to string }
function  Int2Str (i: Integer): TString;

{ Convert string to Integer }
function  Str2Int (const s: String; var i: Integer): Boolean;

{ Convert string to LongInt }
function  Str2Long (const s: String; var i: LongInt): Boolean;

{ Convert string to Double }
function  Str2Real (const s: String; var i: Double): Boolean;

{ Return a string stripped of leading spaces }
function  TrimLead (const s: String): TString;
    asmname '_p_trimleft_str';

{ Return a string stripped of trailing spaces }
function  TrimTrail (const s: String): TString;
    asmname '_p_trimright_str';

{ Return a string stripped of leading and trailing spaces }
function  Trim (const s: String): TString;
    asmname '_p_trimboth_str';

{ Return a string right-padded to length Len with ch }
function  PadCh (const s: String; ch: Char; Len: Integer): TString;

{ Return a string right-padded to length Len with spaces }
function  Pad (const s: String; Len: Integer): TString;

{ Return a string left-padded to length Len with ch }
function  LeftPadCh (const s: String; ch: Char; Len: Byte): TString;

{ Return a string left-padded to length Len with blanks }
function  LeftPad (const s: String; Len: Integer): TString;

{ Convert a string to lowercase }
function  StLoCase (const s: String): TString;
    asmname '_p_locase_str';

{ Convert a string to uppercase }
function  StUpCase (const s: String): TString;
    asmname '_p_upcase_str';

```

```
{ Uniform access to big memory blocks for GPC and BP. Of course, for
programs that are meant only for GPC, you can use the usual
New/Dispose routines. But for programs that should compile with
GPC and BP, you can use the following routines for GPC. In the GPC
unit for BP (gpc-bp.pas), you can find emulations for BP that try
to provide access to as much memory as possible, despite the
limitations of BP. The drawback is that this memory cannot be used
freely, but only with the following moving routines. }
```

```
type
  PBigMem = ^TBigMem;
  TBigMem (MaxNumber: Integer) = record
    { Public fields }
    Number, BlockSize: SizeType;
    Mappable: Boolean;
    { Private fields }
    Pointers: array [1 .. MaxNumber] of ^Byte
  end;

{ Note: the number of blocks actually allocated may be smaller than
WantedNumber. Check the Number field of the result. }
function AllocateBigMem (WantedNumber, aBlockSize: SizeType;
  WantMappable: Boolean): PBigMem;
procedure DisposeBigMem (p: PBigMem);
procedure MoveToBigMem (var Source; p: PBigMem; BlockNumber:
  SizeType);
procedure MoveFromBigMem (p: PBigMem; BlockNumber: SizeType; var
  Dest);
{ Maps a big memory block into normal addressable memory and returns
its address. The memory must have been allocated with
WantMappable = True. The mapping is only valid until the next
MapBigMem call. }
function MapBigMem (p: PBigMem; BlockNumber: SizeType): Pointer;
```

7.14.7 Primitive heap checking

The following listing contains the interface of the HeapMon unit.

This unit provide a rather primitive means to watch the heap, i.e. check if all pointers that were allocated are released again. This is meant as a debugging help for avoiding memory leaks.

More extensive heap checking is provided by libraries like 'efence' which can be used in GPC programs without special provisions.

```
{ A unit to watch the heap, i.e. check if all pointers that were
allocated are released again. It is meant as a debugging help to
detect memory leaks.
```

```
Use it in the main program before all other units. When, at the
end of the program, some pointers that were allocated, have not
been released, the unit writes a report to StdErr or another file
(see below). Only pointers allocated via the Pascal mechanisms
(New, GetMem) are tracked, not pointers allocated with direct libc
```

calls or from C code. After a runtime error, pointers are not checked.

Note that many units and libraries allocate memory for their own purposes and don't always release it at the end. Therefore, the usefulness of this unit is rather limited.

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```
{ $gnu-pascal, I - }
```

```
unit HeapMon;
```

```
interface
```

```
uses GPC;
```

```
{ This unit is automatically activated when used. The following
  declarations are only needed for special purposes. }
```

```
{ The report generated at the end can be redirected to a certain
  file by pointing HeapMonOutput to it. If not set, the report will
  be printed to the error messages file given with '--gpc-rts'
  options if given, and StdErr otherwise. }
```

```
var
```



```

HeapMonOutput: ^Text = nil;

{ HeapMonReport can be used to print a report on non-released memory
  blocks at an arbitrary point during a program run to the file f.
  It is invoked automatically at the end, so usually you don't have
  to call it. Returns True if any non-released blocks were found,
  False otherwise. }
function HeapMonReport (var f: Text; DoRestoreTerminal: Boolean):
  Boolean; asmname '_p_HeapMonReport';

```

7.14.8 Internationalization

The following listing contains the interface of the Intl unit.

This unit provides national language support via locales and '.mo' files.

```

{ Welcome to the wonderful world of
  INTERNATIONALIZATION (i18n).

```

This unit provides the powerful mechanism of national language support by accessing '.mo' files and locale information.

It includes:

```

  locales (not xlocales) and libintl.

```

See documentation for gettext ('info gettext') for details.

Because GPC can deal with both CStrings and Pascal Strings, there is an interface for both types of arguments and function results with slightly different names.

E.g. for Pascal strings:

```

  function GetText (const MsgId: String): TString;

```

And the same as above, but with a C interface:

```

  function GetTextC (MsgId: CString): CString;

```

'PLConv' in Pascal is very different from 'struct lconv *' in C. Element names do not have underscores and have sometimes different sizes. The conversion is done automatically and has correct results.

Furthermore, we have a tool similar to 'xgettext' to extract all strings out of a Pascal source. It extracts the strings and writes a complete '.po' file to a file. See <http://www.gnu-pascal.de/contrib/eike/> The filename is pas2po-VERSION.tar.gz.

Copyright (C) 2001-2002 by Eike Lange

Author: Eike Lange <eike.lange@uni-essen.de>

This unit is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation, version 2.

This unit is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; see the file COPYING.LIB. If not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA. }

```
{ $gnu-pascal, I - }
```

```
unit Intl;
```

```
interface
```

```
uses GPC;
```

```
type
```

```
  IntlString = String (16);
```

```
  { Port from _p_lconv in intl.c }
```

```
  PLConv = ^TLConv;
```

```
  TLConv = record
```

```
    { Numeric (non-monetary) information. }
```

```
    { Decimal point character. }
```

```
    DecimalPoint: IntlString;
```

```
    { Thousands separator. }
```

```
    ThousandsSep: IntlString;
```

```
    { Each element is the number of digits in each group;
      elements with higher indices are farther left.
```

```
      An element with value CharMax means that no further grouping
      is done.
```

```
      An element with value Chr (0) means that the previous element
      is used for all groups farther left. }
```

```
    Grouping: IntlString;
```

```
    { Monetary information. }
```

```
    { First three chars are a currency symbol from ISO 4217.
```

```
      Fourth char is the separator. Fifth char is Chr (0). }
```

```
    IntCurrSymbol: IntlString;
```

```

{ Local currency symbol. }
CurrencySymbol: IntlString;

{ Decimal point character. }
MonDecimalPoint: IntlString;

{ Thousands separator. }
MonThousandsSep: IntlString;

{ Like 'Grouping' element (above). }
MonGrouping: IntlString;

{ Sign for positive values. }
PositiveSign: IntlString;

{ Sign for negative values. }
NegativeSign: IntlString;

{ Int'l fractional digits. }
IntFracDigits: ByteInt;

{ Local fractional digits. }
FracDigits: ByteInt;

{ 1 if CurrencySymbol precedes a positive value, 0 if it
  succeeds. }
PCSPrecedes: ByteInt;

{ 1 iff a space separates CurrencySymbol from a positive
  value. }
PSepBySpace: ByteInt;

{ 1 if CurrencySymbol precedes a negative value, 0 if it
  succeeds. }
NCSPrecedes: ByteInt;

{ 1 iff a space separates CurrencySymbol from a negative
  value. }
NSepBySpace: ByteInt;

{ Positive and negative sign positions:
  0 Parentheses surround the quantity and CurrencySymbol.
  1 The sign string precedes the quantity and CurrencySymbol.
  2 The sign string follows the quantity and CurrencySymbol.
  3 The sign string immediately precedes the CurrencySymbol.
  4 The sign string immediately follows the CurrencySymbol. }
PSignPosn,
NSignPosn: ByteInt;
end;

```

```

{ Please do not assign anything to these identifiers! }
var
  LC_CTYPE:      Integer; asmname '_p_LC_CTYPE';      external;
  LC_NUMERIC:    Integer; asmname '_p_LC_NUMERIC';    external;
  LC_TIME:       Integer; asmname '_p_LC_TIME';       external;
  LC_COLLATE:    Integer; asmname '_p_LC_COLLATE';    external;
  LC_MONETARY:   Integer; asmname '_p_LC_MONETARY';   external;
  LC_MESSAGES:   Integer; asmname '_p_LC_MESSAGES';   external;
  LC_ALL:        Integer; asmname '_p_LC_ALL';        external;
  CharMax:       Char; asmname '_p_CHAR_MAX';        external;

{@section Locales }

{ Set and/or return the current locale. }
function SetLocale (Category: Integer; const Locale: String):
  TString;

{ Set and/or return the current locale. Same as above, but returns
  a CString. }
function SetLocaleC (Category: Integer; const Locale: String):
  CString;

{ Return the numeric/monetary information for the current locale.
  The result is allocated from the heap. You can Dispose it when
  you don't need it anymore. }
function LocaleConv: PLConv;

{@section GetText }

{ Look up MsgId in the current default message catalog for the
  current LC_MESSAGES locale. If not found, returns MsgId itself
  (the default text). }
function GetText (const MsgId: String): TString;

{ Same as above, but with a C interface }
function GetTextC (MsgId: CString): CString;

{ Look up MsgId in the DomainName message catalog for the current
  LC_MESSAGES locale. }
function DGetText (const DomainName, MsgId: String): TString;

{ Same as above, but with a C interface }
function DGetTextC (DomainName, MsgId: CString): CString;

{ Look up MsgId in the DomainName message catalog for the current
  Category locale. }
function DCGetText (const DomainName, MsgId: String; Category:
  Integer): TString;

{ Same as above, but with a C interface }
function DCGetTextC (DomainName, MsgId: CString; Category: Integer):

```

```

CString;

{ Set the current default message catalog to DomainName.
  If DomainName is empty, reset to the default of 'messages'. }
function TextDomain (const DomainName: String): TString;

{ Same as above, but with a C interface.
  If DomainName is nil, return the current default. }
function TextDomainC (DomainName: CString): CString;

{ Specify that the DomainName message catalog will be found
  in DirName rather than in the system locale data base. }
function BindTextDomain (const DomainName, DirName: String):
  TString;

{ Same as above, but with a C interface }
function BindTextDomainC (DomainName, DirName: CString): CString;

```

7.14.9 'MD5' Message Digests

The following listing contains the interface of the MD5 unit.

This unit provides functions to compute 'MD5' message digest of files or memory blocks, according to the definition of 'MD5' in *RFC 1321* from April 1992.

```

{ Functions to compute MD5 message digest of files or memory blocks,
  according to the definition of MD5 in RFC 1321 from April 1992.

```

IMPORTANT NOTE: This unit is distributed under the GNU GPL, NOT under the GNU LGPL under which most of the other GPC units are distributed. This means that you must distribute any code that uses this unit under the GPL as well, which means that you have to make the source code available whenever you distribute a binary of the code, and that you must allow recipients to modify the code and redistribute it under the GPL.

Copyright (C) 1995, 1996, 2000-2002 Free Software Foundation, Inc.

Based on the C code written by Ulrich Drepper
<drepper@gnu.ai.mit.edu>, 1995 as part of the GNU C Library.

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA. }

```
{ $gnu-pascal, I- }
{ $if __GPC_RELEASE__ < 20001023 }
{ $error This unit requires GPC release 20001023 or newer. }
{ $endif }

unit MD5;

interface

uses GPC;

{ Representation of a MD5 value. It is always in little endian byte
  order and therefore portable. }
type
  Card8 = Cardinal (8);
  TMD5 = array [1 .. 16] of Card8;

{ Computes MD5 message digest for Length bytes in Buffer. }
procedure MD5Buffer (const Buffer; Length: SizeType; var MD5: TMD5);
  asmname '_p_md5_buffer';

{ Computes MD5 message digest for the contents of the file f. }
{ @@ iocritical } procedure MD5File (var f: File; var MD5: TMD5);
  asmname '_p_md5_file';

{ Initializes a MD5 value with zeros. }
procedure MD5Clear (var MD5: TMD5); asmname '_p_md5_clear';

{ Compares two MD5 values for equality. }
function MD5Compare (const Value1, Value2: TMD5): Boolean;
  asmname '_p_md5_compare';

{ Converts an MD5 value to a string. }
function MD5Str ({ @@ fjf382 const } MD5: TMD5) = s: TString;
  asmname '_p_md5_str';

{ Converts a string to an MD5 value. Returns True if successful. }
function MD5Val (const s: String; var MD5: TMD5): Boolean;
  asmname '_p_md5_val';

{ Composes two MD5 values to a single one. }
function MD5Compose (const Value1, Value2: TMD5) = Dest: TMD5;
  asmname '_p_md5_compose';
```

7.14.10 BP compatibility: Overlay

The following listing contains the interface of the Overlay unit.

This is just a dummy replacement for BP's 'Overlay' unit, since GPC doesn't need overlays.

```
{ Dummy BP compatible overlay unit for GPC

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published
by the Free Software Foundation; either version 2, or (at your
option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with GNU Pascal; see the file COPYING. If not, write to the
Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA
02111-1307, USA.

As a special exception, if you link this file with files compiled
with a GNU compiler to produce an executable, this does not cause
the resulting executable to be covered by the GNU General Public
License. This exception does not however invalidate any other
reasons why the executable file might be covered by the GNU
General Public License. }

{$gnu-pascal,I-}

unit Overlay;

interface

const
  ovrOk = 0;
  ovrError = - 1;
  ovrNotFound = - 2;
  ovrNoMemory = - 3;
  ovrIOError = - 4;
  ovrNoEMSDriver = - 5;
  ovrNoEMSMemory = - 6;

const
  OvrEmsPages: Word = 0;
```

```

    OvrTrapCount: Word = 0;
    OvrLoadCount: Word = 0;
    OvrFileMode: Byte = 0;

type
    OvrReadFunc = function (OvrSeg: Word): Integer;

var
    OvrReadBuf: OvrReadFunc;
    OvrResult: Integer = 0;

procedure OvrInit (aFileName: String);
procedure OvrInitEMS;
procedure OvrSetBuf (Size: LongInt);
function  OvrGetBuf: LongInt;
procedure OvrSetRetry (Size: LongInt);
function  OvrGetRetry: LongInt;
procedure OvrClearBuf;

```

7.14.11 Start a child process, connected with pipes, also on Dos

The following listing contains the interface of the Pipe unit.

This unit provides routines to start a child process and write to/read from its Input/Output/StdErr via pipes. All of this is emulated transparently under Dos as far as possible.

```
{ Piping data from and to processes
```

```
Copyright (C) 1998-2002 Free Software Foundation, Inc.
```

```
Author: Frank Heckenbach <frank@pascal.gnu.de>
```

```
This file is part of GNU Pascal.
```

```
GNU Pascal is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published
by the Free Software Foundation; either version 2, or (at your
option) any later version.
```

```
GNU Pascal is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
```

```
You should have received a copy of the GNU General Public License
along with GNU Pascal; see the file COPYING. If not, write to the
Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA
02111-1307, USA.
```

```
As a special exception, if you link this file with files compiled
with a GNU compiler to produce an executable, this does not cause
```


[illegible]

```

                                terminated by itself, or was
                                terminated or stopped by a signal,
                                when waiting after closing the
                                pipes }
    Status      : ^Integer;      { Default nil. If a pointer to a
                                variable is stored here, its
                                destination will contain the exit
                                status if the process terminated
                                by itself, or the number of the
                                signal otherwise, when waiting
                                after closing the pipes }

end;

var
  { Default values for TPipeProcess records created by Pipe }
  DefaultPipeSignal : Integer = 0;
  DefaultPipeSeconds: Integer = 0;
  DefaultPipeWait   : Boolean = True;

{ The procedure Pipe starts a process whose name is given by
  ProcessName, with the given parameters (can be Null if no
  parameters) and environment, and create pipes from and/or to the
  process' standard input/output/error. ProcessName is searched for
  in the PATH with FSearchExecutable. Any of ToInputFile,
  FromOutputFile and FromStdErrFile can be Null if the corresponding
  pipe is not wanted. FromOutputFile and FromStdErrFile may be
  identical, in which case standard output and standard error are
  redirected to the same pipe. The behaviour of other pairs of files
  being identical is undefined, and useless, anyway. The files are
  Assigned and Reset or Rewritten as appropriate. Errors are
  returned in IOResult. If Process is not Null, a pointer to a
  record is stored there, from which the PID of the process created
  can be read, and by writing to which the action after all pipes
  have been closed can be changed. (The record is automatically
  Dispose'd of after all pipes have been closed.) If automatic
  waiting is turned off, the caller should get the PID from the
  record before it's Dispose'd of, and wait for the process sometime
  in order to avoid zombies. If no redirections are performed (i.e.,
  all 3 files are Null), the caller should wait for the process with
  WaitPipeProcess. When an error occurs, Process is not assigned to,
  and the state of the files is undefined, so be sure to check
  IOResult before going on.

  ChildProc, if not nil, is called in the child process after
  forking and redirecting I/O, but before executing the new process.
  It can even be called instead of executing a new process
  (ProcessName can be empty then).

```

The procedure even works under Dos, but, of course, in a limited sense: if ToInputFile is used, the process will not actually be started until ToInputFile is closed. Signal, Seconds and Wait of

TPipeProcess are ignored, and PID and SignalPID do not contain a Process ID, but an internal value without any meaning to the caller. Result will always be PIDEExited. So, Status is the only interesting field (but Result should also be checked). Since there is no forking under Dos, ChildProc, if not nil, is called in the main process before spawning the program. So, to be portable, it should not do any things that would influence the process after the return of the Pipe function.

```
The only portable way to use "pipes" in both directions is to call
'Pipe', write all the Input data to ToInputFile, close
ToInputFile, and then read the Output and StdErr data from
FromOutputFile and FromStdErrFile. However, since the capacity of
pipes is limited, one should also check for Data from
FromOutputFile and FromStdErrFile (using CanRead, IOSelect or
IOSelectRead) while writing the Input data (under Dos, there
simply won't be any data then, but checking for data doesn't do
any harm). Please see pipedemo.pas for an example. }
{ @@ IO critical } procedure Pipe (var ToInputFile, FromOutputFile,
  FromStdErrFile: AnyFile; const ProcessName: String; protected var
  Parameters: TPStrings; ProcessEnvironment: PCStrings; var Process:
  PPipeProcess; ChildProc: TProcedure);

{ Waits for a process created by Pipe as determined in the Process
  record. (Process is Dispose'd of afterwards.) Returns True if
  successful. }
function WaitPipeProcess (Process: PPipeProcess): Boolean;

{ Alternative interface from PExecute }
```

```
const
  PExecute_First    = 1;
  PExecute_Last     = 2;
  PExecute_One      = PExecute_First or PExecute_Last;
  PExecute_Search   = 4;
  PExecute_Verbose  = 8;

{ PExecute: execute a chain of processes.
```

Program and Arguments are the arguments to `execv/execvp`.

Flags and `PExecute_Search` is non-zero if `$PATH` should be searched. Flags and `PExecute_First` is nonzero for the first process in chain. Flags and `PExecute_Last` is nonzero for the last process in chain.

The result is the pid on systems like Unix where we fork/exec and on systems like MS-Windows and OS2 where we use spawn. It is up to the caller to wait for the child.

The result is the exit code on systems like MSDOS where we spawn

and wait for the child here.

Upon failure, ErrMsg is set to the text of the error message, and -1 is returned. 'errno' is available to the caller to use.

PWait: cover function for wait.

PID is the process id of the task to wait for. Status is the 'status' argument to wait. Flags is currently unused (allows future enhancement without breaking upward compatibility). Pass 0 for now.

The result is the process ID of the child reaped, or -1 for failure.

On systems that don't support waiting for a particular child, PID is ignored. On systems like MSDOS that don't really multitask PWait is just a mechanism to provide a consistent interface for the caller. }

```
function PExecute (ProgramName: CString; Arguments: PCStrings; var
    ErrMsg: String; Flags: Integer): Integer; asmname '_p_pexecute';
function PWait (PID: Integer; var Status: Integer; Flags: Integer):
    Integer; asmname '_p_pwait';
```

7.14.12 BP compatibility (partly): 'Port', 'PortW' arrays

The following listing contains the interface of the Ports unit.

This unit provides access routines for the hardware ports on the IA32, as a partial replacement for BP's 'Port' and 'PortW' pseudo arrays.

Since port access is platform-specific, this unit cannot be used in code intended to be portable. Even on the IA32, its use can often be avoided – e.g. Linux provides a number of 'ioctl' functions, and DJGPP provides some routines to achieve things that would require port access under BP. Therefore, it is recommended to avoid using this unit whenever possible.

```
{ Access functions for I/O ports for GPC on an IA32 platform. This
  unit is *not* portable. It works only on IA32 platforms (tested
  under Linux and DJGPP). It is provided here only to serve as a
  replacement for BP's Port and PortW pseudo arrays.
```

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but

WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```
{ $gnu-pascal, I- }
{ $ifndef __i386__ }
{ $error The Ports unit is only for the IA32 platform }
{ $endif }

unit Ports;

interface

{ Port access functions }
function InPortB (PortNumber: ShortWord): Byte;
function InPortW (PortNumber: ShortWord): ShortWord;
procedure OutPortB (PortNumber: ShortWord; aValue: Byte);
procedure OutPortW (PortNumber, aValue: ShortWord);

{ libc functions for getting access to the ports -- only for root
  processes, of course -- and to give up root privileges after
  getting access to the ports for setuid root programs. Dummies
  under DJGPP. }
function IOPerm (From, Num: MedCard; On: Integer): Integer;
  asmname 'ioperm';
function IOPL (Level: Integer): Integer; asmname 'iopl';
function SetEUID (EUID: Integer): Integer; asmname 'seteuid';
```

7.14.13 BP compatibility: Printer, portable

The following listing contains the interface of the Printer unit.

This unit provides printer access, compatible to BP's 'Printer' unit, for Dos (using printer devices) and Unix systems (using printer utilities).

For BP compatibility, the variable 'Lst' is provided, but for newly written programs, it is recommended to use the 'AssignPrinter' procedure on a text file, and close the file when done (thereby committing the printer job). This method allows for sending multiple printer jobs in the same program.

```
{ BP compatible printer unit with extensions
```

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```
{ $gnu-pascal, I- }
{ $if __GPC_RELEASE__ < 20000412 }
{ $error This unit requires GPC release 20000412 or newer. }
{ $endif }

unit Printer;

interface

uses GPC { $ifndef __OS_DOS__ }, Pipe { $endif };

var
  { Dos-like systems: writing to a printer device }

  { The file name to write printer output into }
  PrinterDeviceName: PString = @'prn';

  { Unix-like systems: printing via a printer program }

  { The file name of the printer program. If it contains a '/', it
    will be taken as a complete path, otherwise the file name will
    be searched for in the PATH with FSearchExecutable. }
```

```

PrinterCommand: PString = @'lpr';

{ Optional command line parameters for the printer program.
  Ignored when nil. }
PrinterArguments: PPStrings = nil;

{ How to deal with the printer spooler after the printer pipe is
  closed, cf. the Pipe unit. }
PrinterPipeSignal : Integer = 0;
PrinterPipeSeconds: Integer = 0;
PrinterPipeWait   : Boolean = True;

{ Text file opened to default printer }
var
  Lst: Text;

{ Assign a file to the printer. Lst will be assigned to the default
  printer at program start, but other files can be assigned to the
  same or other printers (possibly after changing the variables
  above). SpoolerOutput, if not Null, will be redirected from the
  printer spooler's standard output and error. If you use this, note
  that a deadlock might arise when trying to write data to the
  spooler while its output is not being read, though this seems
  quite unlikely, since most printer spoolers don't write so much
  output that could fill a pipe. Under Dos, where no spooler is
  involved, SpoolerOutput, if not Null, will be reset to an empty
  file for compatibility. }
procedure AssignPrinter (var f: AnyFile; var SpoolerOutput:
  AnyFile);

```

7.14.14 Regular Expression matching and substituting

The following listing contains the interface of the RegEx unit.

This unit provides routines to match strings against regular expressions and perform substitutions using matched subexpressions. Regular expressions are strings with some characters having special meanings. They describe (match) a class of strings. They are similar to wild cards used in file name matching, but much more powerful.

To use this unit, you will need the 'rx' library which can be found in <http://www.gnu-pascal.de/libs/>.

```

{$nested-comments}

{ Regular expression matching and replacement

The RegEx unit provides routines to match strings against regular
expressions and perform substitutions using matched
subexpressions.

To use the RegEx unit, you will need the rx library which can be
found in http://www.gnu-pascal.de/libs/

```

Regular expressions are strings with some characters having special meanings. They describe (match) a class of strings. They are similar to wild cards used in file name matching, but much more powerful.

There are two kinds of regular expressions supported by this unit, basic and extended regular expressions. The difference between them is not functionality, but only syntax. The following is a short overview of regular expressions. For a more thorough explanation see the literature, or the documentation of the rx library, or man pages of programs like grep(1) and sed(1).

| Basic | Extended | Meaning |
|-----------------|-----------------|----------------------------------------------------------------------------------------------------------------------------|
| '.' | '.' | matches any single character |
| '[aei-z]' | '[aei-z]' | matches either 'a', 'e', or any character from 'i' to 'z' |
| '[^aei-z]' | '[^aei-z]' | matches any character but 'a', 'e', or 'i' .. 'z' |
| | | To include in such a list the the characters ']', '^', or '-', put them first, anywhere but first, or first or last, resp. |
| '[[[:alnum:]]]' | '[[[:alnum:]]]' | matches any alphanumeric character |
| '[^[:digit:]]' | '[^[:digit:]]' | matches anything but a digit |
| '[a[:space:]]' | '[a[:space:]]' | matches the letter 'a' or a space character (space, tab) |
| ... | | (there are more classes available) |
| '\w' | '\w' | = [[[:alnum:]]] |
| '\W' | '\W' | = [^[:alnum:]] |
| '^' | '^' | matches the empty string at the beginning of a line |
| '\$' | '\$' | matches the empty string at the end of a line |
| '*' | '*' | matches zero or more occurrences of the preceding expression |
| '\+' | '+' | matches one or more occurrences of the preceding expression |
| '\?' | '\?' | matches zero or one occurrence of the preceding expression |
| '\{N\}' | '{N}' | matches exactly N occurrences of the preceding expression (N is an integer number) |
| '\{M,N\}' | '{M,N}' | matches M to N occurrences of the preceding expression (M and N are integer numbers, M <= N) |
| 'AB' | 'AB' | matches A followed by B (A and B are regular expressions) |
| 'A B' | 'A B' | matches A or B (A and B are regular expressions) |
| '(\)' | '()' | forms a subexpression, to override precedence, and for subexpression |

| | | |
|-------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | references |
| <code>'\7'</code> | <code>'\7'</code> | matches the 7'th parenthesized subexpression (counted by their start in the regex), where 7 is a number from 1 to 9 ;-). |
| | | *Please note:* using this feature can be *very* slow or take very much memory (exponential time and space in the worst case, if you know what that means ...). |
| <code>'\'</code> | <code>'\'</code> | quotes the following character if it's special (i.e. listed above) |
| rest | rest | any other character matches itself |

Precedence, from highest to lowest:

- * parentheses ('()')
- * repetition ('*', '+', '?', '{}')
- * concatenation
- * alternation ('|')

When performing substitutions using matched subexpressions of a regular expression (see 'ReplaceSubExpressionReferences'), the replacement string can reference the whole matched expression with '&' or '\0', the 7th subexpression with '\7' (just like in the regex itself, but using it in replacements is not slow), and the 7th subexpression converted to upper/lower case with '\u7' or '\l7', resp. (which also works for the whole matched expression with '\u0' or '\l0'). A verbatim '&' or '\' can be specified with '\&' or '\\', resp.

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License.

Please also note the license of the rx library. }

```
{ $gnu-pascal, I- }
{ $if __GPC_RELEASE__ < 20000412 }
{ $error This unit requires GPC release 20000412 or newer. }
{ $endif }

unit RegEx;

interface

uses GPC;

const
  { 'BasicRegExSpecialChars' contains all characters that have
    special meanings in basic regular expressions.
    'ExtRegExSpecialChars' contains those that have special meanings
    in extended regular expressions. }
  BasicRegExSpecialChars = ['.', '[', ']', '^', '$', '*', '\'];
  ExtRegExSpecialChars   =
    ['.', '[', ']', '^', '$', '*', '+', '?', '{', '}', '|', '(', ')', '\\'];

type
  { The type used by the routines of the 'RegEx' unit to store
    regular expressions in an internal format. The fields RegEx,
    RegMatch, ErrorInternal, From and Length are only used
    internally. SubExpressions can be read after 'NewRegEx' and will
    contain the number of parenthesized subexpressions. Error should
    be checked after 'NewRegEx'. It will be 'nil' when it succeeded,
    and contain an error message otherwise. }
  RegExType = record
    RegEx, RegMatch: Pointer; { Internal }
    ErrorInternal: CString;   { Internal }
    From, Length: Integer;    { Internal }
    SubExpressions: Integer;
    Error: PString
  end;

  { Simple interface to regular expression matching. Matches a regular
    expression against a string starting from a specified position.
    Returns the position of the first match, or 0 if it does not
    match, or the regular expression is invalid. }
function RegExPosFrom (const Expression: String; ExtendedRegEx,
  CaseInsensitive: Boolean; const s: String; From: Integer):
```

```

Integer; asmname '_p_regexposfrom';

{ Creates the internal format of a regular expression. If
  ExtendedRegEx is True, Expression is assumed to denote an extended
  regular expression, otherwise a basic regular expression.
  CaseInsensitive determines if the case of letters will be ignored
  when matching the expression. If NewLines is True, 'NewLine'
  characters in a string matched against the expression will be
  treated as dividing the string in multiple lines, so that '$' can
  match before the NewLine and '^' can match after. Also, '.' and
  '[^...]' will not match a NewLine then. }
procedure NewRegEx (var RegEx: RegExType; const Expression: String;
  ExtendedRegEx, CaseInsensitive, NewLines: Boolean);
  asmname '_p_newregex';

{ Disposes of a regular expression created with 'NewRegEx'. *Must*
  be used after 'NewRegEx' before the RegEx variable becomes invalid
  (i.e., goes out of scope or a pointer pointing to it is Dispose'd
  of). }
procedure DisposeRegEx (var RegEx: RegExType);
  asmname '_p_dispose_regex';

{ Matches a regular expression created with 'NewRegEx' against a
  string. }
function MatchRegEx (var RegEx: RegExType; const s: String;
  NotBeginningOfLine, NotEndOfLine: Boolean): Boolean;
  asmname '_p_matchregex';

{ Matches a regular expression created with 'NewRegEx' against a
  string, starting from a specified position. }
function MatchRegExFrom (var RegEx: RegExType; const s: String;
  NotBeginningOfLine, NotEndOfLine: Boolean; From: Integer):
  Boolean; asmname '_p_matchregexfrom';

{ Finds out where the regular expression matched, if 'MatchRegEx' or
  'MatchRegExFrom' were successful. If n = 0, it returns the
  position of the whole match, otherwise the position of the n'th
  parenthesized subexpression. MatchPosition and MatchLength will
  contain the position (counted from 1) and length of the match, or
  0 if it didn't match. (Note: MatchLength can also be 0 for a
  successful empty match, so check whether MatchPosition is 0 to
  find out if it matched at all.) MatchPosition or MatchLength may
  be Null and is ignored then. }
procedure GetMatchRegEx (var RegEx: RegExType; n: Integer; var
  MatchPosition, MatchLength: Integer); asmname '_p_getmatch_regex';

{ Checks if the string s contains any quoted characters or
  (sub)expression references to the regular expression RegEx created
  with 'NewRegEx'. These are '&' or '\0' for the whole matched
  expression (if OnlySub is not set) and '\1' .. '\9' for the n'th
  parenthesized subexpression. Returns 0 if it does not contain any,

```

```

    and the number of references and quoted characters if it does. If
    an invalid reference (i.e. a number bigger than the number of
    subexpressions in RegEx) is found, it returns the negative value
    of the (first) invalid reference. }
function FindSubExpressionReferences (var RegEx: RegExType; const
    s: String; OnlySub: Boolean): Integer;
    asmname '_p_find_subexpressionreferences_regex';

{ Replaces (sub)expression references in ReplaceStr by the actual
  (sub)expressions and unquotes quoted characters. To be used after
  the regular expression RegEx created with 'NewRegEx' was matched
  against s successfully with 'MatchRegEx' or 'MatchRegExFrom'. }
function ReplaceSubExpressionReferences (var RegEx: RegExType;
    const s, ReplaceStr: String): TString;
    asmname '_p_replace_subexpressionreferences_regex';

{ Returns the string for a regular expression that matches exactly
  one character out of the given set. It can be combined with the
  usual operators to form more complex expressions. }
function CharSet2RegEx (const Characters: CharSet): TString;
    asmname '_p_CharSet2RegEx';

```

7.14.15 BP compatibility: Strings

The following listing contains the interface of the Strings unit.

This is a compatibility unit to BP's 'Strings' unit to handle C style '#0'-terminated strings.

The same functionality and much more is available in the Run Time System, [Section 7.13 \[Run Time System\]](#), [page 128](#), under clearer names (starting with a 'CString' prefix),

Moreover, the use of '#0'-terminated C-style strings ('PChar' or 'CString') is generally not recommended in GPC, since GPC provides ways to deal with Pascal-style strings of arbitrary and dynamic size in a comfortable way, as well as automatic conversion to C-style strings in order to call external C functions.

Therefore, using this unit is not recommended in newly written programs.

```
{ BP compatible Strings unit
```

```
Copyright (C) 1999-2002 Free Software Foundation, Inc.
```

```
Author: Frank Heckenbach <frank@pascal.gnu.de>
```

```
This file is part of GNU Pascal.
```

```
GNU Pascal is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published
by the Free Software Foundation; either version 2, or (at your
option) any later version.
```

```
GNU Pascal is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
```

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```
{ $gnu-pascal, I - }
```

```
unit Strings;
```

```
interface
```

```
uses GPC;
```

```
function StrLen      (Src: CString): SizeType; asmname '_p_strlen';
function StrEnd      (Src: CString): CString; asmname '_p_strend';
function StrMove     (Dest, Source: CString; Count: SizeType):
    CString; asmname '_p_strmove';
function StrCopy     (Dest, Source: CString): CString;
    asmname '_p_strcpy';
function StrECopy    (Dest, Source: CString): CString;
    asmname '_p_strecpy';
function StrLCopy    (Dest, Source: CString; MaxLen: SizeType):
    CString; asmname '_p_strlcpy';
function StrPCopy    (Dest: CString; const Source: String): CString;
    asmname '_p_cstringcopystring';
function StrCat      (Dest, Source: CString): CString;
    asmname '_p_strcat';
function StrLCat     (Dest, Source: CString; MaxLen: SizeType):
    CString; asmname '_p_strlcat';
function StrComp     (s1, s2: CString): Integer;
    asmname '_p_strcmp';
function StrLComp    (s1, s2: CString): Integer;
    asmname '_p_strcasecmp';
function StrLComp    (s1, s2: CString; MaxLen: SizeType): Integer;
    asmname '_p_strncmp';
function StrLComp    (s1, s2: CString; MaxLen: SizeType): Integer;
    asmname '_p_strlcasecmp';
function StrScan     (Src: CString; Ch: Char): CString;
    asmname '_p_strscan';
function StrRScan    (Src: CString; Ch: Char): CString;
    asmname '_p_strrscan';
function StrPos      (aString, SubString: CString): CString;
    asmname '_p_strpos';
```

```

function StrRPos    (aString, SubString: CString): CString;
    asmname '_p_strrpos';
function StrUpper   (s: CString): CString; asmname '_p_strupper';
function StrLower   (s: CString): CString; asmname '_p_strlower';
function StrPas     (aString: CString): TString;
    asmname '_p_strpas';
function StrEmpty   (s: CString): Boolean; asmname '_p_strempty';
function StrNew     (Src: CString): CString; asmname '_p_strdup';
procedure StrDispose (s: CString); asmname '_p_dispose';

```

7.14.16 Higher level string handling

The following listing contains the interface of the StringUtils unit.

This unit provides some routines for string handling on a higher level than those provided by the RTS.

```
{ Some routines for string handling on a higher level than those
  provided by the RTS.
```

Copyright (C) 1999-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```

{$gnu-pascal,I-}
{$if __GPC_RELEASE__ < 20000814}
{$error This unit requires GPC release 20000814 or newer.}
{$endif}

```

```

unit StringUtils;

interface

uses GPC;

{ Various routines }

{ Appends Source to s, truncating the result if necessary. }
procedure AppendStr (var s: String; const Source: String);

{ Cuts s to MaxLength characters. If s is already MaxLength
  characters or shorter, it doesn't change anything. }
procedure StrCut (var s: String; MaxLength: Integer);

{ Returns the number of disjoint occurrences of SubStr in s. Returns
  0 if SubStr is empty. }
function StrCount (const SubStr: String; s: String): Integer;

{ Returns s, with all disjoint occurrences of Source replaced by
  Dest. }
function StrReplace (const s, Source, Dest: String): TString;

{ Sets of characters accepted for 'True' and 'False' by
  Char2Boolean and StrReadBoolean. }
var
  CharactersTrue : CharSet = ['Y', 'y'];
  CharactersFalse: CharSet = ['N', 'n'];

{ If ch is an element of CharactersTrue, Dest is set to True,
  otherwise if it is an element of CharactersFalse, Dest is set to
  False. In both cases True is returned. If ch is not an element of
  either set, Dest is set to False and False is returned. }
function Char2Boolean (ch: Char; var Dest: Boolean): Boolean;

{ Converts a digit character to its numeric value. Handles every
  base up to 36 (0 .. 9, a .. z, upper and lower case recognized).
  Returns -1 if the character is not a digit at all. If you want to
  use it for a base < 36, you have to check if the result is smaller
  than the base and not equal to -1. }
function Char2Digit (ch: Char): Integer;

{ Encode a string in a printable format (quoted printable and
  surrounded with '"'). All occurrences of '"' within the string are
  encoded, so the result string contains exactly two '"' characters
  (at the beginning and ending). This is useful to store arbitrary
  strings in text files while keeping them as readable as possible
  (which is the goal of the quoted printable encoding in general,
  see RFC 1521, section 5.1) and being able to read them back
  losslessly (with UnQuoteString). }

```

```

function  QuoteString (const s: String): TString;

{ Decode a string encoded by QuoteString (removing the '"' and
  expanding quoted printable encoded characters). Returns True if
  successful and False if the string has an invalid form. A string
  returned by QuoteString is always valid. }
function  UnQuoteString (var s: String): Boolean;

{ Decode a quoted-printable string (not enclosed in '"', unlike for
  UnQuoteString). Returns True if successful and False if the string
  has an invalid form. In the latter case, it still decodes as much
  as is valid, even after the error position. }
function  UnQPString (var s: String): Boolean;

{ Quotes a string as done in shells, i.e. all special characters are
  enclosed in either '"' or "'", where '"', '$' and "'" are always
  enclosed in "'" and "'" is always enclosed in '"'. }
function  ShellQuoteString (const s: String): TString;

{ Replaces all tab characters in s with the appropriate amount of
  spaces, assuming tab stops at every TabSize columns. Returns True
  if successful and False if the expanded string would exceed the
  capacity of s. In the latter case, some, but not all of the tabs
  in s may have been expanded. }
function  ExpandTabs (var s: String; TabSize: Integer): Boolean;

{ Returns s, with all occurrences of C style escape sequences (e.g.
  '\n') replaced by the characters they mean. If AllowOctal is True,
  also octal character specifications (e.g. '\007') are replaced. If
  RemoveQuoteChars is True, any other backslashes are removed (e.g.
  '\*' -> '*' and '\\ -> '\'), otherwise they are kept, and also
  '\\' is left as two backslashes then. }
function  ExpandCEscapeSequences (const s: String; RemoveQuoteChars,
  AllowOctal: Boolean): TString;

{ Routines for TPStrings }

{ Initialise a TPStrings variable, allocate Size characters for each
  element. This procedure does not dispose of any previously
  allocated storage, so if you use it on a previously used variable
  without freeing the storage yourself, this might cause memory
  leaks. }
procedure AllocateTPStrings (var Strings: TPStrings; Size: Integer);

{ Clears all elements (set them to empty strings), does not free any
  storage. }
procedure ClearTPStrings (var Strings: TPStrings);

{ Divide a string into substrings, using Separators as separator. A
  single trailing separator is ignored. Further trailing separators
  as well as any leading separators and multiple separators in a row

```



```

    produce empty substrings. }
function TokenizeString (const Source: String; Separators: CharSet):
    PPStrings;

{ Divide a string into substrings, using SpaceCharacters as
  separators. The splitting is done according the usual rules of
  shells, using (and removing) single and double quotes and
  QuotingCharacter. Multiple, leading and trailing separators are
  ignored. If there is an error, a message will be stored in ErrMsg,
  and nil will be returned. Nil will also be returned (without an
  error message) if s is empty. }
function ShellTokenizeString (const s: String; var ErrMsg: String):
    PPStrings;

{ String parsing routines }

{ All the following StrReadFoo functions behave similarly. They read
  items from a string s, starting at index i, to a variable Dest.
  They skip any space characters (spaces and tabs) by incrementing i
  first. They return True if successful, False otherwise. i is
  incremented accordingly if successful, otherwise i is left
  unchanged, apart from the skipping of space characters, and Dest
  is undefined. This behaviour makes it easy to use the functions in
  a row like this:

      i := 1;
      if StrReadInt    (s, i, Size) and StrReadComma (s, i) and
        StrReadQuoted (s, i, Name) and StrReadComma (s, i) and
        ...
        StrReadReal   (s, i, Angle) and (i > Length (s)) then ...

  (The check 'i > Length (s)' is in case you don't want to accept
  trailing "garbage".) }

{ Just skip any space characters as described above. }
procedure StrSkipSpaces (const s: String; var i: Integer);

{ Read a quoted string (as produced by QuoteString) from a string
  and unquote the result using UnQuoteString. It is considered
  failure if the result (unquoted) would be longer than the capacity
  of Dest. }
function StrReadQuoted (const s: String; var i: Integer; var Dest:
    String): Boolean;

{ Read a string delimited with Delimiter from a string and return
  the result with the delimiters removed. It is considered failure
  if the result (without delimiters) would be longer than the
  capacity of Dest. }
function StrReadDelimited (const s: String; var i: Integer; var
    Dest: String; Delimiter: Char): Boolean;

```

```

{ Read a word (consisting of anything but space characters and
  commas) from a string. It is considered failure if the result
  would be longer than the capacity of Dest. }
function StrReadWord (const s: String; var i: Integer; var Dest:
  String): Boolean;

{ Check that a certain string is contained in s (after possible
  space characters). }
function StrReadConst (const s: String; var i: Integer; const
  Expected: String): Boolean;

{ A simpler to use version of StrReadConst that expects a ','. }
function StrReadComma (const s: String; var i: Integer): Boolean;

{ Read an integer number from a string. }
function StrReadInt (const s: String; var i: Integer; var Dest:
  Integer): Boolean;

{ Read a real number from a string. }
function StrReadReal (const s: String; var i: Integer; var Dest:
  Real): Boolean;

{ Read a Boolean value, represented by a single character
  from CharactersTrue or CharactersFalse (cf. Char2Boolean), from a
  string. }
function StrReadBoolean (const s: String; var i: Integer; var Dest:
  Boolean): Boolean;

{ Read an enumerated value, i.e., one of the entries of IDs, from a
  string, and stores the ordinal value, i.e., the index in IDs
  (always zero-based) in Dest. }
function StrReadEnum (const s: String; var i: Integer; var Dest:
  Integer; var IDs: array of PString): Boolean;

{ String hash table }

const
  DefaultHashSize = 1403;

type
  THash = Cardinal;

  PStrHashList = ^TStrHashList;
  TStrHashList = record
    Next: PStrHashList;
    s: PString;
    i: Integer;
    p: Pointer
  end;

  PStrHashTable = ^TStrHashTable;

```

```

TStrHashTable (Size: Cardinal) = record
  CaseSensitive: Boolean;
  Table: array [0 .. Size - 1] of PStrHashList
end;

function HashString      (const s: String): THash;
function NewStrHashTable (Size: Cardinal; CaseSensitive:
  Boolean): PStrHashTable;
procedure AddStrHashTable (HashTable: PStrHashTable; s: String;
  i: Integer; p: Pointer);
procedure DeleteStrHashTable (HashTable: PStrHashTable; s: String);
function SearchStrHashTable (HashTable: PStrHashTable; const s:
  String; var p: Pointer): Integer; { p may be Null }
procedure StrHashTableUsage (HashTable: PStrHashTable; var
  Entries, Slots: Integer);
procedure DisposeStrHashTable (HashTable: PStrHashTable);

```

7.14.17 BP compatibility: System

The following listing contains the interface of the System unit.

This unit contains only BP's more exotic routines which are not recommended to be used in new programs. Most of their functionality can be achieved by more standard means already.

Note: 'MemAvail' and 'MaxAvail', provided in this unit, cannot easily be achieved by other means. However, it is not recommended to use them on any multi-tasking system at all, where memory is a shared resource. The notes in the unit give some hints about how to avoid using them.

On special request, i.e., by defining the conditionals '__BP_TYPE_SIZES__', '__BP_RANDOM__' and/or '__BP_PARAMSTR_0__', the unit also provides BP compatible integer type sizes, a 100% BP compatible pseudo random number generator and/or BP compatible 'ParamStr (0)' behaviour (the latter, however, only on some systems).

```
{ BP and partly Delphi compatible System unit for GPC
```

```

This unit is released as part of the GNU Pascal project. It
implements some rather exotic BP and Delphi compatibility
features. Even many BP and Delphi programs don't need them, but
they're here for maximum compatibility. Most of BP's and Delphi's
System units' features are built into the compiler or the RTS.

```

```

Note: The things in this unit are really exotic. If you haven't
used BP or Delphi before, you don't want to look at this unit. :-)

```

```

This unit depends on the conditional defines '__BP_TYPE_SIZES__',
 '__BP_RANDOM__' and '__BP_PARAMSTR_0__'.

```

```

If '__BP_TYPE_SIZES__' is defined (with the '-D__BP_TYPE_SIZES__'
option), the integer data types will be redefined to the sizes
they have in BP or Delphi. Note that this might cause problems,
e.g. when passing var parameters of integer types between units
that do and don't use System. However, of the BP compatibility
units, only Dos and WinDos use such parameters, and they have been

```

taken care of so they work.

If `'__BP_RANDOM__'` is defined (`'-D__BP_RANDOM__'`), this unit will provide an exactly BP compatible pseudo random number generator. In particular, the range for integer randoms will be truncated to 16 bits like in BP. The `RandSeed` variable is provided, and if it's set to the same value as BP's `RandSeed`, it produces exactly the same sequence of pseudo random numbers that BP's pseudo random number generator does (whoever might need this ... ;-). Even the `Randomize` function will behave exactly like in BP. However, this will not be noted unless one explicitly tests for it.

If `'__BP_PARAMSTR_0__'` is defined (`'-D__BP_PARAMSTR_0__'`), this unit will change the value of `'ParamStr (0)'` to that of `'ExecutablePath'`, overwriting the value actually passed by the caller, to imitate BP's/Dos's behaviour. However **note**: On most systems, `'ExecutablePath'` is **not** guaranteed to return the full path, so defining this symbol doesn't change anything. In general, you **cannot** expect to find the full executable path, so better don't even try it, or your program will (at best) run on some systems. For most cases where BP programs access their own executable, there are cleaner alternatives available.

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Authors: Peter Gerwinski <peter@gerwinski.de>
 Prof. Abimbola A. Olowofoyeku <African_Chief@bigfoot.com>
 Frank Heckenbach <frank@pascal.gnu.de>
 Dominik Freche <dominik.freche@gmx.net>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other

```

    reasons why the executable file might be covered by the GNU
    General Public License. }

{$gnu-pascal,I-}
{$if __GPC_RELEASE__ < 20020225}
{$error This unit requires GPC release 20020225 or newer.}
{$endif}

unit System;

interface

import GPC (MaxLongInt => GPC_MaxLongInt);

var
    { Chain of procedures to be executed at the end of the program }
    ExitProc: ^procedure = nil;

    { Contains all the command line arguments passed to the program,
      concatenated, with spaces between them }
    CmdLine: CString;

    {$ifdef __BP_RANDOM__}
    { Random seed, initialized by Randomize, but can also be set
      explicitly }
    RandSeed: Integer (32) = 0;
    {$endif}

type
    OrigInt = Integer;
    OrigWord = Word;

    { needed in the Dos unit }
    Int7 = Integer (7);
    Word16 = Word (16);
    Word32 = Word (32);

    { Delphi }
    SmallInt = Integer (16);
    DWord = Cardinal (32);

    { Short BP compatible type sizes if wanted }
    {$ifdef __BP_TYPE_SIZES__}
    ByteBool = Boolean (8);
    WordBool = Boolean (16);
    LongBool = Boolean (32);
    Boolean = ByteBool; { important in packed records and arrays }
    ShortInt = Integer (8);
    Byte = Cardinal (8);
    Word = Cardinal (16);

```

```

LongInt  = Integer  (32);
Comp     = Integer  (64);
LongWord = Cardinal (32); { Delphi }
Integer  = Integer  (16);
{$endif}

{$if False} { @@ doesn't work well (dialec3.pas) -- when GPC gets
short
                strings, it will be unnecessary }
{$ifdef __BORLAND_PASCAL__}
String = String [255];
{$endif}
{$endif}

const
    MaxInt      = High (Integer);
    MaxLongInt  = High (LongInt);

{ Return the lowest-order byte of x }
function Lo (x: LongestInt): Byte; asmname '_p_Lo';

{ Return the lowest-but-one-order byte of x }
function Hi (x: LongestInt): Byte; asmname '_p_Hi';

{ Swap the lowest- and lowest-but-one-order bytes, mask out the
  higher ones }
function Swap (x: LongestInt): Word; asmname '_p_Swap';

{ Store the current directory name (on the given drive number if
  drive <> 0) in s }
procedure GetDir (Drive: Byte; var s: String); asmname '_p_GetDir';

{ Dummy routine for compatibility. @@Use two overloaded versions
  rather than varargs when possible. }
procedure SetTextBuf (var f: Text; var Buf; ...);
    asmname '_p_SetTextBuf';

{ Mostly useless BP compatible variables }
var
    SelectorInc: Word = $1000;
    Seg0040: Word = $40;
    SegA000: Word = $a000;
    SegB000: Word = $b000;
    SegB800: Word = $b800;
    Test8086: Byte = 2;
    Test8087: Byte = 3; { floating-point arithmetic is emulated
                        transparently by the OS if not present
                        in hardware }
    OvrCodeList: Word = 0;
    OvrHeapSize: Word = 0;
    OvrDebugPtr: Pointer = nil;

```


```

OvrHeapOrg: Word = 0;
OvrHeapPtr: Word = 0;
OvrHeapEnd: Word = 0;
OvrLoadList: Word = 0;
OvrDosHandle: Word = 0;
OvrEmsHandle: Word = $ffff;
HeapOrg: Pointer absolute HeapBegin;
HeapPtr: Pointer absolute HeapHigh;
HeapEnd: Pointer = Pointer (High (PtrCard));
FreeList: Pointer = nil;
FreeZero: Pointer = nil;
StackLimit: Word = 0;
HeapList: Word = 0;
HeapLimit: Word = 1024;
HeapBlock: Word = 8192;
HeapAllocFlags: Word = 2;
CmdShow: Integer = 0;
SaveInt00: Pointer = nil;
SaveInt02: Pointer = nil;
SaveInt0C: Pointer = nil;
SaveInt0D: Pointer = nil;
SaveInt1B: Pointer = nil;
SaveInt21: Pointer = nil;
SaveInt23: Pointer = nil;
SaveInt24: Pointer = nil;
SaveInt34: Pointer = nil;
SaveInt35: Pointer = nil;
SaveInt36: Pointer = nil;
SaveInt37: Pointer = nil;
SaveInt38: Pointer = nil;
SaveInt39: Pointer = nil;
SaveInt3A: Pointer = nil;
SaveInt3B: Pointer = nil;
SaveInt3C: Pointer = nil;
SaveInt3D: Pointer = nil;
SaveInt3E: Pointer = nil;
SaveInt3F: Pointer = nil;
SaveInt75: Pointer = nil;
RealModeRegs: array [0 .. 49] of Byte =
  (0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
   0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
   0, 0, 0, 0, 0, 0, 0, 0);

{ Mostly useless BP compatible pointer functions }
function Ofs (const X): PtrWord; asmname '_p_Ofs';
function Seg (const X): PtrWord; asmname '_p_Seg';
function Ptr (Seg, Ofs: PtrWord): Pointer; asmname '_p_Ptr';
function CSeg: PtrWord; asmname '_p_CSeg';
function DSeg: PtrWord; asmname '_p_DSeg';
function SSeg: PtrWord; asmname '_p_SSeg';
function SPtr: PtrWord; asmname '_p_SPtr';

```

{ Routines to handle BP's 6 byte 'Real' type which is formatted like this:



This format does not support infinities, NaNs and denormalized numbers. The first digit after the binary point is not stored and assumed to be 1. (This is called the normalized representation of a binary floating point number.)

In GPC, this type is represented by the type 'BReal' which is binary compatible to BP's type, and can therefore be used in connection with binary files used by BP programs.

The functions 'RealToBReal' and 'BRealToReal' convert between this type and GPC's 'Real' type. Apart from that, 'BReal' should be treated as opaque.

The variables 'BRealIgnoreOverflow' and 'BRealIgnoreUnderflow' determine what to do in the case of overflows and underflows. The default values are BP compatible. }

```

var
  { Ignore overflows, and use the highest possible value instead. }
  BRealIgnoreOverflow: Boolean = False;

  { Ignore underflows, and use 0 instead. This is BP's behaviour,
    but has the disadvantage of diminishing computation precision. }
  BRealIgnoreUnderflow: Boolean = True;

```

```

type
  BReal = record
    Format: array [1 .. 6] of Cardinal (8)
  end;

```

```

function RealToBReal (R: Real): BReal; asmname '_p_RealToBReal';
function BRealToReal (const BR: BReal): Real;
  asmname '_p_BRealToReal';

```

```

{ Heap management stuff }

```

```

const
  { Possible return values for HeapError }
  HeapErrorRunError = 0;
  HeapErrorNil      = 1;
  HeapErrorRetry    = 2;

```



```

var
  { If assigned to a function, it will be called when memory
    allocations do not find enough free memory. Its return value
    determines if a run time error should be raised (the default),
    or nil should be returned, or the allocation should be retried
    (causing the routine to be called again if the allocation still
    doesn't succeed).

    Notes:

    - Returning nil can cause some routines of the RTS and units
      (shipped with GPC or third-party) to crash when they don't
      expect nil, so better don't use this mechanism, but rather
      CGetMem where needed.

    - Letting the allocation be retried, of course, only makes sense
      if the routine freed some memory before -- otherwise it will
      cause an infinite loop! So, a meaningful HeapError routine
      should dispose of some temporary objects, if available, and
      return HeapErrorRetry, and return HeapErrorRunError when no
      (more) of them are available. }
  HeapError: ^function (Size: Word): Integer = nil;

  { Just returns HeapErrorNil. When this function is assigned to
    HeapError, GetMem and New will return a nil pointer instead of
    causing a runtime error when the allocation fails. See the comment
    for HeapError above. }
  function HeapErrorNilReturn (Size: Word): Integer;
    asmname '_p_HeapErrorNilReturn';

  { Return the total free memory/biggest free memory block. Except
    under Win32 and DJGPP, these are expensive routines -- try to
    avoid them. Under Win32, MaxAvail returns the same as MemAvail, so
    don't rely on being able to allocate a block of memory as big as
    MaxAvail indicates. Generally it's preferable to not use these
    functions at all in order to do a safe allocation, but just try to
    allocate the memory needed using CGetMem, and check for a nil
    result. What makes these routines unreliable is, e.g., that on
    multi-tasking systems, another process may allocate memory after
    you've called MemAvail/MaxAvail and before you get to do the next
    allocation. Also, please note that some systems over-commit
    virtual memory which may cause MemAvail to return a value larger
    than the actual (physical plus swap) memory available. Therefore,
    if you want to be "sure" (modulo the above restrictions) that the
    memory is actually available, use MaxAvail. }
  function MemAvail: Cardinal; asmname '_p_MemAvail';
  function MaxAvail: Cardinal; asmname '_p_MaxAvail';

  { Delphi compatibility }

```

```

function  CompToDouble (x: Comp): Double; asmname '_p_CompToDouble';
function  DoubleToComp (x: Double): Comp; asmname '_p_DoubleToComp';
function  AllocMemCount: Integer; asmname '_p_AllocMemCount';
function  AllocMemSize: SizeType; asmname '_p_AllocMemSize';
procedure Assert (Condition: Boolean); asmname '_p_Assert';
procedure DefaultAssertErrorProc (const Message, FileName: String;
    LineNumber: Integer; ErrorAddr: Pointer);
    asmname '_p_DefaultAssertErrorProc';

var
    AssertErrorProc: ^procedure (const Message, FileName: String;
    LineNumber: Integer; ErrorAddr: Pointer) =
    @DefaultAssertErrorProc;
    NoErrMsg: Boolean = False;

```

7.14.18 Trap runtime errors

The following listing contains the interface of the Trap unit.

This unit allows you to trap runtime errors, so a runtime error will not abort the program, but pass the control back to a point within the program. Use with care, and read the notes in the interface, please.

```
{ Trapping runtime errors
```

The Trap unit allows you to trap runtime errors, so a runtime error will not abort the program, but pass the control back to a point within the program.

The usage is simple. The TrapExec procedure can be called with a function (p) as an argument. p must take a Boolean argument. p will immediately be called with False given as its argument. When a runtime error would otherwise be caused while p is active, p will instead be called again with True as its argument. After p returns, runtime errors will not be trapped.

When the program terminates (e.g. by reaching its end or by a Halt statement) and a runtime error was trapped during the run, Trap will set the ExitCode and ErrorAddr variables to indicate the trapped error.

Notes:

- After trapping a runtime error, your program might not be in a stable state. If the runtime error was a "minor" one (such as a range checking or arithmetic error), it should not be a problem. But if you, e.g., write a larger application and use Trap to prevent a sudden abort caused by an unexpected runtime error, you should make the program terminate regularly as soon as possible after a trapped error (perhaps by telling the user to save the data, then terminate the program and report the bug to you).

- Since the trapping mechanism *jumps* back, it has all the negative effects that a (non-local!) 'goto' can have! You should be aware of the consequences of all active procedures being terminated at an arbitrary point!
- Nested traps are supported, i.e. you can call TrapExec again within a routine called by another TrapExec instance. Runtime errors trapped within the inner TrapExec invocation will be trapped by the inner TrapExec, while runtime errors trapped after its termination will be trapped by the outer TrapExec again.

Copyright (C) 1996-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```
{ $gnu-pascal, I - }
```

```
unit Trap;
```

```
interface
```

```
uses GPC;
```

```
var
```

```
  TrappedExitCode: Integer = 0;
```

```

    TrappedErrorAddr: Pointer = nil;
    TrappedErrorMessageString: TString = '';

    { Trap runtime errors. See the comment at the top. }
    procedure TrapExec (procedure p (Trapped: Boolean));
        asmname '_p_trapexec';

    { Forget about saved errors from the innermost TrapExec instance. }
    procedure TrapReset; asmname '_p_trapreset';

```

7.14.19 BP compatibility: Turbo3

The following listing contains the interface of the Turbo3 unit.

This is a compatibility unit to BP's 'Turbo3' compatibility unit to TP3. ;-) It is not meant to be used in any newly written code.

```

{ Turbo Pascal 3.0 compatibility unit

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published
by the Free Software Foundation; either version 2, or (at your
option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with GNU Pascal; see the file COPYING. If not, write to the
Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA
02111-1307, USA.

As a special exception, if you link this file with files compiled
with a GNU compiler to produce an executable, this does not cause
the resulting executable to be covered by the GNU General Public
License. This exception does not however invalidate any other
reasons why the executable file might be covered by the GNU
General Public License. }

{$gnu-pascal,I-}
{$if __GPC_RELEASE__ < 20020225}
{$error This unit requires GPC release 20020225 or newer.}
{$endif}

```

```

{ @@ Work-around for a problem with COFF debug info. Will hopefully
  disappear with qualified identifiers. }
{$ifdef DJGPP}
{$local W-} {$no-debug-info} {$endlocal}
{$endif}

unit Turbo3;

interface

import GPC;
    System (MemAvail => System_MemAvail,
            MaxAvail => System_MaxAvail);
    CRT (LowVideo => CRT_LowVideo,
         HighVideo => CRT_HighVideo);

var
    Kbd: Text;
    CBreak: Boolean absolute CheckBreak;

procedure AssignKbd (var F: { @@ AnyFile } Text);
function  MemAvail: Integer; asmname '_p_MemAvail3';
function  MaxAvail: Integer; asmname '_p_MaxAvail3';
function  LongFileSize (var F: AnyFile): Real;
function  LongFilePos  (var F: AnyFile): Real;
procedure LongSeek      (var F: AnyFile; aPosition: Real);
procedure LowVideo; asmname '_p_LowVideo3';
procedure HighVideo; asmname '_p_HighVideo3';

```

7.14.20 BP compatibility: WinDos

The following listing contains the interface of the WinDos unit.

This is a portable implementation of most routines from BP's 'WinDos' unit. A few routines that are Dos – or even IA32 real mode – specific, are only available if '___BP_UNPORTABLE_ROUTINES__' is defined, [Section 5.2 \[BP Incompatibilities\]](#), page 43.

The same functionality and much more is available in the Run Time System, [Section 7.13 \[Run Time System\]](#), page 128. The RTS routines usually have different names and/or easier and less limiting interfaces (e.g. 'ReadDir' etc. vs. 'FindFirst' etc.), and are often more efficient.

Therefore, using this unit is not recommended in newly written programs.

```
{ Mostly BP compatible portable WinDos unit
```

```

    This unit supports most, but not all, of the routines and
    declarations of BP's WinDos unit.

```

```
Notes:
```

- The procedures GetIntVec and SetIntVec are not supported since they make only sense for Dos real-mode programs (and GPC compiled programs do not run in real-mode, even on IA32 under Dos). The procedures Intr and MsDos are only supported under

DJGPP if ‘__BP_UNPORTABLE_ROUTINES__’ is defined (with the ‘-D__BP_UNPORTABLE_ROUTINES__’ option). A few other routines are also only supported with this define, but on all platforms (but they are crude hacks, that’s why they are not supported without this define).

- The internal structure of file variables (TFileRec and TTextRec) is different in GPC. However, as far as TFDDs are concerned, there are other ways to achieve the same in GPC, see the GPC unit.

Copyright (C) 1998-2002 Free Software Foundation, Inc.

Author: Frank Heckenbach <frank@pascal.gnu.de>

This file is part of GNU Pascal.

GNU Pascal is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

GNU Pascal is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Pascal; see the file COPYING. If not, write to the Free Software Foundation, 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

As a special exception, if you link this file with files compiled with a GNU compiler to produce an executable, this does not cause the resulting executable to be covered by the GNU General Public License. This exception does not however invalidate any other reasons why the executable file might be covered by the GNU General Public License. }

```
{ $gnu-pascal,I-}
{ $if __GPC_RELEASE__ < 20020225}
{ $error This unit requires GPC release 20020225 or newer.}
{ $endif}

{ @@ Work-around for a problem with COFF debug info. Will hopefully
  disappear with qualified identifiers. }
{ $ifdef DJGPP}
{ $local W-} { $no-debug-info} { $endlocal}
{ $endif}

unit WinDos;
```

```

interface

import GPC; System; Dos (FCarry      => Dos_FCarry,
                          FParity     => Dos_FParity,
                          FAuxiliary  => Dos_FAuxiliary,
                          FZero      => Dos_FZero,
                          FSign      => Dos_FSign,
                          FOverflow  => Dos_FOverflow,
                          DosError   => Dos_DosError,
                          GetCBreak  => Dos_GetCBreak,
                          SetCBreak  => Dos_SetCBreak,
                          GetVerify   => Dos_GetVerify,
                          SetVerify   => Dos_SetVerify,
                          {$ifdef __BP_UNPORTABLE_ROUTINES__}
                          {$ifdef DJGPP}
                          Intr        => Dos_Intr,
                          MsDos       => Dos_MsDos,
                          {$endif}
                          DosVersion => Dos_DosVersion,
                          SetDate     => Dos_SetDate,
                          SetTime     => Dos_SetTime,
                          {$endif}
                          FindFirst   => Dos_FindFirst,
                          FindNext    => Dos_FindNext,
                          FindClose   => Dos_FindClose);

const
  { File attribute constants }
  faReadOnly  = ReadOnly;
  faHidden    = Hidden;    { set for dot files except '.' and '..' }
  faSysFile   = SysFile;   { not supported }
  faVolumeID  = VolumeID;  { not supported }
  faDirectory = Directory;
  faArchive   = Archive;   { means: not executable }
  faAnyFile   = AnyFile;

  { Maximum file name component string lengths }
  fsPathName  = 79;
  fsDirectory = 67;
  fsFileName  = 8;
  fsExtension = 4;

  { FileSplit return flags }
  fcExtension = 1;
  fcFileName  = 2;
  fcDirectory = 4;
  fcWildcards = 8;

  { Flag bit masks -- only used by the unportable Dos routines }
  FCarry      = 1;

```

```

FParity      = 4;
FAuxiliary   = $10;
FZero        = $40;
FSign        = $80;
FOverflow    = $800;

type
  PTextBuf = ^TTextBuf;
  TTextBuf = TextBuf;

  { Search record used by FindFirst and FindNext }
  TSearchRec = {$ifdef __BP_TYPE_SIZES__} packed {$endif} record
    Fill: SearchRecFill;
    Attr: Byte8;
    Time, Size: LongInt;
    Name: {$ifdef __BP_TYPE_SIZES__}
      packed array [0 .. 12] of Char
    {$else}
      TStringBuf
    {$endif};
    Reserved: SearchRec
  end;

  { Date and time record used by PackTime and UnpackTime }
  TDateTime = DateTime;

  { 8086 CPU registers -- only used by the unportable Dos routines }
  TRegisters = Registers;

var
  { Error status variable }
  DosError: Integer; asmname '_p_DosError'; external;

procedure GetDate (var Year, Month, Day, DayOfWeek: Word);
  asmname '_p_getdate';
procedure GetTime (var Hour, Minute, Second, Sec100: Word);
  asmname '_p_gettime';
procedure GetCBreak (var BreakOn: Boolean); asmname '_p_getcbreak';
procedure SetCBreak (BreakOn: Boolean); asmname '_p_setcbreak';
procedure GetVerify (var VerifyOn: Boolean); asmname '_p_getverify';
procedure SetVerify (VerifyOn: Boolean); asmname '_p_setverify';
function DiskFree (Drive: Byte): LongInt; asmname '_p_diskfree';
function DiskSize (Drive: Byte): LongInt; asmname '_p_disksize';
procedure GetFAttr (var F { @@ anyfile: GPC_AnyFile } ; var Attr:
  TDosAttr); asmname '_p_getfattr';
procedure SetFAttr (var F { @@ anyfile: GPC_AnyFile } ; Attr:
  TDosAttr); asmname '_p_setfattr';
procedure GetFTime (var F { @@ anyfile: GPC_AnyFile } ; var aTime:
  LongInt); asmname '_p_getftime';
procedure SetFTime (var F { @@ anyfile: GPC_AnyFile } ; aTime:
  LongInt); asmname '_p_setftime';

```



```

{ FindFirst and FindNext are quite inefficient since they emulate
  all the brain-dead Dos stuff. If at all possible, the standard
  routines OpenDir, ReadDir and CloseDir (in the GPC unit) should be
  used instead. }
procedure FindFirst (Path: PChar; Attr: Word; var SR: TSearchRec);
  asmname '_p_wfindfirst';
procedure FindNext (var SR: TSearchRec); asmname '_p_wfindnext';
procedure FindClose (var SR: TSearchRec); asmname '_p_wfindclose';
procedure UnpackTime (P: LongInt; var T: TDateTime);
  asmname '_p_unpacktime';
procedure PackTime (const T: TDateTime; var P: LongInt);
  asmname '_p_packtime';
function FileSearch (Dest, Name, List: PChar): PChar;
  asmname '_p_wfilesearch';
function FileExpand (Dest, Name: PChar): PChar;
  asmname '_p_wfileexpand';
function FileSplit (Path, Dir, Name, Ext: PChar): Word;
  asmname '_p_wfilesplit';
function GetCurDir (Dir: PChar; Drive: Byte): PChar;
  asmname '_p_wgetcurdir';
procedure SetCurDir (Dir: PChar); asmname '_p_wsetcurdir';
procedure CreateDir (Dir: PChar); asmname '_p_wcreatedir';
procedure RemoveDir (Dir: PChar); asmname '_p_wremovedir';
function GetArgCount: Integer; asmname '_p_wgetargcount';
function GetArgStr (Dest: PChar; ArgIndex: Integer; MaxLen: Word):
  PChar; asmname '_p_wgetargstr';
function GetEnvVar (VarName: PChar): PChar;
  asmname '_p_cstringgetenv';

{$ifdef __BP_UNPORTABLE_ROUTINES__}
{$ifdef DJGPP}
procedure Intr (IntNo: Byte; var Regs: Registers);
  asmname '_p_intr';
procedure MsDos (var Regs: Registers); asmname '_p_msdos';
{$endif}
function DosVersion: Word; asmname '_p_dosversion';
procedure SetDate (Year, Month, Day: Word); asmname '_p_setdate';
procedure SetTime (Hour, Minute, Second, Sec100: Word);
  asmname '_p_settime';
{$endif}

```


8 The Alphabetical GPC Language Reference

This chapter is still under development. All identifiers are listed, but not all with explanations.

This chapter contains an alphabetical list of all built-in identifiers of the GNU Pascal compiler. For detailed and comprehensive description of syntax and reserved words, see [Chapter 7 \[Programming\]](#), page 73. This chapter explains only built-in procedures and functions in detail. It does not cover extensions provided by external units and libraries which are supposed to come with their own documentation.

Abs

Synopsis

```
function Abs (i: integer type): integer type;
or
function Abs (x: real type): real type;
or
function Abs (z: Complex type): real type;
```

Description

Returns the absolute value of the argument. For integer or real values of ‘x’, the definition is

```
function Abs (x: integer or real type): integer or real type;
begin
  if x < 0 then
    Abs := -x
  else
    Abs := x
end;
```

whereas for complex values it is

```
function Abs (x: Complex): Real;
begin
  Abs := Sqrt (x * Conjugate (x))
end;
```

Conforming to

The function ‘Abs’ is defined in ISO-7185 Pascal; its application to complex values is defined in ISO-10206 Extended Pascal.

Example

```
program AbsDemo;
var
  i1: Complex;
begin
  WriteLn (Abs (42));           { 42 }
  WriteLn (Abs (-42));          { 42 }
```

```

      WriteLn (Abs (-12.1) : 0 : 1); { 12.1 }
      i1 := Cmplx (1, 1);           { 1 + i }
      WriteLn (Abs (i1) : 0 : 3)    { 1.414, i.e. Sqrt (2) }
end.

```

See also

[\[Sqr\]](#), [page 399](#).

absolute

Synopsis

```

var
  variable name: data type absolute variable reference;
or
var
  variable name: data type absolute integer expression;

```

Description

The first meaning of the ‘**absolute**’ directive allows to put a variable to the address of another one and thus provides a type-casting mechanism.

In most cases, *variable reference* will be just a variable name, but GPC also allows arbitrary pointer expressions here. If *variable reference* has neither a constant address nor is a variable parameter, GPC prints a warning. This warning is suppressed in “extended syntax” mode which is switched on by the ‘**--extended-syntax**’ option or the ‘**{\$X+}**’ compiler directive.

GPC also allows explicit type casts. Variant records (as defined in ISO-7185 Pascal), however, have no *guaranteed* overlaying and are therefore *not* suitable for type casts.

The second meaning of ‘**absolute**’ places a variable at a specified address. This is useful on machines without virtual memory addressing for doing certain low-level operations, but should be avoided on systems with memory protection such as Unix-like systems. GPC does not check whether the specified virtual address makes any sense and does not provide a built-in mechanism to map it to a real address.

GPC warns about this second use of ‘**absolute**’ unless “extended syntax” has been requested.

Conforming to

‘**absolute**’ is a Borland Pascal extension.

Borland Pascal has a slightly different syntax for the second meaning related to the addressing scheme of IA32 processors working in real mode.

Allowing arbitrary memory references instead of just variable names in the first meaning of ‘**absolute**’ is a GNU Pascal extension.

Example

```

program AbsoluteDemo;

{$X+}

```

```

const
  IOMem = $f0000000;

var
  Mem: array [0 .. High (Cardinal)] of Byte absolute 0;

  { This address has no actual meaning }
  MyPort: Byte absolute IOMem + $c030;

{ Beware: Using any of the variables above will crash
  your program unless you know exactly what you do!
  That's why GPC warns about it without the $X+ directive. }

var
  x: Real;
  a: array [1 .. SizeOf (Real)] of Byte absolute x;
  i: Integer;
  b: Byte absolute a[i]; { GNU extension: non-constant memory reference. }

begin
  x := 3.14;

  { Look at the internal representation of a real variable. }
  for i := 1 to SizeOf (Real) do
    Write (a[i] : 4);
  WriteLn;

  { The same again, more ugly ... }
  for i := 1 to SizeOf (Real) do
    Write (b : 4);
  WriteLn;

  { And yes, there's an even more ugly way to do it ... }
  for i := 1 to SizeOf (Real) do
    Write (Mem[PtrCard (@x) + i - 1] : 4);
  WriteLn
end.

```

See also

[\[record\]](#), page 377, [Section 7.7 \[Type Casts\]](#), page 109.

abstract

Not yet implemented.

Synopsis**Description**

Conforming to

Example

See also

Addr

Synopsis

```
function Addr (const Foo): Pointer;
```

Description

‘Addr’ returns the address of its argument. It is equivalent to the address operator and provided for compatibility with Borland Pascal which in turn implements it for backward-compatibility with Turbo Pascal.

Conforming to

‘Addr’ is a Borland Pascal extension.

Example

```
program AddrDemo;
var
  Foo: ^Integer;
  Bar: Integer;
begin
  Foo := Addr (Bar); { Let ‘Foo’ point to ‘Bar’. }
  Bar := 17;
  Foo^ := 42; { Change the value of ‘Bar’ to 42 }
  WriteLn (Bar)
end.
```

See also

[Section 7.3 \[Operators\]](#), page 106.

AlignOf

Synopsis

```
function AlignOf (var x): Integer;
```

Description

Returns the alignment of a type or variable in bytes.

Conforming to

‘AlignOf’ is a GNU extension.

Example

```
program AlignOfDemo;
var
  a: Integer;
  b: array [1 .. 8] of Char;
begin
  WriteLn (AlignOf (a));      { Alignment of ‘Integer’; usually 4 bytes. }
  WriteLn (AlignOf (Integer)); { The same. }
  WriteLn (AlignOf (b));      { Alignment of ‘Char’; usually 1 byte. }
end.
```

Although the array is bigger than a single char, it is accessed char by char, so there usually is no need to align it on a 4 byte boundary or such. (This may be false on some platforms.)

See also

[\[SizeOf\]](#), page 397, [\[BitSizeOf\]](#), page 275, [\[TypeOf\]](#), page 412.

all

Synopsis

```
export foo = all;
```

Description

‘all’ is a predefined export interface for Extended Pascal modules. You can use it to export all identifiers declared in an interface module automatically.

Conforming to

‘All’ is a GNU extension.

Example

```
program AllDemo;

import AllInterface in 'allmodule.pas';

begin
  Bar (a);
  WriteLn (b)
end.

module AllModule interface;

export
  AllInterface = all; { Same as ‘AllInterface = (a, b, Bar);’ }
```

```

var
  a, b: Integer;

procedure Bar (i: Integer);

end.

module AllModule implementation;

procedure Bar (i: Integer);
begin
  b := a
end;

to begin do
  a := 42;

end.

```

See also

[Section 7.1.8.1 \[Modules\], page 85.](#)

and

Synopsis

```

operator and (operand1, operand2: Boolean) = Result: Boolean;
or
operator and (operand1, operand2: integer type) = Result: integer type;
or
procedure and (var operand1: integer type; operand2: integer type);

```

Description

In GNU Pascal, ‘**and**’ has three built-in meanings:

1. Logical “and” between two ‘**Boolean**’-type expressions. The result of the operation is of ‘**Boolean**’ type.
By default, ‘**and**’ acts as a short-circuit operator in GPC: If the first operand is ‘**False**’, the second operand is not evaluated because the result is already known to be ‘**False**’. You can change this to complete evaluation using the ‘**--no-short-circuit**’ command-line option or the ‘**{\$B+}**’ compiler directive.
2. Bitwise “and” between two integer-type expressions. The result is of the common integer type of both expressions.
3. Use as a “procedure”: ‘**operand1**’ is “and”ed bitwise with ‘**operand2**’; the result is stored in ‘**operand1**’.

Conforming to

The logical ‘and’ operator is defined in ISO-7185 Pascal.

According to ISO, you cannot rely on ‘and’ being a short-circuit operator. On the other hand, GPC’s default behaviour does *not* contradict the ISO standard. (See [\[and_then\]](#), page 264.) However, since it seems to be a de-facto standard among ISO Pascal compilers to evaluate both operands of ‘and’, GPC switches to ‘--no-short-circuit’ mode if one of the language dialect options selecting ISO Pascal, for instance ‘--extended-pascal’, is given. Use ‘--short-circuit’ to override.

Use of ‘and’ as a bitwise operator for integers is a Borland Pascal extension.

Use of ‘and’ as a “procedure” is a GNU extension.

Example

```
program AndDemo;
var
  a, b, c: Integer;
begin
  if (a = 0) and (b = 0) then { logical ‘and’ }
    c := 1
  else if a and b = 0 then { bitwise ‘and’ }
    c := 2
  else
    and (c, a) { same as ‘c := c and a’ }
end.
```

Note the difference between the logical ‘and’ and the bitwise ‘and’: When ‘a’ is 2 and ‘b’ is 4, then ‘a and b’ is 0. **Beware:** ‘a and b = 0’ has nothing to do with ‘(a = 0) and (b = 0)’!

Since bitwise ‘and’ has a higher priority than the ‘=’ operator, parentheses are needed in ‘if (a = 0) and (b = 0)’ because otherwise ‘0 and b’ would be calculated first, and the remainder would cause a parse error.

See also

[\[and_then\]](#), page 264, [\[and then\]](#), page 263, [\[or\]](#), page 355, [\[xor\]](#), page 425, Section 7.3 [Operators], page 106.

and then

Synopsis

```
{ ‘and then’ is built in. A user-defined operator cannot consist of
  two words. }
operator and then (operand1, operand2: Boolean) = Result: Boolean;
```

Description

‘and then’ is an alias for the short-circuit logical operator ‘and_then’.

Conforming to

While ‘and_then’ is defined in ISO-10206 Extended Pascal, ‘and then’ is a GNU Extension.

Example

```

program AndThenDemo;
var
  p: ^Integer;
begin
  New (p);
  ReadLn (p^);
  if (p <> nil) and then (p^ < 42) then { This is safe. }
    WriteLn (p^, ' is less than 42')
end.

```

See also

[\[and_then\]](#), page 264, [\[and\]](#), page 262, [\[or else\]](#), page 357.

and_then

Synopsis

```
operator and_then (operand1, operand2: Boolean) = Result: Boolean;
```

Description

The ‘`and_then`’ short-circuit logical operator performs the same operation as the logical operator ‘`and`’. But while the ISO standard does not specify anything about the evaluation of the operands of ‘`and`’ – they may be evaluated in any order, or not at all – ‘`and_then`’ has a well-defined behaviour: It evaluates the first operand. If the result is ‘`False`’, ‘`and_then`’ returns ‘`False`’ without evaluating the second operand. If it is ‘`True`’, the second operand is evaluated and returned.

Since the behaviour described above is the most efficient way to implement ‘`and`’, GPC by default treats ‘`and`’ and ‘`and_then`’ exactly the same. If you want, for some reason, to have both operands of ‘`and`’ evaluated completely, you must assign both to temporary variables and then use ‘`and`’ – or ‘`and_then`’, it does not matter.

Conforming to

‘`and_then`’ is an ISO-10206 Extended Pascal extension.

Some people think that the ISO standard requires both operands of ‘`and`’ to be evaluated. This is false. What the ISO standard *does* say is that you cannot rely on a certain order of evaluation of the operands of ‘`and`’; in particular things like the following program can crash according to ISO Pascal, although they cannot crash when compiled with GNU Pascal running in default mode.

```

program AndBug;
var
  p: ^Integer;
begin
  New (p);
  ReadLn (p^);
  if (p <> nil) and (p^ < 42) then { This is NOT safe! }
    WriteLn ('You''re lucky. But the test could have crashed ...')
end.

```

Example

```
program And_ThenDemo;
var
  p: ^Integer;
begin
  New (p);
  ReadLn (p^);
  if (p <> nil) and_then (p^ < 42) then { This is safe. }
    WriteLn (p^, ' is less than 42')
end.
```

See also

[\[and then\]](#), page 263, [\[and\]](#), page 262, [\[or-else\]](#), page 358.

AnsiChar

Synopsis

```
type
  AnsiChar = Char;
```

Description

‘AnsiChar’ is an 8 bit char type. Currently, it is the same as ‘Char’, but this might change in the future, once ‘wide chars’ (16 bit chars) will be introduced into GPC. Depending on the platform, ‘Char’ might be either ‘AnsiChar’ or ‘WideChar’ then.

Conforming to

‘AnsiChar’ is a Borland Delphi extension.

Example

```
program AnsiCharDemo;
var
  A: AnsiChar; { There is nothing special with ‘AnsiChar’. }
  B: Char;
begin
  A := 'A';
  A := B
end.
```

See also

[\[PAnsiChar\]](#), page 362, [\[Char\]](#), page 284.

Append

Synopsis

```
procedure Append (var F: any file; [FileName: String;]
                  [BlockSize: Cardinal]);
```

Description

‘Append’ opens a file for writing. If the file does not exist, it is created. If it does exist, the file pointer is positioned after the last element.

Like ‘Rewrite’, ‘Reset’ and ‘Extend’ do, ‘Append’ accepts an optional second and third parameter for the name of the file in the filesystem and, for untyped files, the block size of the file. (For details, see [\[Rewrite\]](#), [page 383](#).)

Conforming to

‘Append’, including the ‘BlockSize’ parameter, is a Borland Pascal extension. ISO-10206 Extended Pascal has [\[Extend\]](#), [page 306](#) instead. The ‘FileName’ parameter is a GNU extension.

Example

```
program AppendDemo;
var
  Sample: Text;
begin
  Assign (Sample, 'sample.txt');
  Rewrite (Sample);
  WriteLn (Sample, 'Hello, World!'); { 'sample.txt' now has one line }
  Close (Sample);

  { ... }

  Append (Sample);
  WriteLn (Sample, 'Hello again!'); { 'sample.txt' now has two lines }
  Close (Sample)
end.
```

See also

[\[Assign\]](#), [page 271](#), [\[Reset\]](#), [page 380](#), [\[Rewrite\]](#), [page 383](#), [\[Update\]](#), [page 415](#), [\[Extend\]](#), [page 306](#).

ArcTan

Synopsis

```
function ArcTan (x: Real): Real;
or
function ArcTan (z: Complex): Complex;
```

Description

‘ArcTan’ returns the (principal value of the) arcus tangent of the argument. The result is in the range ‘ $-\pi / 2 < \text{ArcTan}(x) < \pi / 2$ ’ for real arguments.

Conforming to

The function ‘ArcTan’ is defined in ISO-7185 Pascal; its application to complex values is defined in ISO-10206 Extended Pascal.

Example

```
program ArcTanDemo;
begin
  { yields 3.14159 as ArcTan (1) = Pi / 4 }
  WriteLn (4 * ArcTan (1) : 0 : 5)
end.
```

See also

[\[Sin\]](#), page 396, [\[Cos\]](#), page 292, [\[Ln\]](#), page 331, [\[Arg\]](#), page 267.

Arg

Synopsis

```
function Arg (z: Complex): Real;
```

Description

‘Arg’ returns the complex “argument”, i.e. the angle (in radian) in the complex plane with respect to the real axis, of its parameter ‘z’. The result is in the range of ‘ $-\pi < \text{Arg}(z) \leq \pi$ ’.

Conforming to

‘Arg’ is an ISO-10206 Extended Pascal extension.

Example

```
program ArgDemo;
var
  z: Complex;
begin
  z := Cmplx (1, 1); { 1 + i }
  WriteLn (Arg (z) : 0 : 5) { yields 0.78540, i.e. Pi / 4 }
end.
```

See also

[\[ArcTan\]](#), page 266, [\[Ln\]](#), page 331, [\[Polar\]](#), page 365.

array

Synopsis

In type definitions:

`array [index type] of element type`

or

`array [index type, ..., index type] of element type`

In parameter list declarations:

`array of element type`

Description

The reserved word ‘array’ is used to define an array type.

@@!!!! arrays in parameter lists

Conforming to

Array types are defined in ISO 7185 Pascal.

Example

```
program ArrayDemo;
type
  IntArray = array [1 .. 20] of Integer;
  WeekDayChars = array [(Mon, Tue, Wed, Thu, Fri, Sat, Sun)] of Char;
  Foo = array [0 .. 9, 'a' .. 'z', (Baz, Glork1, Fred)] of Real;
  TwoDimIntArray = array [1 .. 10] of IntArray;
  { is equivalent to: }
  TwoDimIntArray2 = array [1 .. 10, 1 .. 20] of Integer;

procedure PrintChars (F: array of Char);
var
  i: Integer;
begin
  for i := Low (F) to High (F) do
    WriteLn (F[i])
  end;

var
  Waldo: WeekDayChars;

begin
  Waldo := 'HiWorld';
  PrintChars (Waldo)
end.
```

See also

[Section 7.2.10.3 \[Array Types\]](#), [page 95](#), [\[High\]](#), [page 319](#), [\[Low\]](#), [page 338](#)

as

(Under construction.)

Synopsis**Description****Conforming to****Example****See also**

[\[is\]](#), [page 329](#), [\[TypeOf\]](#), [page 412](#), [Section 7.8 \[OOP\]](#), [page 112](#).

asm

(Under construction.)

Synopsis**Description**

See '<http://www.gnu-pascal.de/contrib/misc/gpcasm.zip>'.

Conforming to

'asm', as implemented in GPC, is a GNU extension. It is mostly compatible to GCC's 'asm', but not compatible to that of Borland Pascal.

Example**See also**

[Section 7.11.1 \[Importing Libraries from Other Languages\]](#), [page 125](#), [\[asmname\]](#), [page 269](#)

asmname**Synopsis**

procedure/function header; asmname *name*;

or

variable declaration; asmname *name*;

Description

The `'asmname'` directive declares the external name of a procedure, function or variable. The external name of the routine is given explicitly as a case-sensitive string constant. This is useful when interfacing with libraries written in other languages.

With this extension it is possible to access all external functions, for example the X11 interface functions, and not only those written in lowercase.

The idea to use `'external'` for this purpose (to avoid name space pollution) conflicts with another Borland extension not yet implemented: In Borland Pascal, the declaration

```
procedure Foo; external 'MyLib';
```

means that the procedure Foo should be imported by name ('Foo') from a dynamic link library 'mylib.dll'.

`'asmname'` can also be applied to units and module interfaces. In this case it denotes the *prefix* prepended to the external name of the initializer of the unit: While it is normally called `'init_Modulename'`, it is called `'init_asmname_Modulename'` when `'asmname'` is given.

This is not of interest under normal circumstances since the initializers are called automatically. It can help avoiding conflicts when there are several units of the same name within one program. Again, this does not happen normally, but e.g., when a program uses a unit/module that has the same name as one of the units the RTS consists of: The RTS uses `'asmname'` for its units to avoid conflicts.

In the future, an `'asmname'` declaration applied to units, modules and programs (the latter is recognized syntactically already, but has no effect yet) will also affect the default external name of routines and variables which have no `'asmname'` declaration themselves. Again, this is mostly useful for libraries etc., and will not be necessary for normal units, modules and programs.

Conforming to

`'asmname'` is a GNU Pascal extension.

Example

```
program AsmnameDemo;

{ Make two variables aliases of each other by using 'asmname'.
  This is not good style. If you must have aliases for any reason,
  'absolute' declaration may be the lesser evil ... }
var
  Foo: Integer; asmname 'Foo_Bar';
  Bar: Integer; asmname 'Foo_Bar';

{ A function from the C library }
function PutS (Str: CString): Integer; asmname 'puts'; external;

var
  Result: Integer;
begin
  Result := PutS ('Hello World!');
  WriteLn ('puts wrote ', Result, ' characters (including a newline).');
  Foo := 42;
  WriteLn ('Foo = ', Foo);
  Bar := 17;
```



```
WriteLn ('Setting Bar to 17.');
```

```
WriteLn ('Now, Foo = ', Foo, '!!!')
```

```
end.
```

See also

[\[C\]](#), page 281, [\[c_language\]](#), page 286, [\[external\]](#), page 308, Section 7.11.1 [\[Importing Libraries from Other Languages\]](#), page 125.

Assign

(Under contruction.)

Synopsis

```
procedure Assign (var F: any file; FileName: String);
```

Description

Conforming to

‘Assign’ is a Borland Pascal extension.

Example

See also

[\[Reset\]](#), page 380, [\[Rewrite\]](#), page 383, [\[Update\]](#), page 415, [\[Extend\]](#), page 306, [\[Append\]](#), page 266.

Assigned

(Under construction.)

Synopsis

```
function Assigned (p: Pointer): Boolean;
```

or

```
function Assigned (p: procedural type): Boolean;
```

Description

The ‘Assigned’ function returns ‘True’ if the pointer parameter or the address of the procedural parameter is not ‘nil’; it returns ‘False’ if it is ‘nil’.

Conforming to

‘Assigned’ is a Borland Pascal extension.

Example

```
program AssignedDemo;
type
  PInt = ^Integer;

procedure TellIfOdd (p: PInt);
begin
  if Assigned (p) and then Odd (p^) then
    WriteLn ('The pointer p points to an odd value.')
end;

var
  foo: Integer;
begin
  TellIfOdd (nil);
  foo := 1;
  TellIfOdd (@foo);
  foo := 2;
  TellIfOdd (@foo)
end.
```

See also

[\[Null\]](#), page 352, [\[nil\]](#), page 351, [\[Pointer\]](#), page 365.

attribute

(Under construction.)

Synopsis

Description

Conforming to

‘attribute’ is a GNU Pascal extension.

Example

See also

begin

Synopsis

```

begin
  statement;
  statement;
  ...
  statement
end;
```

Description

The reserved word ‘begin’ opens a ‘begin ... end’ statement which joins several *statements* to one compound statement.

Conforming to

‘begin’ is defined in ISO 7185 Pascal

Example

```

program BeginDemo;
begin
  if True then
    WriteLn ('single statement');
  if True then
    begin
      WriteLn ('statement1');
      WriteLn ('statement2')
    end
  { clamp statement1 ... }
  { ... to statement2 }
end.
```

See also

[Section 7.1.7.2 \[begin end Compound Statement\]](#), page 80, [\[end\]](#), page 301

Bind

(Under construction.)

Synopsis

```

procedure Bind (var F: any file; B: BindingType);
```

Description

Conforming to

‘Bind’ is an ISO-10206 Extended Pascal extension.

Example

See also

bindable

(Under construction.)

Synopsis

Description

Conforming to

‘bindable’ is an ISO-10206 Extended Pascal extension.

Example

See also

Binding

(Under construction.)

Synopsis

```
function Binding (F: any file): BindingType;
```

Description

Conforming to

‘Binding’ is an ISO-10206 Extended Pascal extension.

Example

See also

BindingType

(Under construction.)

Synopsis

```

type
  UnixTimeType = LongInt;
  BindingType = {@@packed} record
    Bound          : Boolean;
    Force          : Boolean;
    Extensions_Valid: Boolean;
  end record;
  { Can be set to allow binding to
    directories or inaccessible files }

```

```

Readable      : Boolean;
Writable      : Boolean;
Executable    : Boolean;
Existing      : Boolean;    { Binding points to an existing file }
Directory     : Boolean;    { Binding points to an existing
                             directory; Existing is False then }
Special       : Boolean;    { Binding points to an existing
                             special file (device, pipe, socket,
                             etc.); 'Existing' is False then }
SymLink       : Boolean;    { Binding points to a symbolic link }
AccessTime,   : Boolean;    { Time of last access }
ModificationTime,
ChangeTime    : UnixTimeType; { Time of last modification }
User,         : Boolean;    { Time of last change }
Group,        : Boolean;    { User ID of owner }
Mode,         : Boolean;    { Group ID of owner }
Device,       : Boolean;    { Access permissions, cf. ChMod }
INode         : Integer;    { Device the file is on }
TextBinary    : Boolean;    { Unix INode number }
Handle        : Integer;    { Open a Text file in binary mode }
CloseFlag     : Boolean;    { Can be set to bind a Pascal file to
                             a given file handle }
Name          : String (Binding_Name_Length)
end;

```

(@@ Currently, in GPC, BindingType is not actually packed.)

The fields 'Bound' and 'Name' are required by Extended Pascal.

Binding_Name_Length is an implementation-defined constant.

Description

Conforming to

'BindingType' is an ISO-10206 Extended Pascal extension.

Example

See also

BitSizeOf

Synopsis

```
function BitSizeOf (var x): SizeType;
```

Description

Returns the size of a type or variable in bits.

Conforming to

‘BitSizeOf’ is a GNU Pascal extension.

Example

```

program BitSizeOfDemo;
var
  a: Integer;
  b: array [1 .. 8] of Char;
  c: Integer (12);
  d: packed record
    x: Integer (12);
    y: 0 .. 3
  end;
begin
  WriteLn (BitSizeOf (a));    { Size of an ‘Integer’; usually 32 bits. }
  WriteLn (BitSizeOf (Integer)); { The same. }
  WriteLn (BitSizeOf (b));    { Size of eight ‘Char’s; usually 64 bits. }
  WriteLn (BitSizeOf (c));    { e.g. 16 bits (smallest addressable space). }
  WriteLn (BitSizeOf (d));    { e.g. 16 }
  WriteLn (BitSizeOf (d.x));  { 12 }
  WriteLn (BitSizeOf (d.y))  { 2 }
end.

```

See also

[\[SizeOf\]](#), page 397, [\[AlignOf\]](#), page 260, [\[TypeOf\]](#), page 412.

BlockRead

(Under construction.)

Synopsis

```

procedure BlockRead (var F: File; var Buffer; Blocks: Integer);
or
procedure BlockRead (var F: File; var Buffer; Blocks: Integer;
                    var BlocksRead: Integer);

```

Description

Conforming to

‘BlockRead’ is a UCSD Pascal extension.

Example

See also

BlockWrite

(Under construction.)

Synopsis

```
procedure BlockWrite (var F: File; const Buffer; Blocks: Integer);  
or  
procedure BlockWrite (var F: File; const Buffer; Blocks: Integer;  
                      var BlocksWritten: Integer);
```

Description

Conforming to

‘BlockWrite’ is a UCSD Pascal extension.

Example

See also

Boolean

(Under construction.)

Synopsis

```
type  
  Boolean = (False, True);  
or  
type  
  Boolean (n) { built-in type class }
```

Description

Conforming to

‘Boolean’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

‘Boolean (n)’ is a GPC extension.

Example

```
program BooleanDemo;  
var  
  a: Boolean;  
begin  
  a := True;  
  WriteLn (a)  
end.
```

See also

Break

Synopsis

```
Break { simple statement }
```

Description

With ‘Break’ you can exit the body of the current loop instantly. It can only be used within a *while*, *repeat* or a *for* statement.

Conforming to

‘Break’ is a Borland Pascal extension.

Example

```
program BreakDemo;
var
  Foo: Integer;
begin
  while True do
    begin
      repeat
        WriteLn ('Enter a number less than 100:');
        ReadLn (Foo);
        if Foo < 100 then
          Break;           { Exits repeat loop }
        WriteLn (Foo, ' is not exactly less than 100! Try again ...')
      until False;
      if Foo > 50 then
        Break;             { Exits while loop }
        WriteLn ('The number entered was not greater than 50.')
    end
  end.
end.
```

See also

[Section 7.1.7.13 \[Loop Control Statements\]](#), page 85, [\[Continue\]](#), page 291, [\[Exit\]](#), page 304, [\[Halt\]](#), page 319, [\[Return\]](#), page 382, [\[goto\]](#), page 318.

Byte

Synopsis

```
type
  Byte { built-in type }
```


Description

‘Byte’ is an unsigned integer type which is one “unit” wide. On most platforms one unit has 8 bits, therefore the type is named “byte” and usually has a range of ‘0..255’. (It is the same as [ByteCard](#), [page 280](#).)

‘Byte’ in GNU Pascal is compatible to ‘unsigned char’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

‘Byte’ is a Borland Pascal extension. (For something equivalent in ISO Pascal, see [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).)

Example

```
program ByteDemo;
var
  a: Byte;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), [page 89](#), [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).

ByteBool

(Under construction.)

Synopsis

```
type
  ByteBool = Boolean (BitSizeOf (Byte));
```

Description

Conforming to

Example

```
program ByteBoolDemo;
var
  a: ByteBool;
begin
  Byte (a) := 1;
  if a then WriteLn ('Ord (True) = 1')
end.
```

See also

ByteCard

Synopsis

```
type
  ByteCard = Cardinal (BitSizeOf (Byte));
```

Description

‘ByteCard’ is an unsigned integer type which is one “unit” wide. On most platforms one unit has 8 bits, therefore the type is prefixed “byte-” and usually has a range of ‘0..255’.

‘ByteCard’ in GNU Pascal is compatible to ‘unsigned char’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), page 89.

Conforming to

‘ByteCard’ is a GNU Pascal extension.

Example

```
program ByteCardDemo;
var
  a: ByteCard;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), page 89, [Section 7.2.10.1 \[Subrange Types\]](#), page 94.

ByteInt

Synopsis

```
type
  ByteInt = Integer (BitSizeOf (Byte));
```

Description

‘ByteInt’ is a signed integer type which is one “unit” wide. On most platforms one unit has 8 bits, therefore the type is prefixed “byte-” and usually has a range of ‘-128..127’.

‘ByteInt’ in GNU Pascal is compatible to ‘signed char’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), page 89.

Conforming to

‘ByteInt’ is a GNU Pascal extension.

‘ByteInt’ in GNU Pascal corresponds to [\[ShortInt\]](#), page 393 in Borland Pascal.

Example

```
program ByteIntDemo;  
var  
  a: ByteInt;  
begin  
  a := 42;  
  WriteLn (a)  
end.
```

See also

[Section 7.2.3 \[Integer Types\], page 89](#), [Section 7.2.10.1 \[Subrange Types\], page 94](#).

C

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

[Section 7.11.1 \[Importing Libraries from Other Languages\], page 125](#), [\[c_language\], page 286](#)

Card

Synopsis

```
function Card (S: any set): Integer;
```

Description

The function ‘Card (S)’ returns the number of elements in the set ‘S’.

Conforming to

‘Card’ is an ISO 10206 Extended Pascal extension.

Example

```

program CardDemo;
var
  Foo: set of 1 .. 100;
begin
  Foo := [1, 2, 3, 5, 1, 1, 1, 2, 2, 2, 3, 3, 5, 5]; { four elements }
  WriteLn ('foo consists of ', Card (Foo), ' elements')
end.

```

See also

[\[set\]](#), [page 388](#)

Cardinal

Synopsis

```

type
  Cardinal { built-in type }
or
type
  Cardinal (n) { built-in type class }

```

Description

‘**Cardinal**’ is the “natural” unsigned integer type in GNU Pascal. On most platforms it is 32 bits wide and thus has a range of ‘0..4294967295’. Use it whenever you need a general-purpose unsigned integer type and don’t need to care about compatibility to other Pascal dialects.

As an extension, GPC allows to use ‘**Cardinal**’ as a pseudo-schema to produce types with a specified size in bits; for example

```

type
  Card16 = Cardinal (16);

```

defines an unsigned integer type with 16 bits. The same mechanism works for ‘**Integer**’ and ‘**Word**’, too.

‘**Cardinal**’ in GNU Pascal is compatible to ‘**unsigned int**’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

‘**Cardinal**’ is not defined in ISO Pascal, but several Pascal compilers support it as an extension. In Borland Delphi, for instance, it is an unsigned 16-bit in version 1.0, an unsigned 31-bit integer from version 2.0 on, and an unsigned 32-bit integer from version 4.0 on.

Example

```

program CardinalDemo;
var
  a: Cardinal;
begin

```

```

    a := 42;
    WriteLn (a)
end.

```

See also

[Section 7.2.3 \[Integer Types\]](#), page 89, [Section 7.2.10.1 \[Subrange Types\]](#), page 94.

case

Synopsis

```

case expression of
  selector: statement;
  ...
  selector: statement;
end;

```

or, with alternative statement sequence:

```

case expression of
  selector: statement;
  ...
  selector: statement;
otherwise                                     { ‘‘else’’ instead of ‘‘otherwise’’ is allowed }
  statement;
  ...
  statement;
end;

```

or, as part of the invariant record type definition:

```

foo = record
  field declarations
case bar: variant type of
  selector: (field declarations);
  selector: (field declarations);
  ...
end;

```

or, without a variant selector field,

```

foo = record
  field declarations
case variant type of
  selector: (field declarations);
  selector: (field declarations);
  ...
end;

```

Description

‘case’ opens a case statement. For further description see [Section 7.1.7.4 \[case Statement\]](#), page 81.

For ‘case’ in a variant record type definition, see [Section 7.2.10.4 \[Record Types\]](#), page 95.

Conforming to

The ‘`case`’ statement is defined in ISO-7185 Pascal and supported by all known Pascal variants.

According to ISO 7185 Pascal, the selector type must be a named type. GNU Pascal, UCSD and Borland Pascal also allow a subrange here.

The alternative statement execution with ‘`otherwise`’ it is an Extended Pascal extension; with ‘`else`’ it is a Borland Pascal extension. In GNU Pascal, both are allowed.

Example

```
program CaseDemo;
var
  Foo: String (10);
  Bar: Integer;
begin
  WriteLn ('Enter up to ten arbitrary characters:');
  ReadLn (Foo);
  for Bar := 1 to Length (Foo) do
    begin
      Write (Foo[Bar], ' is ');
      case Foo[Bar] of
        'A' .. 'Z', 'a' .. 'z':
          WriteLn ('an English letter');
        '0' .. '9':
          WriteLn ('a number');
        otherwise
          WriteLn ('an unrecognized character')
      end
    end
  end
end.
```

See also

[Section 7.1.7.3 \[if Statement\], page 81](#), [Section 7.2.10.4 \[Record Types\], page 95](#)

Char

(Under construction.)

Synopsis

```
type
  Char { built-in type }
```

Description

Conforming to

‘`Char`’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

```
program CharDemo;
var
  a: Char;
begin
  a := 'x';
  WriteLn (a)
end.
```

See also

ChDir

Synopsis

```
procedure ChDir (Directory: String);
```

Description

‘ChDir’ changes the current directory to *Directory*, if its argument is a valid parameter to the related operating system’s function. Otherwise, a runtime error is caused.

Conforming to

‘ChDir’ is a Borland Pascal extension.

Example

```
program ChDirDemo;
var
  Foo: String (127);
begin
  WriteLn ('Enter directory name to change to:');
  ReadLn (Foo);
  {$I-} { Don't abort the program on error }
  ChDir (Foo);
  if IOResult <> 0 then
    WriteLn ('Cannot change to directory ', foo, '''.')
  else
    WriteLn ('Okay.')
end.
```

See also

[\[MkDir\]](#), [page 345](#), [\[RmDir\]](#), [page 384](#)

Chr

Synopsis

```
function Chr (AsciiCode: Integer): Char;
```

Description

‘Chr’ returns a character whose ASCII code corresponds to the value given by ‘AsciiCode’.

Conforming to

‘Chr’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

```
program ChrDemo;  
var  
  x: Integer;  
begin  
  for x := 32 to 122 do  
    Write (Chr (x))  
  end.
```

See also

[\[Ord\]](#), [page 357](#)

c_language

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

[Section 7.11.1 \[Importing Libraries from Other Languages\]](#), [page 125](#), [\[C\]](#), [page 281](#)

class

Not yet implemented.

Synopsis**Description****Conforming to****Example****See also****Close**

(Under construction.)

Synopsis

```
procedure Close (var F: any file);
```

Description**Conforming to****Example****See also****Cmplx****Synopsis**

```
function Cmplx (RealPart, ImaginaryPart: Real): Complex;
```

Description

‘Cmplx’ makes a complex number from ‘RealPart’ and ‘ImaginaryPart’.

Conforming to

‘Cmplx’ is an ISO-10206 Extended Pascal extension.

Example

```
program CmplxDemo;
var
  z: Complex;
  x, y: Real;
begin
  z := Cmplx (x, y) { z := x + iy }
end.
```

See also

[\[Re\]](#), [page 375](#), [\[Im\]](#), [page 321](#), [\[Polar\]](#), [page 365](#), [\[Arg\]](#), [page 267](#)

Comp

Synopsis

```
type
  Comp = LongInt;
```

Description

‘Comp’ is a signed integer type which is longer than ‘Integer’. On most platforms it is 64 bits wide and thus has a range of ‘-9223372036854775808..9223372036854775807’.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

‘Comp’ is a Borland Pascal extension.

In some contexts, Borland Pascal treats ‘Comp’ as a “real” type – this behaviour is not supported by GPC.

Example

```
program CompDemo;
var
  a: Comp;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), [page 89](#), [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).

Complex

(Under construction.)

Synopsis

```
type
  Internal_Complex = record { not visible }
    RealPart, ImaginaryPart: Real
  end;
  Complex = restricted Internal_Complex;
```

Description

Conforming to

‘Complex’ is an ISO-10206 Extended Pascal extension.

Example

```
program ComplexDemo;
var
  a: Complex;
begin
  a := Cmplx (42, 3);
  WriteLn (Re (a), ' + ', Im (a), ' i')
end.
```

See also

Concat

(Under construction.)

Synopsis

```
function Concat (S1, S2: String): String;
or
function Concat (S1, S2, S3: String): String;
or
...
```

Description

Conforming to

‘Concat’ is a UCSD Pascal extension.

Example

See also

Conjugate

Synopsis

```
function Conjugate (z: Complex): Complex;
```

Description

‘Conjugate’ computes the complex conjugate of the complex number ‘z’

Conforming to

‘Conjugate’ is an ISO-10206 Extended Pascal extension.

Example

```
program ConjugateDemo;
var
  z: Complex;
begin
  z := Cmplx (2, 3); { z is 2 + i * 3 }
  WriteLn ('z = ', Re (z) : 0 : 5, ' + i * ', Im (z) : 0 : 5);
  z := Conjugate (z); { z conjugate is 2 - i * 3 }
  WriteLn ('z conjugate = ', Re (z) : 0 : 5, ' + i * ', Im (z) : 0 : 5)
end.
```

See also

[\[Cmplx\]](#), [page 287](#), [\[Re\]](#), [page 375](#), [\[Im\]](#), [page 321](#), [\[Abs\]](#), [page 257](#)

const

(Under construction.)

Synopsis

Description

Conforming to

‘const’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

See also

constructor

(Under construction.)

Synopsis

Description

Conforming to

‘constructor’ is a Borland Pascal extension.

Example

See also

Continue

Synopsis

```
Continue { simple statement }
```

Description

‘Continue’ goes on with loop iteration by jumping to the end of the current loop body. Note: ‘Continue’ can only stand within a *while*, *repeat* or a *for* statement.

Conforming to

‘Continue’ is a Borland Pascal extension.

Example

```
program ContinueDemo;
var
  Foo, Bar: Integer;
begin
  WriteLn ('Enter three numbers:');
  for Bar := 1 to 3 do
    begin
      ReadLn (Foo);
      if Foo < 5 then
        Continue;
      WriteLn ('Your number was greater then 5.')
    end
  end.
end.
```

See also

[Section 7.1.7.13 \[Loop Control Statements\]](#), [page 85](#), [\[Break\]](#), [page 278](#), [\[Exit\]](#), [page 304](#), [\[Halt\]](#), [page 319](#), [\[Return\]](#), [page 382](#), [\[goto\]](#), [page 318](#).

Copy

Synopsis

```
function Copy (S: String; FirstChar, Count: Integer): String;
or
function Copy (S: String; FirstChar: Integer): String;
```

Description

‘Copy’ returns a sub-string of ‘S’ starting with the character at position *FirstChar*. If *Count* is given, such many characters will be copied into the sub-string. If *Count* is omitted, the sub-string will range to the end of *S*.

If ‘Count’ is too large for the sub-string to fit in *S*, the result will be truncated at the end of *S*. If ‘FirstChar’ exceeds the length of *S*, the empty string will be returned. (For a function which does not truncate but triggers a runtime error instead, see [\[SubStr\]](#), [page 404](#).)

Please note that GPC’s strings may be longer than 255 characters. If you want to isolate the second half of a string *S* starting with the third character, use ‘Copy (S, 3)’ instead of ‘Copy (S, 3, 255)’.

Conforming to

‘Copy’ is a UCSD Pascal extension. The possibility to omit the third parameter is a GNU Pascal extension.

Example

```
program CopyDemo;
var
  S: String (42);
begin
  S := 'Hello';
  WriteLn (Copy (S, 2, 3)); { yields 'ell' }
  WriteLn (Copy (S, 3));   { yields 'llo' }
  WriteLn (Copy (S, 4, 7)); { yields 'lo' }
  WriteLn (Copy (S, 42))   { yields the empty string }
end.
```

See also

[\[SubStr\]](#), [page 404](#), [Section 7.5 \[String Slice Access\]](#), [page 108](#).

Cos

Synopsis

```
function Cos (x: Real): Real;
or
function Cos (z: Complex): Complex;
```

Description

‘Cos’ returns the cosine of the argument. The result is in the range ‘ $-1 < \text{Cos}(x) < 1$ ’ for real arguments.

Conforming to

The function ‘Cos’ is defined in ISO-7185 Pascal; its application to complex values is defined in ISO-10206 Extended Pascal.

Example

```
program CosDemo;
begin
  WriteLn (Cos (Sqrt (2) / 2) : 0 : 5)
    { yields 0.5 since Cos (Sqrt (2) / 2) = 0.5 }
end.
```

See also

[\[ArcTan\]](#), page 266, [\[Sin\]](#), page 396, [\[Ln\]](#), page 331, [\[Arg\]](#), page 267.

CString

(Under construction.)

Synopsis

```
type
  CString = ^Char;
```

Description

Conforming to

Example

```
program CStringDemo;
var
  s: CString;
begin
  s := 'Hello, world!';
  {$X+}
  WriteLn (s)
end.
```

See also

CString2String

(Under construction.)

Synopsis

```
function CString2String (S: CString): String;
```

Description

Conforming to

Example

See also

CStringCopyString

(Under construction.)

Synopsis

```
function CStringCopyString (Dest: CString; const Source: String): CString;
```

Description

Conforming to

Example

See also

Date

(Under construction.)

Synopsis

```
function Date (T: TimeStamp): packed array [1 .. Date length] of Char;
```

Description

Conforming to

Example

See also

Dec

Synopsis

For ordinal types:

```
procedure Dec (var x: ordinal type);
```

or

```
procedure Dec (var x: ordinal type; Amount: Integer);
```

For pointer types:

```
procedure Dec (var p: any pointer type);
```

or

```
procedure Dec (var p: any pointer type; Amount: Integer);
```

Description

For ordinal types, ‘Dec’ decreases the value of ‘x’ by one or by ‘amount’ if specified.

If the argument ‘p’ is pointing to a specified type (typed pointer), ‘Dec’ decreases the address of ‘p’ by the size of the type ‘p’ is pointing to or by ‘amount’ times that size respectively. If ‘p’ is an untyped pointer (i.e. ‘p’ is of type [\[Pointer\]](#), [page 365](#)), ‘p’ is decreased by one, otherwise by ‘amount’ if specified.

Conforming to

‘Dec’ is a Borland Pascal extension. The combination of the second argument with application to pointers is a GNU extension.

Example

```
program DecDemo;
var
  x: Integer;
  y: array [1 .. 5] of Integer;
  p: ^Integer;
begin
  x := 9;
  Dec (x, 10);      { yields -1 }
  {$X+}            { Turn on extended syntax }
  p := @y[5];      { p points to y[5] }
  Dec (p, 3)       { p points to y[2] }
end.
```

See also

[\[Inc\]](#), [page 323](#), [\[Pred\]](#), [page 367](#), [\[Succ\]](#), [page 404](#), [Section 7.6 \[Pointer Arithmetics\]](#), [page 108](#).

DefineSize

(Under construction.)

Synopsis

```
procedure DefineSize (var F: any file; NewSize: Integer);
```

Description

Conforming to

‘DefineSize’ is an ISO-10206 Extended Pascal extension.

Example

See also

Delete

(Under construction.)

Synopsis

```
procedure Delete (var S: String; FirstChar, Count: Integer);  
or  
procedure Delete (var S: String; FirstChar: Integer);
```

Description

Conforming to

‘Delete’ is a UCSD Pascal extension. The possibility to omit the third parameter is a GNU Pascal extension.

Example

See also

destructor

(Under construction.)

Synopsis

Description

Conforming to

‘destructor’ is a Borland Pascal extension.

Example

See also

Dispose

(Under construction.)

Synopsis

```
Dispose (PointerVar: Pointer);  
or  
Dispose (PointerVar: Pointer; tag field values);  
or  
Dispose (ObjectPointerVar: Pointer; destructor call);
```

Description

Conforming to

‘Dispose’ is defined in ISO-7185 Pascal and supported by most known Pascal variants, but not by UCSD Pascal. Its use for objects is a Borland Pascal extension.

Example

See also

div

(Under construction.)

Synopsis

```
operator div (p, q: Integer) = r: Integer;
```

Description

Conforming to

‘div’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

See also

do

Synopsis

```
    for ... do
        statement
or
    while ... do
        statement
or
    with ... do
        statement
or
    to begin do
        statement
or
    to end do
        statement
```

Description

The ‘do’ reserved word is used in combination with other Pascal keywords in many ways. For description and examples see the relevant reference sections: ‘for’, ‘while’, ‘with’, ‘to begin’, ‘to end’.

Conforming to

‘do’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

See references.

See also

[\[for\]](#), [page 312](#), [\[while\]](#), [page 421](#), [\[with\]](#), [page 422](#), [\[to begin do\]](#), [page 408](#), [\[to end do\]](#), [page 409](#).

Double

(Under construction.)

Synopsis

```
type
    Double = Real;
```

Description

‘Double’ is a synonym for the ‘Real’ data type and supported for compatibility with other compilers.

Conforming to

‘Double’ is a Borland Pascal extension.

Example

```
program DoubleDemo;
var
  A: Double; { There is nothing special with ‘Double’. }
  B: Real;
begin
  A := Pi;
  A := B
end.
```

See also

downto

Synopsis

```
for variable := value1 downto value2 do
  statement
```

Description

The ‘downto’ reserved word is used in combination with ‘for’ to build a ‘for’ loop.

Conforming to

‘downto’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

See [\[for\]](#), page 312.

See also

[\[for\]](#), page 312.

else

Synopsis

As part of the `if ... then ... else` statement:

```
if Boolean expression then
  statement1
else
  statement2
```

or, as part of the `case ... else` statement:

```

    case expression of
      selector: statement;
      ...
      selector: statement
    else
      statement;
      ...
      statement
    end

```

Description

‘else’ is part of the ‘if ... then ... else’ statement which provides a possibility to execute statements alternatively. In the **case** statement, ‘else’ starts a series of statements which is executed if no selector fit in *expression*. In this case, ‘else’ is a synonym for **otherwise**.

Conforming to

‘else’ in ‘if’ statements is defined in ISO-7185 Pascal and supported by all known Pascal variants. ‘else’ in ‘case’ statements is a Borland Pascal extension; ISO-10206 Extended Pascal has ‘otherwise’ instead.

Example

```

program ElseDemo;
var
  i: Integer;
begin
  Write ('Enter a number: ');
  ReadLn (i);
  if i > 42 then
    WriteLn ('The number is greater than 42')
  else
    WriteLn ('The number is not greater than 42')
end.

```

See also

[\[if\]](#), [page 320](#), [\[case\]](#), [page 283](#), [\[otherwise\]](#), [page 359](#).

Empty

(Under construction.)

Synopsis

```
function Empty (var F: any file): Boolean;
```

Description

Conforming to

Example

See also

end

Synopsis

```
begin
  statement;
  statement;
  ...
  statement
end
```

Description

The reserved word ‘end’ closes a ‘begin’ ... ‘end’; statement which joins several *statements* together into one compound statement.

@@ end of a <case> statement @@ end of a record or object declaration @@ part of a <to end do> module destructor

Conforming to

‘end’ is defined in ISO-7185 Pascal and supported by all Pascal variants.

Example

```
program EndDemo;
begin
  if True then
    WriteLn ('single statement');
  if True then
    begin
      WriteLn ('statement1');
      WriteLn ('statement2')
    end
  { ... to statement2 }
end.
```

See also

[Section 7.1.7.2 \[begin end Compound Statement\], page 80](#), [\[begin\], page 272](#)

EOF

(Under construction.)

Synopsis

```
function EOF (var F: any file): Boolean;  
or  
function EOF: Boolean;
```

Description

Conforming to

‘EOF’ is defined in ISO-7185 Pascal and supported by all Pascal variants.

Example

See also

EOLn

(Under construction.)

Synopsis

```
function EOLn (var F: any file): Boolean;  
or  
function EOLn: Boolean;
```

Description

Conforming to

‘EOLn’ is defined in ISO-7185 Pascal and supported by all Pascal variants.

Example

See also

EpsReal

(Under construction.)

Synopsis

Description

Conforming to

‘EpsReal’ is an ISO-10206 Extended Pascal extension.

Example**See also****EQ**

(Under construction.)

Synopsis

```
function EQ (S1, S2: String): Boolean;
```

Description**Conforming to**

‘EQ’ is an ISO-10206 Extended Pascal extension.

Example**See also****Erase**

(Under construction.)

Synopsis

```
procedure Erase (var F: any file);
```

Description**Conforming to**

‘Erase’ is a Borland Pascal extension.

Example**See also**

Exclude

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

Exit

Synopsis

```
procedure Exit;
```

Description

‘Exit’ leaves the currently executed procedure or function. Note: If ‘Exit’ is called within the main program, it will be terminated instantly.

Conforming to

‘Exit’ is a UCSD Pascal extension. GNU Pascal does not support all uses of ‘Exit’ but only those defined in Borland Pascal.

Example

```
program ExitDemo;

procedure Foo (Bar: Integer);
var
  Baz, Fac: Integer;
begin
  if Bar < 1 then
    Exit;                                { Exit foo }
  Fac := 1;
  for Baz := 1 to Bar do
    begin
      Fac := Fac * Baz;
      if Fac >= Bar then                  { Exit foo }
        Exit;
      WriteLn (Bar, ' is greater than ', baz, '!, which is equal to ', Fac)
    end
end
```

```

end;

begin
  Foo (-1);
  Foo (789);
  Exit;                      { Terminates program }
  Foo (987654321)           { This is not executed any more }
end.

```

See also

[\[Break\]](#), page 278, [\[Continue\]](#), page 291, [\[Halt\]](#), page 319

Exp

Synopsis

```

function Exp (x: Real): Real;
or
function Exp (z: Complex): Complex;

```

Description

The exponential function ‘Exp’ computes the value of e to the power of x , where the Euler number $e = \text{Exp}(1)$ is the base of the natural logarithm.

Conforming to

The function ‘Exp’ is defined in ISO-7185 Pascal; its application to complex values is defined in ISO-10206 Extended Pascal.

Example

```

program ExpDemo;
var
  z: Complex;
begin
  z := Cmplx (1, - 2 * Pi); { z = 1 - 2 pi i }
  z := Exp (z); { yields e = Exp (1), since Exp ix = Cos x + i Sin x }
  WriteLn (Ln (Re (z)) : 0 : 5) { prints 1 = Ln (Exp (1)) }
end.

```

See also

[\[Ln\]](#), page 331

export

(Under construction.)

Synopsis

Description

Conforming to

‘export’ is an ISO-10206 Extended Pascal extension.

Example

See also

exports

Not yet implemented.

Synopsis

Description

Conforming to

‘exports’ is a Borland Pascal extension.

Example

See also

Extend

(Under construction.)

Synopsis

```
procedure Extend (var F: any file; [FileName: String;]  
                 [BlockSize: Cardinal]);
```

Description

‘Extend’ opens a file for writing. If the file does not exist, it is created. If it does exist, the file pointer is positioned after the last element.

Like ‘Rewrite’, ‘Reset’ and ‘Append’ do, ‘Extend’ accepts an optional second and third parameter for the name of the file in the filesystem and, for untyped files, the block size of the file. (For details, see [\[Rewrite\]](#), [page 383](#).)

Conforming to

‘Extend’ is an ISO-10206 Extended extension. Borland Pascal Pascal has [\[Append\]](#), page 266 instead. The ‘BlockSize’ parameter is a Borland Pascal extension. The ‘FileName’ parameter is a GNU extension.

Example

```
program ExtendDemo;
var
  Sample: Text;
begin
  Assign (Sample, 'sample.txt');
  Rewrite (Sample);
  WriteLn (Sample, 'Hello, World!'); { 'sample.txt' now has one line }
  Close (Sample);

  { ... }

  Extend (Sample);
  WriteLn (Sample, 'Hello again!'); { 'sample.txt' now has two lines }
  Close (Sample)
end.
```

See also

[\[Assign\]](#), page 271, [\[Reset\]](#), page 380, [\[Rewrite\]](#), page 383, [\[Update\]](#), page 415, [\[Append\]](#), page 266.

Extended

(Under construction.)

Synopsis

```
type
  Extended = LongReal;
```

Description

Conforming to

Example

```
program ExtendedDemo;
var
  a: Extended;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

extern

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

external

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

Fail

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

False

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

far

Synopsis

Description

The ‘far’ directive can be appended to a procedure or function heading but is ignored by GPC. It is there for Borland compatibility, only. (Since the GNU compilers provide a flat memory model, the distinction between ‘near’ and ‘far’ pointers is void.)

Conforming to

‘far’ is a Borland Pascal extension.

Example

```
program FarDemo;

var
  p: procedure;

{$W-} { Don't warn about the uselessness of 'far' }

procedure Foo; far; { 'far' has no effect in GPC }
begin
  WriteLn ('Foo')
end;

begin
  p := Foo; { Would also work without 'far' in GPC. }
  p
end.
```

See also

[\[near\]](#), page 349.

file

(Under construction.)

Synopsis

In type definitions:

`File of Type`

or

`File`

Description

Conforming to

Example

See also

FileMode

(Under construction.)

Synopsis

```
var
  FileMode: Integer;
```

Description

Conforming to

‘FileMode’ is a Borland Pascal extension.

Example

See also

FilePos

(Under construction.)

Synopsis

```
function FilePos (var F: any file): Integer;
```


Description

Conforming to

‘FilePos’ is a Borland Pascal extension.

Example

See also

FileSize

(Under construction.)

Synopsis

```
function FileSize (var F: any file): Integer;
```

Description

Conforming to

‘FileSize’ is a Borland Pascal extension.

Example

See also

FillChar

(Under construction.)

Synopsis

```
procedure FillChar (var Dest; Count: SizeType; Val: Char);  
or  
procedure FillChar (var Dest; Count: SizeType; Val: Byte);
```

Description

Conforming to

‘FillChar’ is a UCSD Pascal extension.

Example

See also

Finalize

(Under construction.)

Synopsis

```
procedure Finalize (var Aynthing);
```

Description

‘Finalize’ does all necessary clean-ups for the parameter. This is normally done automatically when a variable goes out of scope, so you need to call ‘Finalize’ only in special situations, e.g. when you deallocate a dynamic variable with ‘FreeMem’ rather than ‘Dispose’.

Conforming to

‘Finalize’ is a Delphi extension.

Example

See also

[\[Initialize\]](#), page 325, [\[Dispose\]](#), page 297, [\[FreeMem\]](#), page 315.

Flush

(Under construction.)

Synopsis

```
procedure Flush (var F: any file);
```

Description

Conforming to

Example

See also

for

Synopsis

For ordinal index variables:

```
for ordinal variable := initial value to final value do
  statement
```

or

```
for ordinal variable := initial value downto final value do
  statement
```

For sets:

```
for set element type variable in some set do
  statement
```

For pointer index variables:

```
for pointer variable := initial address to final address do
  statement
```

or

```
for pointer variable := initial address downto final address do
  statement
```

@@ Set member iteration

Description

The ‘for’ statement is a count loop. For further information see [Section 7.1.7.5 \[for Statement\]](#), page 82.

Conforming to

‘for’ is defined in ISO-7185 Pascal and supported by all Pascal variants. Iteration of Pointers is a Borland Pascal extension. Set member iteration is an ISO-10206 Extended Pascal extension.

Example

```
program ForDemo;
var
  CharSet: set of Char;
  c: Char;
  n: Integer;
  Fac: array [0 .. 10] of Integer;
  PInt: ^Integer;
begin
  CharSet := ['g', 'p', 'c'];
  for c in CharSet do
    WriteLn (c);      { prints c g p in three lines }
  Fac[0] := 1;
  for n := 1 to 10 do { computes the factorial of n for n = 0 .. 10 }
    Fac[n] := Fac[n - 1] * n;
  {$X+}
  { prints n! for n = 0 .. 10 }
  for PInt := @Fac[0] to @Fac[10] do
    WriteLn (PInt - @Fac[0], '! = ', PInt^);
end.
```

See also

[Section 7.2.10.7 \[Set Types\], page 100](#), [Section 7.6 \[Pointer Arithmetics\], page 108](#)

FormatString

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****forward**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****Frac**

(Under construction.)

Synopsis

```
function Frac (x: Real): Real;
```

Description**Conforming to**

Example

See also

FrameAddress

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

FreeMem

Synopsis

```
procedure FreeMem (var p: Pointer; Size: Cardinal);  
or  
procedure FreeMem (var p: Pointer);
```

Description

Releases a chunk of memory previously allocated using ‘GetMem’. The parameter *Size* is optional, and its value is ignored.

Since Extended Pascal’s schemata provide a cleaner way to implement dynamical arrays and such, we recommend using ‘GetMem’ and ‘FreeMem’ only for low-level applications or for interfacing with other languages.

Conforming to

‘FreeMem’ is a Borland Pascal extension. ‘FreeMem’ with only one parameter is a GNU Pascal extension.

Example

See [\[GetMem\]](#), page 317.

See also

[\[GetMem\]](#), page 317, [Section 7.2.10.6 \[Schema Types\]](#), page 97, [\[Dispose\]](#), page 297, [\[Mark\]](#), page 339, [\[Release\]](#), page 379.

function

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

GE

(Under construction.)

Synopsis

```
function GE (S1, S2: String): Boolean;
```

Description

Conforming to

Example

See also

Get

(Under construction.)

Synopsis

```
procedure Get (var F: typed file);
```

Description

Conforming to

Example

See also

GetMem

Synopsis

```

    procedure GetMem (var p: Pointer; Size: Cardinal);
or
    function GetMem (Size: Cardinal): Pointer;

```

Description

Allocates dynamical storage on the heap and returns a pointer to it in ‘p’ or as the function result.

Since Extended Pascal’s schemata provide a cleaner way to implement dynamical arrays and such, we recommend using ‘GetMem’ and ‘FreeMem’ only for low-level applications.

Conforming to

‘GetMem’ is a Borland Pascal extension. The use of ‘GetMem’ as a function is a GNU Pascal extension.

Example

The Borland-compatibility unit ‘Graph’ from the ‘BPcompat’ package supports a ‘GetImage’ and a ‘PutImage’ procedure which need a variable of size ‘ImageSize’ as a buffer. Since these are “black box” routines, the buffer can’t reasonably be a schema providing a dynamical array. Instead, we have to use ‘GetMem’ and ‘FreeMem’ for dynamical memory allocation.

```

program GetMemDemo;
var
    Buffer: Pointer;
    Size: Cardinal;
begin
    Size := Random (10000); { the size can be determined at run time }
    Buffer := GetMem (Size); { or: GetMem (Buffer, Size); }
    { Do something with Buffer }
    FreeMem (Buffer) { or: FreeMem (Buffer, Size) }
end.

```

See also

[\[FreeMem\]](#), page 315, [\[New\]](#), page 349, [Section 7.2.10.6 \[Schema Types\]](#), page 97.

GetTimeStamp

(Under construction.)

Synopsis

```

    procedure GetTimeStamp (var T: TimeStamp);

```

Description

Conforming to

‘GetTimeStamp’ is an ISO-10206 Extended Pascal extension.

Example

See also

goto

(Under construction.)

Synopsis

goto label

Description

The ‘goto’ statement transfers control to statement with the label ‘label’.

Conforming to

Example

See also

GT

(Under construction.)

Synopsis

```
function GT (S1, S2: String): Boolean;
```

Description

Conforming to

Example

See also

Halt

Synopsis

```
Halt;
or
Halt (ExitCode: Integer);
```

Description

‘Halt’ terminates the program with exitcode 0. If ‘ExitCode’, is specified, it is returned by ‘Halt’ on exit.

Conforming to

‘Halt’ is a UCSD Pascal extension.

Example

```
program HaltDemo;
begin
  WriteLn ('This string will always be this program''s output. ');
  Halt; { Terminate right here and right now. }
  WriteLn ('And this string won''t ever!')
end.
```

See also

[\[Break\]](#), page 278, [\[Continue\]](#), page 291, [\[Exit\]](#), page 304, [\[Return\]](#), page 382, [\[goto\]](#), page 318.

High

Synopsis

```
function High (ordinal type or variable): ordinal type;
or
function High (array type or variable): array index type;
or
function High (string variable): Integer;
```

Description

For ordinal types or variables of that type, ‘High’ returns the highest value a variable of that type can assume.

For array types or variables of that type, ‘High’ returns the highest index a variable of that type can assume. Note: the result is of the same type as the array index is. If the array has more than one dimension, ‘High’ returns the highest index in the first dimension.

If the argument is a string variable, ‘High’ returns the discriminant of the string type (i.e. its capacity).

Conforming to

‘High’ is a Borland Pascal extension.

Example

```

program HighDemo;
type
  Colors = (Red, Green, Blue);
var
  Col: array [Colors] of (Love, Hope, Faithfulness);
  Foo: Colors;
  Bar: Integer;
  Baz: String (123);
begin
  Foo := High (Col);           { yields Blue }
  Bar := Ord (High (Col[Foo])); { yields Ord (Faithfulness), i.e., 2 }
  Bar := High (Integer);       { returns highest possible ‘Integer’ }
  Bar := High (Baz)             { returns 123 }
end.
```

See also

[\[Low\]](#), [page 338](#)

if

Synopsis

```

  if Boolean expression then
    statement
or with an alternative statement:
  if Boolean expression then
    statement1
  else
    statement2
```

Description

The ‘if ... then’ statement executes *statement1* depending on ‘Boolean expression’ being true. If ‘else’ is specified, it continues executing *statement2* instead.

Conforming to

‘if’ is defined in ISO-7185 Pascal and supported by all Pascal variants.

Example

```

program IfDemo;
var
  Foo, Bar: Boolean;
```

```

begin
  Foo := True;
  Bar := False;
  if ((1 = 1) or (2 = 3)) and (Foo = not Bar) then
    begin
      { This is executed if either Foo is true but not Bar or vice versa }
      WriteLn ('Either Foo or Bar is true.');
```

```

      if Bar then
        WriteLn ('You will see this text if Bar is true.')
```

```

    end
  else { This whole 'else' branch is not executed }
    if 1 = 1 then
      if True = False then
        WriteLn ('This text is never written on screen.')
```

```

      else { Note: This 'else' belongs to 'if True = False' }
        WriteLn ('This text is never written on screen as well.')
```

```

    else { Note: This 'else' belongs to 'if 1 = 1' }
      WriteLn ('Nor is this.')
```

```

  end.

```

See also

[Section 7.1.7.3 \[if Statement\]](#), [page 81](#), [\[else\]](#), [page 299](#), [\[then\]](#), [page 406](#)

Im**Synopsis**

```
function Im (z: Complex): Real;
```

Description

‘Im’ extracts the imaginary part of the complex number ‘z’. The result is a real value.

Conforming to

‘Im’ is an ISO-10206 Extended Pascal extension.

Example

```

program ImDemo;
var
  z: Complex;
begin
  z := Cmplx (1, 2); { 1 + i * 2 }
  WriteLn (Im (z) : 0 : 5) { 2.00000 }
end.

```

See also

[\[Cmplx\]](#), [page 287](#), [\[Re\]](#), [page 375](#), [\[Arg\]](#), [page 267](#).

implementation

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

import

Synopsis

```
program @@fragment foo;

import
  bar1;
  bar3 (baz1 => glork1) in 'baz.pas';
  bar2 only (baz2, baz3 => glork2);

[...]
```

Description

The reserved word **'import'** in the *import part* of a program makes the program import an interface.

The **'in'** above tells GPC to look for the module in the specified file; otherwise the file name is derived from the name of the interface by adding first **'p'**, then **'pas'** – which only works if the name of the exported interface coincides with the file name.

The symbol **'=>'** denotes import renaming: The entity which is exported under the name **'baz1'** by the interface **'bar3'** will be known under the new name **'glork1'** in the program.

The **'only'** qualifier means that only the listed identifiers will be imported from the interface. Renaming works together with **'only'**, too.

There must be at most one import part in a program.

The interfaces needn't be exported by Extended Pascal modules but may be UCSD/Borland Pascal units as well.

Conforming to

'import' and modules in general are an ISO-10206 Extended Pascal extension.

GNU Pascal does not yet support **'qualified'** import.

Example

See also

[\[module\]](#), [page 346](#), [\[unit\]](#), [page 414](#), [\[uses\]](#), [page 416](#).

in

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

Inc

Synopsis

For ordinal types:

```
procedure Inc (var x: ordinal type);
```

or

```
procedure Inc (var x: ordinal type; Amount: Integer);
```

For pointer types:

```
procedure Inc (var p: any pointer type);
```

or

```
procedure Inc (var p: any pointer type; Amount: Integer);
```

Description

For ordinal types, ‘inc’ increases the value of ‘x’ by one or by ‘amount’ if it is given.

If the argument ‘p’ is pointing to a specified type (typed pointer), ‘inc’ increases the address of ‘p’ by the size of the type ‘p’ is pointing to or by ‘amount’ times that size respectively. If ‘p’ is an untyped pointer (i.e. ‘p’ is of type [\[Pointer\]](#), [page 365](#)), ‘p’ is increased by one.

Conforming to

‘Inc’ is a Borland Pascal extension. Yet application of ‘Inc’ to pointers is defined in Borland Pascal. The combination of the second argument with application to pointers is a GNU extension.

Example

```

program IncDemo;
var
  Foo: Integer;
  Bar: array [1 .. 5] of Integer;
  Baz: ^Integer;
begin
  Foo := 4;
  Inc (Foo, 5);      { yields 9 }
  {$X+}             { Turn on extended systax }
  Baz := @Bar[1];   { Baz points to y[1] }
  Inc (Baz, 2);     { Baz points to y[3] }
end.

```

See also

[\[Dec\]](#), [page 295](#), [\[Pred\]](#), [page 367](#), [\[Succ\]](#), [page 404](#), [Section 7.6 \[Pointer Arithmetics\]](#), [page 108](#).

Include

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

Index

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

inherited

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

Initialize

(Under construction.)

Synopsis

```
procedure Initialize (var Aynthing);
```

Description

‘**Initialize**’ does all necessary initializations for the parameter (e.g., setting of string and schema discriminants, and object VMT pointers, initialization of file variables). This is normally done automatically at the start of the lifetime of a variable, so you need to call ‘**Initialize**’ only in special situations, e.g. when you allocate a dynamic variable with ‘**GetMem**’ rather than ‘**New**’.

Conforming to

‘**Initialize**’ is a Delphi extension.

Example

See also

[\[Finalize\]](#), page 312, [\[New\]](#), page 349, [\[GetMem\]](#), page 317.

inline

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

InOutRes

(Under construction.)

Synopsis

```
var
    InOutRes: Integer;
```

Description

Conforming to

Example

See also

Input

(Under construction.)

Synopsis

```
var
    Input: Text;
```

Description

Conforming to

Example

See also

Insert

(Under construction.)

Synopsis

```
procedure Insert (Source: String; var Dest: String; Position: Integer);
```

Description

Conforming to

Example

See also

Int

(Under construction.)

Synopsis

```
function Int (x: Real): Real;
```

Description

Conforming to

Example

See also

Integer

Synopsis

```
type
  Integer { built-in type }
or
type
  Integer (n) { built-in type class }
```

Description

‘Integer’ is the “natural” signed integer type in GNU Pascal. On most platforms it is 32 bits wide and thus has a range of ‘-2147483648 .. 2147483647’. Use it whenever you need a general-purpose signed integer type.

As an extension, GPC allows to use ‘Integer’ as a pseudo-schema to produce types with a specified size in bits; for example

```
type
  Int16 = Integer (16);
```

defines an integer type with 16 bits. The same mechanism works for ‘Cardinal’ and ‘Word’, too.

‘Integer’ in GNU Pascal is compatible to ‘Int’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), page 89.

Conforming to

In ISO Pascal, ‘Integer’ is the only built-in integer type. (However see [Section 7.2.10.1 \[Subrange Types\]](#), page 94.)

Example

```
program IntegerDemo;
var
  a: Integer;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), page 89, [Section 7.2.10.1 \[Subrange Types\]](#), page 94.

interface

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

interrupt

Not yet implemented.

Synopsis

Description

Conforming to

Example

See also

IOResult

(Under construction.)

Synopsis

```
function IOResult: Integer;
```

Description

Conforming to

Example

See also

is

Synopsis

Description

Conforming to

Example

See also

[\[as\]](#), [page 269](#), [\[TypeOf\]](#), [page 412](#), [Section 7.8 \[OOP\]](#), [page 112](#).

label

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

LastPosition

(Under construction.)

Synopsis

```
function LastPosition (var F: typed file): Integer;
```

Description

Conforming to

Example

See also

LE

(Under construction.)

Synopsis

```
function LE (S1, S2: String): Boolean;
```

Description

Conforming to

Example

See also

Length

(Under construction.)

Synopsis

```
function Length (S: String): Integer;
```

Description

Conforming to

Example

See also

library

Not yet implemented.

Synopsis

Description

Conforming to

Example

See also

Ln

Synopsis

```
function Ln (x: Real): Real;  
or  
function Ln (z: Complex): Complex;
```

Description

The natural logarithm ‘Ln’ is the logarithm with base e, where e is the Euler number $e = \text{Exp}(1) = 2.718281828\dots$

Conforming to

The function ‘Ln’ is defined in ISO-7185 Pascal; its application to complex values is defined in ISO-10206 Extended Pascal.

Example

```

program LnDemo;
var
  z: Complex;
begin
  z := Cmplx (1, 1);
  z := Ln (z) { yields Ln (Sqrt (2)) + i * Pi / 4 }
              { since Ln (i * x) = Ln Abs (x) + i * Arg (x) }
end.

```

See also

LoCase

(Under construction.)

Synopsis

```
function LoCase (Ch: Char): Char;
```

Description

Conforming to

Example

See also

LongBool

(Under construction.)

Synopsis

```

type
  LongBool = Boolean (BitSizeOf (LongInt));

```

Description

Conforming to

Example

```
program LongBoolDemo;
var
  a: LongBool;
begin
  LongInt (a) := 1;
  if a then WriteLn ('Ord (True) = 1')
end.
```

See also

LongCard

Synopsis

```
type
  LongCard = Cardinal (BitSizeOf (LongInt));
```

Description

‘LongCard’ is an unsigned integer type which is longer than ‘Cardinal’. On most platforms it is 64 bits wide and thus has a range of ‘0..18446744073709551615’.

‘LongCard’ in GNU Pascal is compatible to ‘long long unsigned int’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), page 89.

Conforming to

‘LongCard’ is a GNU Pascal extension.

Example

```
program LongCardDemo;
var
  a: LongCard;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), page 89, [Section 7.2.10.1 \[Subrange Types\]](#), page 94.

LongestBool

(Under construction.)

Synopsis

```
type
  LongestBool = Boolean (BitSizeOf (LongestInt));
```

Description

Conforming to

Example

```
program LongestBoolDemo;
var
  a: LongestBool;
begin
  LongestInt (a) := 1;
  if a then WriteLn ('Ord (True) = 1')
end.
```

See also

LongestCard

Synopsis

```
type
  LongestCard = Cardinal (BitSizeOf (LongestInt));
```

Description

‘LongestCard’ is GPC’s longest-possible unsigned integer type. Currently, this is the same as [\[LongCard\]](#), [page 333](#). On most platforms it is 64 bits wide and thus has a range of ‘0..18446744073709551615’.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

‘LongestCard’ is a GNU Pascal extension.

Example

```
program LongestCardDemo;
var
  a: LongestCard;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), [page 89](#), [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).

LongestInt

Synopsis

```
type
  LongestInt = LongInt; { might get bigger than LongInt someday }
```

Description

‘LongestInt’ is GPC’s longest-possible signed integer type. Currently, this is the same as [\[LongInt\]](#), [page 336](#). On most platforms it is 64 bits wide and thus has a range of ‘-9223372036854775808..9223372036854775807’.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

‘LongestInt’ is a GNU Pascal extension.

Example

```
program LongestIntDemo;
var
  a: LongestInt;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), [page 89](#), [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).

LongestReal

(Under construction.)

Synopsis

```
type
  LongestReal = LongReal; { might get bigger than LongReal someday }
```

Description

Conforming to

Example

```
program LongestRealDemo;  
var  
  a: LongestReal;  
begin  
  a := 42;  
  WriteLn (a)  
end.
```

See also

LongestWord

Synopsis

```
type  
  LongestWord = LongestCard;
```

Description

‘LongestWord’ is GPC’s longest-possible unsigned integer type. Currently, this is the same as [\[LongWord\]](#), [page 338](#). On most platforms it is 64 bits wide and thus has a range of ‘0..18446744073709551615’. (It is the same as [\[LongestCard\]](#), [page 334](#).)

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

‘LongestWord’ is a GNU Pascal extension.

Example

```
program LongestWordDemo;  
var  
  a: LongestWord;  
begin  
  a := 42;  
  WriteLn (a)  
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), [page 89](#), [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).

LongInt

Synopsis

```
type  
  LongInt { built-in type }
```

Description

‘LongInt’ is a signed integer type which is longer than ‘Integer’. On most platforms it is 64 bits wide and thus has a range of ‘-9223372036854775808..9223372036854775807’.

‘LongInt’ in GNU Pascal is compatible to ‘long long int’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), page 89.

Conforming to

‘LongInt’ is a Borland Pascal extension. Borland Pascal defines ‘LongInt’ as a 32-bit signed integer type ([\[Integer\]](#), page 327 in GNU Pascal).

Example

```
program LongIntDemo;
var
  a: LongInt;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), page 89, [Section 7.2.10.1 \[Subrange Types\]](#), page 94.

LongReal

(Under construction.)

Synopsis

```
type
  LongReal { built-in type }
```

Description

Conforming to

Example

```
program LongRealDemo;
var
  a: LongReal;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

LongWord

Synopsis

```
type
  LongWord = LongCard;
```

Description

‘LongWord’ is an unsigned integer type which is larger than ‘Word’. On most platforms it is 64 bits wide and thus has a range of ‘0..18446744073709551615’. It is the same as [\[LongCard\]](#), [page 333](#).

‘LongWord’ in GNU Pascal is compatible to ‘long long unsigned int’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

‘LongWord’ is a GNU Pascal extension.

Example

```
program LongWordDemo;
var
  a: LongWord;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), [page 89](#), [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).

Low

Synopsis

```
function Low (ordinal type or variable): ordinal type;
or
function Low (array type or variable): array element type;
or
function Low (string variable): Integer;
```

Description

For ordinal types or variables of that type, ‘Low’ returns the lowest value a variable of that type can assume.

For array types or variables of that type, ‘Low’ returns the lowest index a variable of that type can assume. Note: the result is of the same type as the array index is. If the array has more than one dimension, ‘Low’ returns the lowest index in the first dimension.

If the argument is a string variable, ‘Low’ returns one.

Conforming to

Example

```

program LowDemo;
type
  Colors = (Red, Green, Blue);
var
  Col: array [12 .. 20] of Colors;
  Foo: 12 .. 20;
  Bar: Integer;
begin
  Foo := Low (Col);           { returns 12 }
  Col[Foo] := Low (Col[Foo]); { returns Red }
  Bar := Low (Integer)        { returns lowest ‘Integer’ value }
end.

```

See also

[\[High\]](#), page 319

LT

(Under construction.)

Synopsis

```
function LT (S1, S2: String): Boolean;
```

Description

Conforming to

Example

See also

Mark

(Under construction.)

Synopsis

```
procedure Mark (var P: Pointer);
```

Description

Conforming to

Example

See also

Max

(Under construction.)

Synopsis

```
function Max (x1, x2: ordinal or real type): same type;
```

Description

Conforming to

Example

See also

MaxChar

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

MaxInt

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

MaxReal

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

MedBool

(Under construction.)

Synopsis

```
type
  MedBool = Boolean (BitSizeOf (MedInt));
```

Description

Conforming to

Example

```
program MedBoolDemo;
var
  a: MedBool;
begin
  MedInt (a) := 1;
  if a then WriteLn ('Ord (True) = 1')
end.
```

See also

MedCard

Synopsis

```
type
  MedCard = Cardinal (BitSizeOf (MedInt));
```

Description

‘MedCard’ is an unsigned integer type which is not smaller than ‘Cardinal’. On most platforms it actually is the same as ‘Cardinal’ and 32 bits wide and thus has a range of ‘0..4294967295’.

‘MedCard’ in GNU Pascal is compatible to ‘long unsigned int’ in GNU C. This compatibility is the reason why ‘MedCard’ exists.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

‘MedCard’ is a GNU Pascal extension.

Example

```
program MedCardDemo;
var
  a: MedCard;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), [page 89](#), [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).

MedInt

Synopsis

```
type
  MedInt { built-in type }
```

Description

‘MedInt’ is a signed integer type which is not smaller than ‘Integer’. On most platforms it actually is the same as ‘Integer’ and 32 bits wide and thus has a range of ‘-2147483648..2147483647’.

‘MedInt’ in GNU Pascal is compatible to ‘long int’ in GNU C. This compatibility is the reason why ‘MedInt’ exists.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), page 89.

Conforming to

‘MedInt’ is a GNU Pascal extension.

Example

```
program MedIntDemo;
var
  a: MedInt;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), page 89, [Section 7.2.10.1 \[Subrange Types\]](#), page 94.

MedReal

(Under construction.)

Synopsis

```
type
  MedReal = Real;
```

Description

Conforming to

Example

```
program MedRealDemo;  
var  
  a: MedReal;  
begin  
  a := 42;  
  WriteLn (a)  
end.
```

See also

MedWord

Synopsis

```
type  
  MedWord = MedCard;
```

Description

‘MedWord’ is an unsigned integer type which is not smaller than ‘Word’. On most platforms it actually is the same as ‘Word’ and 32 bits wide and thus has a range of ‘0..4294967295’. It is the same as [\[MedCard\]](#), [page 342](#).

‘MedWord’ in GNU Pascal is compatible to ‘long unsigned int’ in GNU C. This compatibility is the reason why ‘MedWord’ exists.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

‘MedWord’ is a GNU Pascal extension.

Example

```
program MedWordDemo;  
var  
  a: MedWord;  
begin  
  a := 42;  
  WriteLn (a)  
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), [page 89](#), [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).

Min

(Under construction.)

Synopsis

```
function Min (x1, x2: ordinal or real type): same type;
```

Description

Conforming to

Example

See also

MinReal

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

MkDir

Synopsis

```
procedure MkDir (Directory: String);
```

Description

‘MkDir’ creates the given *Directory*, if its argument is a valid parameter to the related operating system’s function. Otherwise a runtime error is caused.

Conforming to

‘MkDir’ is a Borland Pascal extension.

Example

```
program MkdirDemo;
var
  Foo: String (127);
begin
  WriteLn ('Enter directory name to create:');
  ReadLn (Foo);
  {$I-} { Don't abort program on error }
  Mkdir (Foo);
  if IOResult <> 0 then
    WriteLn ('Directory ', Foo, '' could not be created')
  else
    WriteLn ('Okay')
end.
```

See also

[\[ChDir\]](#), page 285, [\[Rmdir\]](#), page 384

mod

(Under construction.)

Synopsis

```
operator mod (p, q: Integer) = r: Integer;
```

Description

Conforming to

Example

See also

module

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

Move

(Under construction.)

Synopsis

```
procedure Move (const Source; var Dest; Count: Integer);
```

Description

Conforming to

Example

See also

MoveLeft

(Under construction.)

Synopsis

```
procedure MoveLeft (const Source; var Dest; Count: Integer);
```

Description

Conforming to

Example

See also

MoveRight

(Under construction.)

Synopsis

```
procedure MoveRight (const Source; var Dest; count: Integer);
```

Description**Conforming to****Example****See also****Name**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****NE**

(Under construction.)

Synopsis

```
function NE (S1, S2: String): Boolean;
```

Description**Conforming to****Example****See also**

near

Synopsis

Description

The `'near'` directive can be appended to a procedure or function heading but is ignored by GPC. It is there for Borland compatibility, only. (Since the GNU compilers provide a flat memory model, the distinction between `'near'` and `'near'` pointers is void.)

Conforming to

`'near'` is a Borland Pascal extension.

Example

```
program NearDemo;

var
  p: procedure;

{$W-} { Don't warn about the uselessness of 'near' }

procedure Foo; near; { 'near' has no effect in GPC }
begin
  WriteLn ('Foo')
end;

begin
  p := Foo; { Works, despite the 'near'. }
  p
end.
```

See also

[\[far\]](#), page 309.

New

(Under construction.)

Synopsis

```
procedure New (var P: any Pointer);
or
procedure New (var P: Pointer to a variant record; tag fields);
or
procedure New (var P: Pointer to a schema; discriminants);
or
```

```
    procedure New (var P: Pointer to an object; constructor call);  
or  
    function New (any Pointer type): same type;  
or  
    function New (variant record Pointer type;  
                  tag fields): same type;  
or  
    function New (schema Pointer type;  
                  discriminants): same type;  
or  
    function New (object Pointer type;  
                  constructor call): same type;
```

Description

Conforming to

Example

See also

NewCString

(Under construction.)

Synopsis

```
function NewCString (const S: String): CString;
```

Description

Conforming to

Example

See also

nil

Synopsis

‘nil’ is a predefined constant

Description

‘nil’ is a predefined pointer constant that indicates an unassigned pointer. “nil” stands for “not in list”. *Every* pointer type can be associated with this constant.

Conforming to

‘nil’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

```

program NilDemo;
const
  NodeNum = 10;
type
  PNode = ^TNode;
  TNode = record
    Key: Integer;
    Next: PNode
  end;
var
  Root, Node: PNode;
  Foo: Integer;
begin
  New (Root);
  Root^.Key := 1;           { Set root key }
  Node := Root;
  for Foo := 2 to NodeNum do { Create linked list with NODE_NUM nodes }
  begin
    New (Node^.Next);
    Node := Node^.Next;
    Node^.Key := Foo       { Set key }
  end;
  Node^.Next := nil;       { Mark end of linked list }
  { Shorten list by removing its first element until list is empty }
  while Root <> nil do
  begin
    Node := Root;
    WriteLn ('Current key:', Root^.Key);
    Root := Root^.Next;
    Dispose (Node);
    Node := nil            { Indicate old node is not assigned }
  end
end.

```

See also

[\[Assigned\]](#), page 271, [\[Pointer\]](#), page 365

not

(Under construction.)

Synopsis

```
operator not (b1, b2: Boolean) = Result: Boolean;
or
operator not (i1, i2: integer type) = Result: integer type;
```

Description**Conforming to****Example****See also****Null****Synopsis**

```
var
  Null: Void absolute 0;
```

Description

‘Null’ is a predefined variable at address ‘nil’. ‘Null’ can be passed as a “void” argument to a procedure, function or operator expecting a “var” parameter. *Note:* Make sure they can handle this case, otherwise this is likely to cause an exception and the program will be terminated. Since ‘Null’ is an L-value, it can be taken as “nil-reference”.

Conforming to

‘Null’ is a Borland Delphi extension.

Example

```
program NullDemo;
type
  PString = ^String;
var
  Com1: String (25) = 'This is an amazing number';
  Com2: String (25) = 'This is a boring number';
```

```

procedure FooBar (Foo: Integer; var Comment: PString);
begin
  if Odd (Foo) then
    WriteLn ('FooBar:', Foo, ' is odd')
  else
    WriteLn ('FooBar:', Foo, ' is even');
  if @Comment <> nil then
    if not Odd(foo) then
      Comment := @Com1
    else
      Comment := @Com2
end;

var
  S: String (25);
  P: PString value @S;

begin
  { FooBar allows you to leave out variables
    for any information you might not need }
  FooBar (1, Null);
  { But FooBar is flexible, after all }
  FooBar (6, p);
  WriteLn ('FooBar said about 6: ', P^, '')
end.

```

See also

[\[nil\]](#), [page 351](#)

object

Synopsis

Description

The keyword ‘object’ is used to declare a new object type:

```

type
  foo = object
    a: Integer;
    constructor Init;
    procedure Bar (x: Integer); virtual;
  end;

```

(For a longer example, see [Section 7.8 \[OOP\]](#), [page 112.](#))

Conforming to

GNU Pascal follows the Borland Pascal 7.0 object model.

ISO Pascal does not support Object-orientated programming. There is an ANSI draft for an “Object Pascal” language which is not yet supported by GPC, but planned. The Delphi language, also called “Object Pascal” by Borland, is currently not supported by GPC either.

Example

See also

[Section 7.8 \[OOP\]](#), [page 112](#), [\[record\]](#), [page 377](#).

Odd

Synopsis

```
function Odd (i: Integer): Boolean;
```

Description

‘Odd’ checks the parity of its argument ‘i’. It returns ‘True’ if the argument is odd, ‘False’ if it is even.

Conforming to

‘Odd’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

```
program OddDemo;
var
  Foo: Integer;
begin
  Write ('Please enter an odd number: ');
  ReadLn (Foo);
  if not Odd (Foo) then
    WriteLn ('Odd's not even! Something's odd out there ...')
  else
    WriteLn (Foo, ' is pretty odd.')
end.
```

See also

of

(Under construction.)

Synopsis

Description

Conforming to**Example****See also****only**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****operator**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****or****Synopsis**

```

operator or (operand1, operand2: Boolean) = Result: Boolean;
or
operator or (operand1, operand2: integer type) = Result: integer type;
or
procedure or (var operand1: integer type; operand2: integer type);
```

Description

In GNU Pascal, ‘or’ has three built-in meanings:

1. Logical “or” between two ‘Boolean’-type expressions. The result of the operation is of ‘Boolean’ type.
By default, ‘or’ acts as a short-circuit operator in GPC: If the first operand is ‘True’, the second operand is not evaluated because the result is already known to be ‘True’. You can change this to complete evaluation using the ‘--no-short-circuit’ command-line option or the ‘{\$B+}’ compiler directive.
2. Bitwise “or” between two integer-type expressions. The result is of the common integer type of both expressions.
3. Use as a “procedure”: ‘operand1’ is “or”ed bitwise with ‘operand2’; the result is stored in ‘operand1’.

Conforming to

The logical ‘or’ operator is defined in ISO-7185 Pascal.

According to ISO, you cannot rely on ‘or’ being a short-circuit operator. On the other hand, GPC’s default behaviour does *not* contradict the ISO standard. (See [\[or_else\]](#), [page 358](#).) However, since it seems to be a de-facto standard among ISO Pascal compilers to evaluate both operands of ‘or’, GPC switches to ‘--no-short-circuit’ mode if one of the language dialect options selecting ISO Pascal, for instance ‘--extended-pascal’, is given. Use ‘--short-circuit’ to override.

Use of ‘or’ as a bitwise operator for integers is a Borland Pascal extension.

Use of ‘or’ as a “procedure” is a GNU Pascal extension.

Example

```
program OrDemo;
var
  a, b, c: Integer;
begin
  if (a = 0) or (b = 0) then { logical ‘or’ }
    c := 1
  else if a or b = 0 then { bitwise ‘or’ }
    c := 2
  else
    or (c, a) { same as ‘c := c or a’ }
end.
```

Note the difference between the logical ‘or’ and the bitwise ‘or’: When ‘a’ is 2 and ‘b’ is 4, then ‘a or b’ is 6. **Beware:** ‘a or b = 0’ happens to mean the same as ‘(a = 0) and (b = 0)’. (Note the ‘and’!)

Since bitwise ‘or’ has a higher priority than the ‘=’ operator, parentheses are needed in ‘if (a = 0) or (b = 0)’ because otherwise ‘0 or b’ would be calculated first, and the remainder would cause a parse error.

See also

[\[and\]](#), [page 262](#), [\[xor\]](#), [page 425](#), [Section 7.3 \[Operators\]](#), [page 106](#).

Ord

(Under construction.)

Synopsis

```
function Ord (Ch: Char): Integer;
```

Description

Conforming to

‘Ord’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

See also

or else

Synopsis

```
{ ‘or else’ is built in. A user-defined operator cannot consist of  
  two words. }  
operator or else (operand1, operand2: Boolean) = Result: Boolean;
```

Description

‘or else’ is an alias for the short-circuit logical operator ‘or_else’.

Conforming to

While ‘or_else’ is defined in ISO-10206 Extended Pascal, ‘or else’ is a GNU Extension.

Example

```
program OrElseDemo;  
var  
  a: Integer;  
begin  
  ReadLn (a);  
  if (a = 0) or else (100 div a > 42) then { This is safe. }  
    WriteLn ('100 div a > 42')  
end.
```

See also

[\[or_else\]](#), page 358, [\[or\]](#), page 355, [\[and then\]](#), page 263.

or_else

Synopsis

```
operator or_else (operand1, operand2: Boolean) = Result: Boolean;
```

Description

The ‘or_else’ short-circuit logical operator performs the same operation as the logical operator ‘or’. But while the ISO standard does not specify anything about the evaluation of the operands of ‘or’ – they may be evaluated in any order, or not at all – ‘or_else’ has a well-defined behaviour: It evaluates the first operand. If the result is ‘True’, ‘or_else’ returns ‘True’ without evaluating the second operand. If it is ‘False’, the second operand is evaluated and returned.

GPC by default treats ‘or’ and ‘or_else’ exactly the same. If you want, for some reason, to have both operands of ‘or’ evaluated completely, you must assign both to temporary variables and then use ‘or’ – or ‘or_else’, it does not matter.

Conforming to

‘or_else’ is an ISO-10206 Extended Pascal extension.

Some people think that the ISO standard requires both operands of ‘or’ to be evaluated. This is false. What the ISO standard *does* say is that you cannot rely on a certain order of evaluation of the operands of ‘or’; in particular things like the following program can crash according to ISO Pascal, although they cannot crash when compiled with GNU Pascal running in default mode.

```
program OrBug;
var
  a: Integer;
begin
  ReadLn (a);
  if (a = 0) or (100 div a > 42) then { This is NOT safe! }
    WriteLn ('You''re lucky. But the test could have crashed ...')
end.
```

Example

```
program Or_ElseDemo;
var
  a: Integer;
begin
  ReadLn (a);
  if (a = 0) or_else (100 div a > 42) then { This is safe. }
    WriteLn ('100 div a > 42')
end.
```

See also

[\[or else\]](#), page 357, [\[or\]](#), page 355, [\[and_then\]](#), page 264.

otherwise

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****Output**

(Under construction.)

Synopsis

```
var
    Output: Text;
```

Description**Conforming to****Example****See also****Override**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also**

Pack

(Under construction.)

Synopsis

Description

```
procedure Pack (Source: unpacked array;
               FirstElement: index type;
               var Dest: packed array);
```

Conforming to

Example

See also

packed

Synopsis

Description

‘**packed**’ is a reserved word. According to ISO-7185 Pascal it can precede ‘**array**’ and ‘**record**’ type definitions to indicate that memory usage should be minimized for variables of this type, possibly at the expense of loss of speed.

As a GNU extension, ‘**packed**’ can also be applied to [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).

Conforming to

The reserved word ‘**packed**’ is defined in ISO-7185 Pascal.

According to ISO standard, only *packed* arrays of char with lower bound 1 qualify as strings of fixed length. GNU Pascal neither requires ‘**packed**’ nor the lower bound of 1 here.

Example

```
program PackedDemo;

type
  MonthInt = packed 1 .. 12;  { needs one byte  }
  FastMonthInt = 1 .. 12;    { needs four bytes }

  FixString10 = packed array [1 .. 10] of Char;
  FoxyString10 = array [0 .. 9] of Char;
```

```

Flags = packed array [1 .. 32] of Boolean; { needs four Bytes }

DateRec = packed record
  Day: 1 .. 31;      { five bits }
  Month: MonthInt;   { four bits }
  Year: Integer (15) { 15 bits = -16384 .. 16383 }
end;

Dates = array [1 .. 1000] of DateRec;

var
  S: FixString10;
  T: FoxyString10;

begin
  S := 'Hello!'; { blank padded }
  WriteLn (S);

  T := 'GNU Pascal'; { GPC extension: this also works. }
  WriteLn (T)
end.

```

‘DateRec’ has 24 bits = 3 bytes in total; ‘Dates’ has 3000 bytes.

See also

[\[Pack\]](#), page 360, [\[Unpack\]](#), page 414, [\[SizeOf\]](#), page 397, [\[AlignOf\]](#), page 260, [\[BitSizeOf\]](#), page 275.

Page

(Under construction.)

Synopsis

```

procedure Page (var F: Text);
or
procedure Page;

```

Description

Conforming to

Example

See also

PAnsiChar

(Under construction.)

Synopsis

```
type
  PAnsiChar = ^AnsiChar;
```

Description

Conforming to

Example

```
program PAnsiCharDemo;
var
  s: PAnsiChar;
begin
  s := 'Hello, world!';
  {$X+}
  WriteLn (s)
end.
```

See also

ParamCount

Synopsis

```
function ParamCount: Integer;
```

Description

‘ParamCount’ returns the number of command-line arguments given to the program. ‘ParamCount’ returns 0 if no arguments have been given to the program; the name of the program as an implicit argument is not counted.

Conforming to

‘ParamCount’ is a Borland Pascal extension.

Example

```
program ParamCountDemo;

var
  i: Integer;
```

```
begin
  WriteLn ('You have invoked this program with ',
           ParamCount, ' arguments.');
```

```
  WriteLn ('These are:');
  for i := 1 to ParamCount do
    WriteLn (ParamStr (i))
  end.
```

See also

[\[ParamStr\]](#), page 363.

ParamStr

(Under construction.)

Synopsis

```
function ParamStr (ParmNumber: Integer): String;
```

Description

Note: If you are using the Dos (DJGPP) or MS-Windows (mingw32) version of GPC and are getting unexpected results from ‘ParamStr’, please see the section “Command-line Arguments Handling in DJGPP” of the DJGPP FAQ list.

Conforming to

Example

See also

PChar

(Under construction.)

Synopsis

```
type
  PChar = ^Char;
or
type
  PChar = CString;
```

Description

Conforming to

Example

```

program PCharDemo;
var
  s: PChar;
begin
  s := 'Hello, world!';
  {$X+}
  WriteLn (s)
end.

```

See also

Pi

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

PObjectType

Synopsis

```

type
  PObjectType = ^const record
    Size:      SizeType;
    NegSize: Integer (BitSizeOf (SizeType));
    Parent:    PObjectType;
    Name:      ^const String
  end;

```

(Note: ‘^record’ is not valid syntax. It is just used here for explanation because the record type itself is not declared.)

Description

The type returned by ‘TypeOf’ and required by ‘SetType’. In fact, the record pointed to (the VMT) also contains pointers to the virtual methods. However, these are not declared in ‘PObjectType’ because they vary from object type to object type. The fields declared here are those that can be accessed (via ‘TypeOf’) for every object type.

‘Size’ contains the size of the object type, ‘NegSize’ contains the size negated (for runtime checks). ‘Parent’ contains a pointer to the parent type’s VMT (or nil if the type has no parent or the parent type is abstract). ‘Name’ points to a string containing the type’s name.

Conforming to

‘PObjectType’ is a GNU Pascal extension

Example

See also

[\[TypeOf\]](#), page 412, [\[SetType\]](#), page 390, [Section 7.8 \[OOP\]](#), page 112.

Pointer

(Under construction.)

Synopsis

```
type
  Pointer { built-in type }
```

Description

Conforming to

Example

```
program PointerDemo;
var
  a: Integer;
  b: Boolean;
  p: Pointer;
begin
  p := nil;
  p := @a;
  p := @b
end.
```

See also

Polar

(Under construction.)

Synopsis

```
function Polar (rho, phi: Real): Complex;
```

Description

Conforming to

Example

See also

Pos

(Under construction.)

Synopsis

```
function Pos (SearchPattern, Source: String): Integer;
```

Description

Conforming to

Example

See also

Position

(Under construction.)

Synopsis

```
function Position (var F: typed file);
```

Description

Conforming to

Example

See also

pow

(Under construction.)

Synopsis

```
operator pow (base: Real; exponent: Integer) = power: Real;
or
operator pow (base: Complex; exponent: Integer) = power: Complex;
```

Description**Conforming to****Example****See also****Pred****Synopsis**

```
function Pred (i: ordinal type): ordinal type;
or
function Pred (i: ordinal type; j: Integer): ordinal type;
or, with extended syntax ('--extended-syntax' or '{$X+}'),
function Pred (p: Pointer type): Pointer type;
or
function Pred (p: Pointer type; j: Integer): Pointer type;
```

Description

Returns the predecessor of the *ordinal type* value 'i', or, if the second argument 'j' is given, its 'j'th predecessor. For integer values 'i', this is 'i - 1' (or 'i - j'). (No, 'Pred' does *not* work faster than plain subtraction. Both are optimized to a single machine instruction or even expanded by the compiler, if possible.)

If extended syntax is on, the argument may also be a pointer value. In this case, the address is decremented by the size of the variable pointed to, or, if 'j' is given, by 'j' times the size of the variable pointed to. If 'p' points to an element of an array, the returned pointer will point to the ('j'th) previous element of the array.

Conforming to

The 'Pred' function is defined in ISO-7185 Pascal. The optional second parameter is defined in ISO-10206 Extended Pascal. Application of 'Pred' to pointers is defined in Borland Pascal. The combination of the second argument with application to pointers is a GNU extension.

Example

```

program PredDemo;

type
  Metasyntactical = (foo, bar, baz);

var
  m: Metasyntactical;
  c: Char;
  a: array [1 .. 7] of Integer;
  p: ^Integer;

begin
  m := Pred (bar);      { foo }
  c := Pred ('Z', 2);   { 'X' }
  a[1] := 42;
  a[4] := Pred (a[1]);   { 41 }
  a[5] := Pred (a[4], 3); { 38 }
  {$X+}
  p := @a[5];
  p := Pred (p);        { now p points to a[4] }
  p := Pred (p, 3);     { now p points to a[1] }
end.

```

See also

[\[Succ\]](#), page 404, [\[Dec\]](#), page 295, [Section 7.6 \[Pointer Arithmetics\]](#), page 108.

private

(Under construction.)

Synopsis

Description

GPC currently accepts but ignores the ‘**private**’ directive in object type declarations.

Conforming to

Example

See also

[\[protected\]](#), page 370, [\[public\]](#), page 372, [\[published\]](#), page 373.

procedure

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****program**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****property**

Not yet implemented.

Synopsis**Description****Conforming to****Example****See also**

protected

(Under construction.)

Synopsis

Description

The Extended Pascal meaning of ‘**protected**’ is supported by GPC.

GPC currently accepts but ignores the ‘**protected**’ directive in object type declarations.

Conforming to

Extended Pascal and Borland Pascal, but with different meanings.

Example

See also

[\[const\]](#), [page 290](#), [\[import\]](#), [page 322](#), [\[private\]](#), [page 368](#), [\[public\]](#), [page 372](#), [\[published\]](#), [page 373](#).

PtrCard

(Under construction.)

Synopsis

```
type
  PtrCard = Cardinal (BitSizeOf (Pointer));
```

Description

An unsigned integer type of the same size as a pointer.

Conforming to

Example

```
program PtrCardDemo;
var
  a: PtrCard;
  p: Pointer;
begin
  GetMem (p, 10);
  a := PtrCard (p);
  Inc (a);
  p := Pointer (a)
end.
```

See also

PtrDiffType

(Under construction.)

Synopsis

```
type
  PtrDiffType { built-in type }
```

Description

‘PtrDiffType’ is a (signed) integer type to represent the difference between two positions in memory. It is not needed except for rather low-level purposes.

Conforming to

Example

```
program PtrDiffTypeDemo;
var
  a: array [1 .. 10] of Integer;
  d: PtrDiffType;
  p, q: Pointer;
begin
  p := @a[1];
  q := @a[4];
  {$X+}
  d := q - p
end.
```

See also

PtrInt

(Under construction.)

Synopsis

```
type
  PtrCard = Integer (BitSizeOf (Pointer));
```

Description

A signed integer type of the same size as a pointer.

Conforming to

Example

```
program PtrIntDemo;
var
  a: PtrInt;
  p: Pointer;
begin
  GetMem (p, 10);
  a := PtrInt (p);
  Inc (a);
  p := Pointer (a)
end.
```

See also

PtrWord

(Under construction.)

Synopsis

```
type
  PtrWord = PtrCard;
```

Description

An unsigned integer type of the same size as a pointer.

Conforming to

Example

```
program PtrWordDemo;
var
  a: PtrWord;
  p: Pointer;
begin
  GetMem (p, 10);
  a := PtrWord (p);
  Inc (a);
  p := Pointer (a)
end.
```

See also

public

(Under construction.)

Synopsis

Description

GPC currently accepts but ignores the ‘public’ directive in object type declarations.

Conforming to

Example

See also

[\[private\]](#), page 368, [\[protected\]](#), page 370, [\[published\]](#), page 373.

published

(Under construction.)

Synopsis

Description

GPC currently accepts but ignores the ‘published’ directive in object type declarations.

Conforming to

Example

See also

[\[private\]](#), page 368, [\[protected\]](#), page 370, [\[public\]](#), page 372.

Put

(Under construction.)

Synopsis

```
procedure Put (var F: typed file);
```

Description

Conforming to

Example

See also

qualified

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****Random**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****Randomize**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also**

Re

Synopsis

```
function Re (z: Complex): Real;
```

Description

‘Re’ extracts the real part of the complex number ‘z’.

Conforming to

‘Re’ is an ISO-10206 Extended Pascal extension.

Example

```
program ReDemo;  
var  
  z: Complex;  
begin  
  z := Cmplx (1, 2);  
  WriteLn (Re (z) : 0 : 5)  
end.
```

See also

[\[Cmplx\]](#), page 287, [\[Im\]](#), page 321, [\[Arg\]](#), page 267

Read

(Under construction.)

Synopsis

```
procedure Read (var F: typed file; variable);  
or  
procedure Read (var F: Text; variables);  
or  
procedure Read (variables);
```

Description

Conforming to

Example

See also

ReadLn

(Under construction.)

Synopsis

```
procedure ReadLn (var F: Text; variables);  
or  
procedure ReadLn (variables);
```

Description

Conforming to

Example

See also

ReadStr

(Under construction.)

Synopsis

```
procedure ReadStr (const S: String; variables);
```

Description

Conforming to

Example

See also

Real

(Under construction.)

Synopsis

```
type  
  Real { built-in type }
```

Description

Conforming to

Example

```

program RealDemo;
var
  a: Real;
begin
  a := 42;
  WriteLn (a)
end.

```

See also

record

Synopsis

In type definitions:

```

record type identifier = record
  field identifier: type definition
  ...
  field identifier: type definition
end;

```

or, with a variant part,

```

record type identifier = record
  field identifier: type definition
  ...
  field identifier: type definition
  case bar: variant type of
    selector: (field declarations);
    selector: (field declarations);
    ...
  end;

```

or, without a variant selector field,

```

record type identifier = record
  field identifier: type definition
  ...
  field identifier: type definition
  case variant type of
    selector: (field declarations);
    selector: (field declarations);
    ...
  end;

```

Description

The reserved word ‘**record**’ starts the definition of a new record type.

Records can be ‘**packed**’ to save memory usage at the expense of speed.

The variants of a variant record may – but are not required to – share one location in memory (inside the record).

Sometimes variant records are used to emulate type casting in ISO-7185 Pascal. This is in fact a violation of the standard and not portable. There is intentionally *no* possibility in ISO-7185 Pascal to emulate type casting.

Conforming to

The reserved word ‘**record**’ and record types are defined in ISO-7185 Pascal.

According to ISO Pascal, the variant type must be an identifier. GNU Pascal, like UCSD and Borland Pascal, also allows a subrange here.

Subranges in the variant fields, e.g. `case Integer of 2 .. 5`, are a GPC extension.

Example

```

program RecordDemo;

type
  FooPtr = ^Foo;

  Foo = record
    Bar: Integer;
    NextFoo: fooPtr;
    case Choice: 1 .. 3 of
      1: (a: Integer); { These three choices may share }
      2: (b: Real);    { one location in memory. }
      3: (c: Char;
         d: Boolean);
    end;

  SmallFoo = packed record
    b: 0 .. 3;
    a: Integer (5);
    r: Boolean
  end; { needs 1 byte }

var
  f: Foo;

begin
  f.b := 3.14;
  WriteLn (f.a) { yields some strange number which is part of the }
               { internal representation of the real number 'f.b'. }
end.
```

See also

[\[packed\]](#), page 360, [Section 7.1.7.4 \[case Statement\]](#), page 81

register

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****Release**

(Under construction.)

Synopsis

```
procedure Release (P: Pointer);
```

Description**Conforming to****Example****See also****Rename**

(Under construction.)

Synopsis

```
procedure Rename (var F: any file; NewName: String);
```

Description**Conforming to****Example****See also**

repeat

Synopsis

```
repeat
    statement;
    ...
    statement;
until boolean expression;
```

Description

The ‘repeat ... until’ statement declares a loop. For further description see [Section 7.1.7.7 \[repeat Statement\]](#), page 83.

Conforming to

‘repeat’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

```
program RepeatDemo;
var
    Number, Sum: Integer;
begin
    WriteLn ('Black Jack for beginners. ');
    WriteLn ('You can choose your cards yourself. :-) ');
    Sum := 0;
    repeat
        Write ('Your card (number)? ');
        ReadLn (Number);
        Inc (Sum, Number);
        WriteLn ('You have ', Sum, '. ')
    until Sum >= 21;
    if Sum = 21 then
        WriteLn ('You win!')
    else
        WriteLn ('You lose.')
end.
```

See also

[Section 7.1.7.6 \[while Statement\]](#), page 83, [Section 7.1.7.5 \[for Statement\]](#), page 82

Reset

(Under construction.)

Synopsis

```
procedure Reset (var F: any file; [FileName: String;]
                [BlockSize: Cardinal]);
```

Description

‘Reset’ opens an existing file for reading. The file pointer is positioned at the beginning of the file.

Like ‘Rewrite’, ‘Append’ and ‘Extend’ do, ‘Reset’ accepts an optional second and third parameter for the name of the file in the filesystem and, for untyped files, the block size of the file. (For details, see [\[Rewrite\]](#), page 383.)

Conforming to

‘Reset’ is defined in ISO-7185 Pascal. The ‘BlockSize’ parameter is a Borland Pascal extension. The ‘FileName’ parameter is a GNU extension.

Example

```
program ResetDemo;
var
  Sample: Text;
  s: String (42);
begin
  Rewrite (Sample); { Open an internal file for writing }
  WriteLn (Sample, 'Hello, World!');
  Reset (Sample); { Open it again for reading }
  ReadLn (Sample, s);
  WriteLn (s);
  Close (Sample)
end.
```

See also

[\[Assign\]](#), page 271, [\[Rewrite\]](#), page 383, [\[Append\]](#), page 266, [\[Extend\]](#), page 306.

resident

Not yet implemented.

Synopsis

Description

Conforming to

Example

See also

restricted

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****Result**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****Return**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also**

ReturnAddress

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

Rewrite

(Under construction.)

Synopsis

```
procedure Rewrite (var F: any file; [FileName: String;]
                  [BlockSize: Cardinal]);
```

Description

‘**Rewrite**’ opens a file for writing. If the file does not exist, it is created. The file pointer is positioned at the beginning of the file.

Like ‘**Reset**’, ‘**Append**’ and ‘**Extend**’ do, ‘**Rewrite**’ accepts an optional second and third parameter.

The second parameter can specify the name of the file in the filesystem. If it is omitted, the following alternative ways can be used to specify the name. There are so many different ways in order to be compatible to the idiosyncrasies of as many other Pascal compilers as possible. (If you know about yet other ways, let us know ...)

- The ‘**Assign**’ procedure (see [\[Assign\]](#), page 271)
- The ‘**Bind**’ procedure (see [\[Bind\]](#), page 273)

The following ways are only available if the file is external, i.e. a global variable which is mentioned in the program header. Otherwise, the file will be internal, i.e. get no name in the file system (it may get a name temporarily, but will then be erased automatically again). This is useful to store some data and read them back within a program without the need for permanent storage.

- A command-line parameter of the form ‘**--gpc-rtts=-nf:name**’ where *f* is the identifier of the file variable.
- If the file was mentioned in the program header and the option ‘**--transparent file names**’ (see [Section 6.1 \[GPC Command Line Options\]](#), page 63) was set, the file name will be identical to the identifier converted to lower-case.
- Otherwise, the user will be prompted for a file name.

The last optional parameter determines the block size of the file. It is valid only for untyped files. Almost always, 1 is the most reasonable value here. However, the existence of this parameter is a BP compatibility feature, and in BP it defaults to 128 because of historic misdesign. Therefore, GPC requires this parameter to be present. In ‘`--borland-pascal`’ mode, it makes it optional (like BP does), but warns about the strange default if omitted.

Conforming to

‘`Rewrite`’ is defined in ISO-7185 Pascal. The ‘`BlockSize`’ parameter is a Borland Pascal extension. The ‘`FileName`’ parameter is a GNU extension.

Example

```
program RewriteDemo;
var
  Sample: Text;
begin
  Assign (Sample, 'sample.txt');
  Rewrite (Sample);
  WriteLn (Sample, 'Hello, World!');
  Close (Sample)
end.
```

See also

[\[Assign\]](#), [page 271](#), [\[Reset\]](#), [page 380](#), [\[Append\]](#), [page 266](#), [\[Extend\]](#), [page 306](#), [\[Update\]](#), [page 415](#).

RmDir

Synopsis

```
procedure RmDir (Directory: String);
```

Description

‘`RmDir`’ removes the given *Directory* if its argument is a valid parameter to the related operating system’s function. Otherwise a runtime error is caused.

Conforming to

‘`RmDir`’ is a Borland Pascal extension.

Example

```
program RmDirDemo;
var
  Foo: String (127);
begin
  WriteLn ('Enter directory name to remove: ');
  ReadLn (Foo);
```

```
    {$i-}                                { Suppress exit on error }  
    RmDir (Foo);  
    if IOResult <> 0 then  
        WriteLn ('Directory ', foo, ' could not be removed.')    else  
        WriteLn ('Okay.')end.
```

See also

[\[ChDir\]](#), page 285, [\[MkDir\]](#), page 345

Root

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

Round

Synopsis

```
function Round (x: Real): Integer;
```

Description

‘Round’ returns the nearest integer to ‘x’. The result is of type integer. In the case of equidistance, the result is machine-dependent (or depends on the behaviour of the processor).

Conforming to

‘Round’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

```
program RoundDemo;
var
  Foo: Real;
begin
  foo := 9.876543;
  WriteLn (Round (Foo)); { Prints 10 }
  foo := 3.456789;
  WriteLn (Round (Foo))  { Prints 3 }
end.
```

See also

[\[Round\]](#), page 385

RunError

(Under construction.)

Synopsis

```
procedure RunError (ErrorCode: Integer);
```

Description

Conforming to

Example

See also

Seek

(Under construction.)

Synopsis

```
procedure Seek (var F: typed file; NewPosition: Integer);
```

Description

Conforming to

Example

See also

SeekRead

(Under construction.)

Synopsis

```
procedure SeekRead (var F: typed file; NewPosition: Integer);
```

Description

Conforming to

Example

See also

SeekUpdate

(Under construction.)

Synopsis

```
procedure SeekUpdate (var F: typed file; NewPosition: Integer);
```

Description

Conforming to

Example

See also

SeekWrite

(Under construction.)

Synopsis

```
procedure SeekWrite (var F: typed file; NewPosition: Integer);
```

Description

Conforming to

Example

See also

segment

Not yet implemented.

Synopsis**Description****Conforming to****Example****See also****Self**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****set**

(Under construction.)

Synopsis

In type definitions:

```
set of Type { built-in type class }
```

Description**Conforming to****Example****See also**

```
procedure SetFileTime (var f: any file;
                       AccessTime, ModificationTime: UnixTimeType);
```

Description

'SetFileTime' is a GNU extension.

See also

```
procedure SetLength (var S: String; NewLength: Integer);
```

‘**SetLength**’ explicitly assigns a new length ‘**NewLength**’ to the string parameter **S**. The contents of the string is *not* changed; if the operation increases the length of the string, the characters appended at the end are *undefined*.

'SetLength' is a Borland Delphi 2.0 extension.

[illegible]

```

    SetLength (S, 42);      { The overflow is *not* (yet) detected. }
    WriteLn (S);           { This might cause a runtime error or crash. }
end.

```

See also

[\[Length\]](#), [page 331](#), [\[String\]](#), [page 403](#).

SetType

Synopsis

```
procedure SetType (var SomeObject; VMT: PObjectType);
```

Description

The procedure ‘**SetType**’ explicitly assigns a value to the implicit VMT field of an object. This is normally done implicitly when a constructor is called.

You can use this to write a polymorphic I/O routine which reads an object from a file. In this case, you cannot reasonably use ‘**New**’ to allocate the storage, but you ‘**GetMem**’ it and initialize the object manually using ‘**SetType**’ before calling the constructor explicitly.

The only values you should assign to an object via ‘**SetType**’ are actual VMT pointers that were obtained via ‘**TypeOf**’. In particular, declaring a record like the one shown in the description of ‘**PObjectType**’ and assigning a pointer to it to an object via ‘**SetType**’ will usually not work because the virtual method pointers are missing.

Since ‘**SetType**’ is a dangerous feature, it yields a warning unless ‘**{\$X+}**’ is given.

Conforming to

‘**SetType**’ is a GNU extension.

Example

```

program SetTypeDemo;

type
  BasePtr = ^BaseObj;

  BaseObj = object
    constructor Load;
  end;

  ChildObj = object (BaseObj)
    constructor Load;
  end;

constructor BaseObj.Load;
begin
end;

constructor ChildObj.Load;

```



```

begin
end;

{$X+}

{ This is somewhat fragmentary code. }
function GetObject (var InputFile: File) = Result: BasePtr;
const
  VMTTable: array [1 .. 2] of PObjectType =
    (TypeOf (BaseObj), TypeOf (ChildObj));
var
  Size: Cardinal;
 TypeID: Integer;
  VMT: PObjectType;
begin
  { Read the size of the object from some file and store it in 'Size'. }
  BlockRead (InputFile, Size, SizeOf (Size));

  { Allocate memory for the object. }
  GetMem (Result, Size);

  { Read some ID from some file. }
  BlockRead (InputFile, TypeID, SizeOf (TypeID));

  { Look up the 'VMT' from some table. }
  { Range checking wouldn't be a bad idea here ... }
  VMT := VMTTable[TypeID];

  SetType (Result^, VMT);

  { Now the object is ready, and the constructor can be called. }
  { Look up the correct constructor from some table and call it. }
end;

begin
end.

```

See also

[\[PObjectType\]](#), page 364, [\[TypeOf\]](#), page 412, [Section 7.8 \[OOP\]](#), page 112.

shl**Synopsis**

```

operator shl (operand1, operand2: integer type) = Result: integer type;
or
procedure shl (var operand1: integer type; operand2: integer type);

```

Description

In GNU Pascal, ‘shl’ has two built-in meanings:

1. Bitwise shift left of an integer-type expression by another integer value. The result is of the type of the first operand.
2. Use as a “procedure”: ‘operand1’ is shifted left by ‘operand2’; the result is stored in ‘operand1’.

Conforming to

‘shl’ is a Borland Pascal extension.

Use of ‘shl’ as a “procedure” is a GNU Pascal extension.

Example

```
program ShlDemo;
var
  a: Integer;
begin
  a := 1 shl 7; { yields 128 = 2 pow 7 }
  shl (a, 4) { same as 'a := a shl 4' }
end.
```

See also

[\[shr\]](#), [page 395](#), [Section 7.3 \[Operators\]](#), [page 106](#).

ShortBool

(Under construction.)

Synopsis

```
type
  ShortBool = Boolean (BitSizeOf (ShortInt));
```

Description

Conforming to

Example

```
program ShortBoolDemo;
var
  a: ShortBool;
begin
  ShortInt (a) := 1;
  if a then WriteLn ('Ord (True) = 1')
end.
```

See also

ShortCard

Synopsis

```
type
  ShortCard = Cardinal (BitSizeOf (ShortInt));
```

Description

‘ShortCard’ is an unsigned integer type which is not larger than ‘Cardinal’. On most platforms it is 16 bits wide and thus has a range of ‘0..65535’.

‘ShortCard’ in GNU Pascal is compatible to ‘short unsigned int’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), page 89.

Conforming to

‘ShortCard’ is a GNU Pascal extension.

Example

```
program ShortCardDemo;
var
  a: ShortCard;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), page 89, [Section 7.2.10.1 \[Subrange Types\]](#), page 94.

ShortInt

Synopsis

```
type
  ShortInt { built-in type }
```

Description

‘ShortInt’ is a signed integer type which is not larger than ‘Integer’. On most platforms it is 16 bits wide and thus has a range of ‘-32768..32767’.

‘ShortInt’ in GNU Pascal is compatible to ‘short int’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), page 89.

Conforming to

‘ShortInt’ is a Borland Pascal extension. In Borland Pascal, ‘ShortInt’ is an 8-bit signed integer type (‘ByteInt’ in GNU Pascal).

Example

```
program ShortIntDemo;  
var  
  a: ShortInt;  
begin  
  a := 42;  
  WriteLn (a)  
end.
```

See also

[Section 7.2.3 \[Integer Types\], page 89](#), [Section 7.2.10.1 \[Subrange Types\], page 94](#).

ShortReal

(Under construction.)

Synopsis

```
type  
  ShortReal { built-in type }
```

Description

Conforming to

Example

```
program ShortRealDemo;  
var  
  a: ShortReal;  
begin  
  a := 42;  
  WriteLn (a)  
end.
```

See also

ShortWord

Synopsis

```
type  
  ShortWord = ShortCard;
```

Description

‘ShortWord’ is an unsigned integer type which is not larger than ‘Word’. On most platforms it is 16 bits wide and thus has a range of of ‘0..65535’. It is the same as [\[ShortCard\]](#), [page 393](#).

‘ShortWord’ in GNU Pascal is compatible to ‘short unsigned int’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

‘ShortWord’ is a GNU Pascal extension.

‘ShortWord’ in GNU Pascal essentially corresponds to ‘Word’ in Borland Pascal and Delphi where it is a 16-bit unsigned integer type.

Example

```
program ShortWordDemo;
var
  a: ShortWord;
begin
  a := 42;
  WriteLn (a)
end.
```

See also

[Section 7.2.3 \[Integer Types\]](#), [page 89](#), [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).

shr

Synopsis

```
operator shr (operand1, operand2: integer type) = Result: integer type;
or
procedure shr (var operand1: integer type; operand2: integer type);
```

Description

In GNU Pascal, ‘shr’ has two built-in meanings:

1. Bitwise shift right of an integer-type expression by another integer value. The result is of the type of the first operand.
2. Use as a “procedure”: ‘operand1’ is shifted right by ‘operand2’; the result is stored in ‘operand1’.

Conforming to

‘shr’ is a Borland Pascal extension.

Unlike the Borland compilers, GNU Pascal cares about the signedness of the first operand: If a signed integer with a negative value is shifted right, “one” bits are filled in from the left.

Use of ‘shr’ as a “procedure” is a GNU Pascal extension.

Example

```
program ShrDemo;
var
  a: Integer;
begin
  a := 1024 shr 4; { yields 64 }
  a := -127 shr 4; { yields -8 }
  shr (a, 2) { same as 'a := a shr 2' }
end.
```

See also

[\[shl\]](#), page 391, [Section 7.3 \[Operators\]](#), page 106.

Sin

Synopsis

```
function Sin (x: Real): Real;
or
function Sin (z: Complex): Complex;
```

Description

‘Sin’ returns the sine of the argument. The result is in the range ‘-1 <= Sin (x) <= 1’ for real arguments.

Conforming to

The function ‘Sin’ is defined in ISO-7185 Pascal; its application to complex values is defined in ISO-10206 Extended Pascal.

Example

```
program SinDemo;
begin
  WriteLn (Sin (Sqrt (2) / 2) : 0 : 5)
  { yields 0.5 since Sin (Sqrt (2) / 2) = 0.5 }
end.
```

See also

[\[ArcTan\]](#), page 266, [\[Cos\]](#), page 292, [\[Ln\]](#), page 331, [\[Arg\]](#), page 267.

Single

(Under construction.)

Synopsis

```
type
  Single = ShortReal;
```

Description

Conforming to

Example

See also

SizeOf

Synopsis

```
function SizeOf (var x): SizeType;
```

Description

Returns the size of a type or variable in bytes.

‘SizeOf’ can be applied to expressions and type names. If the argument is a polymorphic object, the size of its actual type is returned.

Conforming to

‘SizeOf’ is a UCSD Pascal extension.

Example

```
program SizeOfDemo;
var
  a: Integer;
  b: array [1 .. 8] of Char;
begin
  WriteLn (SizeOf (a));           { Size of an ‘Integer’; often 4 bytes. }
  WriteLn (SizeOf (Integer));    { The same. }
  WriteLn (SizeOf (b))           { Size of eight ‘Char’s; usually 8 bytes. }
end.
```

See also

[\[BitSizeOf\]](#), page 275, [\[AlignOf\]](#), page 260, [\[TypeOf\]](#), page 412.

SizeType

Synopsis

```
type
  SizeType { built-in type }
```

Description

‘SizeType’ is an integer type (usually unsigned) to represent the size of objects in memory.

Conforming to

Example

```
program SizeTypeDemo;
var
  a: array [1 .. 10] of Integer;
  Size: SizeType;
begin
  Size := SizeOf (a);
  WriteLn (Size)
end.
```

See also

SmallInt

Synopsis

```
type
  SmallInt = ShortInt;
```

Description

‘SmallInt’ is a signed integer type which is not larger than ‘Integer’. On most platforms it is 16 bits wide and thus has a range of ‘-32768..32767’. It is the same as ‘ShortInt’ (see [\[ShortInt\]](#), [page 393](#)).

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

‘SmallInt’ is a Delphi 2.0 extension.

Example

```

program SmallIntDemo;
var
  a: SmallInt;
begin
  a := 42;
  WriteLn (a)
end.

```

See also

[\[ShortInt\]](#), page 393, [Section 7.2.3 \[Integer Types\]](#), page 89, [Section 7.2.10.1 \[Subrange Types\]](#), page 94.

Sqr

Synopsis

```

function Sqr (i: integer type): integer type;
or
function Sqr (x: real type): real type;
or
function Sqr (z: Complex type): Complex type;

```

Description

Returns the square of the argument:

```

function Sqr (x: some type): some type;
begin
  Sqr := x * x { or: x pow 2 }
end;

```

Conforming to

The function ‘Sqr’ is defined in ISO-7185 Pascal; its application to complex values is defined in ISO-10206 Extended Pascal.

Example

```

program SqrDemo;

var
  i: Complex;

begin
  i := Cmplx (0, 1);
  WriteLn (Re (Sqr (i)) : 0 : 3) { yields -1.000 }
end.

```

See also

[\[pow\]](#), page 367, [\[SqRt\]](#), page 400, [\[Abs\]](#), page 257, [Section 7.3 \[Operators\]](#), page 106.

SqRt

Synopsis

```
function SqRt (x: real type): real type;  
or  
function SqRt (z: Complex type): Complex type;
```

Description

Returns the positive square root of the argument.

For real arguments, it is an error if the argument is negative.

For complex arguments, ‘SqRt’ returns the principal value of the root of the argument, i.e. the root with positive real part, or, if the real part is zero, that one with positive imaginary part.

Conforming to

The function ‘SqRt’ is defined in ISO-7185 Pascal; its application to complex values is defined in ISO-10206 Extended Pascal.

Example

```
program SqRtDemo;  
  
var  
  m1: Complex;  
  
begin  
  m1 := Cmplx (-1, 0); { -1 }  
  WriteLn (Re (SqRt (m1)) : 6 : 3, Im (SqRt (m1)) : 6 : 3);  
  { yields 1.000 -1.000, i.e. the imaginary unit, i }  
end.
```

See also

[\[pow\]](#), [page 367](#), [\[Sqr\]](#), [page 399](#), [Section 7.3 \[Operators\]](#), [page 106](#).

StandardError

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

StandardInput

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

StandardOutput

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

static

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

StdErr

Synopsis

```
var
    StdErr: Text;
```

Description

The ‘StdErr’ variable is connected to the standard error file handle. To report errors, you should prefer ‘WriteLn (StdErr, ‘everything wrong’)’ over ‘WriteLn (‘everything wrong’)’.

Conforming to

‘StdErr’ is a GNU Pascal extension.

Example

```
program StdErrDemo;
var
    Denominator: Integer;
begin
    ReadLn (Denominator);
    if Denominator = 0 then
        WriteLn (StdErr, ParamStr (0), ': division by zero')
    else
        WriteLn ('1 / ', Denominator, ' = ', 1 / Denominator)
end.
```

See also

[\[StandardError\]](#), [page 400](#), [\[Output\]](#), [page 359](#), [\[Input\]](#), [page 326](#).

Str

(Under construction.)

Synopsis

```
procedure Str (x: integer or real; var Dest: String);
or
procedure Str (x: integer or real : field width; var Dest: String);
or
procedure Str (x: Real : field width : precision; var Dest: String);
or
procedure Str (repeated constructs as described above; var Dest: String);
```

Description

Conforming to

‘**Str**’ is a UCSD Pascal extension, generalized by Borland Pascal. The possibility to handle more than one variable with one call to ‘**Str**’ is a GNU Pascal extension.

ISO-10206 Extended Pascal defines ‘**WriteStr**’ instead of ‘**Str**’.

Example

See also

[\[WriteStr\]](#), page 424.

String

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

String2CString

(Under construction.)

Synopsis

```
function String2CString (const S: String): CString;
```

Description

Conforming to

Example

See also

SubStr

Synopsis

```
function SubStr (S: String; FirstChar: Integer): String;
or
function SubStr (S: String; FirstChar, Count: Integer): String;
```

Description

‘SubStr’ returns a sub-string of *S* starting with the character at position *FirstChar*. If *Count* is given, such many characters will be copied into the sub-string. If *Count* is omitted, the sub-string will range to the end of *S*.

If ‘Count’ is too large for the sub-string to fit in *S* or if ‘FirstChar’ exceeds the length of *S*, ‘SubStr’ triggers a runtime error. (For a function returning the empty string instead, see [\[Copy\]](#), page 292.)

Conforming to

‘SubStr’ is a ISO 10206 Extended Pascal extension.

Example

```
program SubStrDemo;
var
  S: String (42);
begin
  S := 'Hello';
  WriteLn (SubStr (S, 2, 3));    { yields 'ell' }
  WriteLn (SubStr (S, 3));      { yields 'llo' }
  WriteLn (SubStr (S, 4, 7));    { yields a runtime error }
  WriteLn (SubStr (S, 42));      { yields a runtime error }
end.
```

See also

[\[Copy\]](#), page 292, [Section 7.5 \[String Slice Access\]](#), page 108.

Succ

Synopsis

```
function Succ (i: ordinal type): ordinal type;
or
function Succ (i: ordinal type; j: Integer): ordinal type;
or, with extended syntax ('--extended-syntax' or '{$X+}'),
function Succ (p: Pointer type): Pointer type;
or
function Succ (p: Pointer type; j: Integer): Pointer type;
```

Description

Returns the successor of the *ordinal type* value ‘i’, or, if the second argument ‘j’ is given, its ‘j’th successor. For integer values ‘i’, this is ‘i + 1’ (or ‘i + j’). (No, ‘Succ’ does *not* work faster than plain addition. Both are optimized to a single machine instruction or even expanded by the compiler, if possible.)

If extended syntax is on, the argument may also be a pointer value. In this case, the address is incremented by the size of the variable pointed to, or, if ‘j’ is given, by ‘j’ times the size of the variable pointed to. If ‘p’ points to an element of an array, the returned pointer will point to the (‘j’th) next element of the array.

Conforming to

The ‘Succ’ function is defined in ISO-7185 Pascal. The optional second parameter is defined in ISO-10206 Extended Pascal. Application of ‘Succ’ to pointers is defined in Borland Pascal. The combination of the second argument with application to pointers is a GNU extension.

Example

```

program SuccDemo;

type
  Metasyntactical = (foo, bar, baz);

var
  m: Metasyntactical;
  c: Char;
  a: array [1 .. 7] of Integer;
  p: ^Integer;

begin
  m := Succ (foo);      { bar }
  c := Succ ('A', 4);   { 'E' }
  a[1] := 42;
  a[2] := Succ (a[1]);  { 43 }
  a[5] := Succ (a[2], 7); { 50 }
  {$X+}
  p := @a[1];
  p := Succ (p);        { points to 'a[2]' now }
  p := Succ (p, 3);     { points to 'a[5]' now }
end.

```

See also

[\[Pred\]](#), page 367, [\[Inc\]](#), page 323, [Section 7.6 \[Pointer Arithmetics\]](#), page 108.

Text

(Under construction.)

Synopsis

```

type
  Text { built-in type }

```

Description

Conforming to

Example

```
program TextDemo;
var
  t: Text;
begin
  Rewrite (t, 'hello.txt');
  WriteLn (t, 'Hello, world!')
end.
```

See also

TextWritable

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

then

(Under construction.)

Synopsis

Description

Conforming to

Example

```

program ThenDemo;
var
  i: Integer;
begin
  Write ('Enter a number: ');
  ReadLn (i);
  if i > 42 then
    WriteLn ('The number is greater than 42')
  end.

```

See also

Time

(Under construction.)

Synopsis

```
function Time (T: TimeStamp): packed array [1 .. Time Length] of Char;
```

Description

Conforming to

Example

See also

TimeStamp

(Under construction.)

Synopsis

```

type
  TimeStamp = {@@packed} record
    DateValid,
    TimeValid  : Boolean;
    Year       : Integer;
    Month      : 1 .. 12;
    Day        : 1 .. 31;
    DayOfWeek  : 0 .. 6; { 0 means Sunday }
    Hour       : 0 .. 23;
    Minute     : 0 .. 59;
    Second     : 0 .. 61; { to allow for leap seconds }
    MicroSecond: 0 .. 999999;

```

```

    TimeZone    : Integer; { in seconds }
    DST         : Boolean;
    TZName1,
    TZName2     : String (32);
end;

```

(@@ Currently, in GPC, TimeStamp is not actually packed.)

The fields 'DateValid', 'TimeValid', 'Year', 'Month', 'Day', 'Hour', 'Minute', 'Second' are required by Extended Pascal, the other ones are extensions.

Description

Conforming to

Example

See also

to

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

to begin do

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

to end do

(Under construction.)

Synopsis**Description****Conforming to****Example****See also****Trim**

(Under construction.)

Synopsis

```
function Trim (S: String): String;
```

Description**Conforming to****Example****See also****True**

(Under construction.)

Synopsis**Description****Conforming to****Example****See also**

Trunc

Synopsis

```
function Trunc (x: Real): Integer;
```

Description

‘Trunc’ converts ‘x’ to the next integer below its argument (i.e. truncates the numbers after the point).

Conforming to

‘Trunc’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

```
program TruncDemo;  
var  
  Foo: Real;  
begin  
  Foo := 9.876;  
  WriteLn (Trunc (Foo)) { Prints 9 }  
end.
```

See also

[\[Round\]](#), page 385.

Truncate

(Under construction.)

Synopsis

```
procedure Truncate (var F: any file);
```

Description

Conforming to

Example

See also

type

Synopsis

As a type declaration:

```
type
  type identifier = type definition;
```

or with initialization:

```
type
  type identifier = type definition value constant expression;
```

Description

The reserved word ‘**type**’ starts the declaration of a *type identifier* which is defined by *type definition*. For further description see [Section 7.1.4 \[Type Declaration\]](#), page 76, [Section 7.1.4 \[Type Declaration\]](#), page 76, [Section 7.2.1 \[Type Definition\]](#), page 88, [Section 7.2 \[Data Types\]](#), page 88.

Conforming to

‘**type**’ is defined in ISO-7185 Pascal and supported by all known Pascal variants. Initializers are an ISO-10206 Extended Pascal extension.

Example

```
program TypeDemo;
type
  { This side is the }    { That side is the }
  { type declaration }    { type definition  }

  { array type }
  ArrayType           = array [0 .. 9] of Integer;

  { record type }
  RecordType          = record
                        Bar: Integer
                        end;

  { subrange type }
  SubrangeType        = -123 .. 456;

  { enumeration type }
  EnumeratedType      = (Mon, Tue, Wed, Thu, Fri, Sat, Sun);

  { set type }
  CharSetType         = set of Char;

  { object type }
  ObjectType          = object
                        constructor Init;
                        procedure Method;
```

```

                                destructor Done
                                end;

    { pointer type to another type identifier }
    PArrayType                    = ^ArrayType;

    { an alias name for another type identifier }
    IntegerType                  = Integer;

    { an integer which is initialized by 123 }
    InitializedInt                = Integer value 123;

    { a schema with discriminants x and y of type Integer }
    SchemaType (x, y: Integer) = array [x .. y] of Integer;

begin
end.

```

See also

[Section 7.1.4 \[Type Declaration\], page 76](#), [Section 7.2.1 \[Type Definition\], page 88](#), [Section 7.2 \[Data Types\], page 88](#), [Section 7.1.5 \[Variable Declaration\], page 77](#), [\[array\], page 268](#), [\[record\], page 377](#), [\[object\], page 353](#), [\[set\], page 388](#), [\[Pointer\], page 365](#), [\[value\], page 417](#).

type of

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

TypeOf

Synopsis

```
function TypeOf (var x): PObjectType;
```

Description

Returns a pointer to the VMT of an *object* type or variable. This pointer can be used to identify the type of an object.

‘TypeOf’ can be applied to expressions of object type and to object type names. In the former case, the actual type of polymorphic objects is returned.

Conforming to

ISO Pascal does not define ‘TypeOf’, Borland Pascal does.

Example

```
program TypeOfDemo;
type
  FooPtr = ^Foo;
  BarPtr = ^Bar;

  Foo = object      { Has a VMT, though it doesn't }
    x: Integer;      { contain virtual methods.    }
    constructor Init;
  end;

  Bar = object (Foo)
    y: Integer;
  end;

  constructor Foo.Init;
begin
end;

var
  MyFoo: FooPtr;

begin
  MyFoo := New (BarPtr, Init);
  if TypeOf (MyFoo^) = TypeOf (Bar) then { True }
    WriteLn ('OK')
  end.
```

See also

[\[BitSizeOf\]](#), page 275, [\[AlignOf\]](#), page 260, [\[PObjectType\]](#), page 364, [\[SetType\]](#), page 390, [\[SizeOf\]](#), page 397, [Section 7.8 \[OOP\]](#), page 112.

Unbind

(Under construction.)

Synopsis

```
procedure Unbind (var F: any file);
```

Description

Conforming to

Example

See also

unit

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

Unpack

(Under construction.)

Synopsis

```
procedure Unpack (Source: packed array;  
                 var Dest: unpacked array;  
                 FirstElement: index type);
```

Description

Conforming to

Example

See also

until

(Under construction.)

Synopsis

Description

‘until’ is part of the ‘repeat ... until’ loop statement.

Conforming to

Example

See also

[\[repeat\]](#), page 380, [\[while\]](#), page 421, [\[for\]](#), page 312.

UpCase

(Under construction.)

Synopsis

```
function UpCase (Ch: Char): Char;
```

Description

Conforming to

Example

See also

Update

(Under construction.)

Synopsis

```
procedure Update (var F: any file);
```

Description

Conforming to

Example

See also

uses

Synopsis

In a program:

```
program @@fragment foo;
```

```
uses
```

```
    bar1,  
    bar2 in 'baz.pas',  
    bar3;
```

```
[...]
```

In a unit:

```
unit @@fragment Bar3;
```

```
interface
```

```
uses
```

```
    bar1,  
    bar2 in 'baz.pas';
```

```
[...]
```

```
implementation
```

```
uses
```

```
    bar3,  
    bar4 in 'qux.pas';
```

```
[...]
```

Description

The reserved word ‘**uses**’ in the *import part* of a program or unit makes the program or unit import an interface.

The keyword ‘**in**’ tells GPC to look for the ‘**unit**’ in the specified file; otherwise the file name is derived from the name of the interface by adding first ‘**.p**’, then ‘**.pas**’.

There must be at most one import part in a program.

In a unit, there can be one import part in the interface part and one in the implementation part.

The imported interface needn’t be a UCSD/Borland Pascal unit, it may be an interface exported by an Extended Pascal module as well.

Conforming to

ISO Pascal does not define ‘uses’ and units at all. UCSD and Borland Pascal do, but without the ‘in’ extension. Delphi supports ‘uses’ like described above.

Example

See also

[\[unit\]](#), page 414, [\[module\]](#), page 346, [\[import\]](#), page 322.

Val

(Under construction.)

Synopsis

```
procedure Val (const Source: String; var x: integer or real);  
or  
procedure Val (const Source: String; var x: integer or real;  
               var ErrorCode: Integer);
```

Description

Conforming to

Example

See also

value

Synopsis

Description

The reserved word ‘value’ is part of a type or var declaration. It can be replaced by ‘:=’ or ‘=’.

Conforming to

‘value’ is an ISO-10206 Extended Pascal extension. ‘:=’ in this context is a VAX Pascal extension, and ‘=’ is a Borland Delphi extension.

Example

See also

[\[var\]](#), page 418, [\[type\]](#), page 411, [Section 7.1.5 \[Variable Declaration\]](#), page 77, [Section 7.1.4 \[Type Declaration\]](#), page 76.

var

Synopsis

As part of a variable declaration part or in a statement block:

```
var variable identifier: type identifier;
```

or

```
var variable identifier: type definition;
```

and with initializing value:

```
var variable identifier: type identifier value constant expression;
```

or

```
var variable identifier: type definition value constant expression;
```

As part of a parameter list (passing by reference):

```
var var parameter: type identifier;
```

or without type declaration

```
var var parameter;
```

or protected (i.e., the called routine can't modify the parameter):

```
protected var var parameter: type identifier;
```

or without type declaration

```
protected var var parameter;
```

Description

In a declaration part: The reserved word ‘**var**’ declares a *variable identifier* whose type is of *type identifier* or which is defined by *type definition*. For further description see [Section 7.1.5 \[Variable Declaration\]](#), page 77, [Section 7.1.4 \[Type Declaration\]](#), page 76, [Section 7.2.1 \[Type Definition\]](#), page 88, [Section 7.2 \[Data Types\]](#), page 88.

In a parameter list: see [Section 7.1.6.4 \[Subroutine Parameter List Declaration\]](#), page 79.

Conforming to

‘**var**’ is defined in ISO-7185 Pascal and supported by all known Pascal variants. Untyped ‘**var**’ parameters in parameter lists are a UCSD Pascal extension. The ability to do ‘**var**’ declarations in a statement block is a GNU Pascal extension.

Example

```
program VarDemo;

type
  FooType = Integer;

var
```

```

Bar: FooType;
ArrayFoo: array [0 .. 9] of Integer;    { array var definition }
FecordFoo: record                       { record var definition }
    Bar: Integer
end;
CharsetFoo: set of Char;                { set var }
SubrangeFoo: -123 .. 456;               { subrange var }
EnumeratedFoo: (Mon, Tue, Wed, Thu, Fri, Sat, Sun); {enumerated var }
PointerBar: ^FooType;                   { pointer var }

procedure ReadFoo (var Foo: FooType);
begin
    ReadLn (Foo)
end;

begin
    var Bar: Integer; { GNU Pascal extension }
    Bar := 42
end.

```

See also

[\[type\]](#), page 411, [\[array\]](#), page 268, [\[record\]](#), page 377, [\[set\]](#), page 388, [Section 7.2.10.1 \[Subrange Types\]](#), page 94, [\[Pointer\]](#), page 365, [\[protected\]](#), page 370.

view

Not yet implemented.

Synopsis**Description****Conforming to****Example****See also****virtual**

(Under construction.)

Synopsis**Description**

Conforming to

Example

See also

Void

(Under construction.)

Synopsis

```
type
  Void { built-in type }
```

Description

Conforming to

Example

```
program VoidDemo;

procedure p (var x: Void);
begin
end;

var
  i: Integer;
  s: String (42);

begin
  p (i);
  p (s)
end.
```

See also

volatile

(Under construction.)

Synopsis

Description

Conforming to

Example

See also

while

Synopsis

```
while boolean expression do  
    statement
```

Description

The ‘while’ statement declares a loop. For further description see [Section 7.1.7.6 \[while Statement\]](#), page 83.

Conforming to

‘while’ is defined in ISO-7185 Pascal and supported by all known Pascal variants.

Example

```
program WhileDemo;  
var  
    Foo, Bar: Integer;  
begin  
    WriteLn ('Enter an descending series of integer numbers. ');  
    WriteLn ('Terminate by breaking this rule. ');  
    WriteLn ('Enter start number: ');  
    Bar := MaxInt;  
    ReadLn (Foo);  
    while Foo < Bar do  
    begin  
        Bar := Foo;  
        ReadLn (Foo)  
    end;  
    WriteLn ('The last number of your series was: ', Bar)  
end.
```

See also

[Section 7.1.7.7 \[repeat Statement\]](#), page 83, [Section 7.1.7.5 \[for Statement\]](#), page 82

with

(Under construction.)

Synopsis

Description

Note: ‘with’ statement overwrites program namespace.

Conforming to

Example

```
...
{ Note bar is overwritten by foo.bar } ...
```

See also

Word

Synopsis

```
type
    Word = Cardinal;
or
type
    Word (n) = Cardinal (n);
```

Description

‘Word’ is the “natural” unsigned integer type in GNU Pascal. On most platforms it is 32 bits wide and thus has a range of ‘0..4294967295’. It is the same as [\[Cardinal\]](#), [page 282](#), introduced for compatibility with other Pascal compilers.

As an extension, GPC allows to use ‘Word’ as a pseudo-schema to produce types with a specified size in bits; for example

```
type
    Word16 = Cardinal (16);
```

defines an unsigned integer type with 16 bits. The same mechanism works for ‘Cardinal’ and ‘Integer’, too.

‘Word’ in GNU Pascal is compatible to ‘unsigned int’ in GNU C.

There are lots of other integer types in GPC, see [Section 7.2.3 \[Integer Types\]](#), [page 89](#).

Conforming to

ISO Pascal does not define ‘Cardinal’. (However see [Section 7.2.10.1 \[Subrange Types\]](#), [page 94](#).)

The ‘Word’ type appears in Borland Pascal and Delphi, too, where it is a 16-bit unsigned integer type.

Example

```

program WordDemo;
var
  a: Word;
begin
  a := 42;
  WriteLn (a)
end.

```

See also

[Section 7.2.3 \[Integer Types\]](#), page 89, [Section 7.2.10.1 \[Subrange Types\]](#), page 94.

WordBool

(Under construction.)

Synopsis

```

type
  WordBool = Boolean (BitSizeOf (Word));

```

Description

Conforming to

Example

```

program WordBoolDemo;
var
  a: WordBool;
begin
  Word (a) := 1;
  if a then WriteLn ('Ord (True) = 1')
end.

```

See also

Write

(Under construction.)

Synopsis

```

procedure Write (var F: typed file; variable);
or
procedure Write (var F: Text; values and format specifications);
or
procedure Write (values and format specifications);

```

Description

Conforming to

Example

See also

WriteLn

(Under construction.)

Synopsis

```
procedure WriteLn (var F: Text; values and format specifications);  
or  
procedure WriteLn (values and format specifications);
```

Description

Conforming to

Example

See also

WriteStr

(Under construction.)

Synopsis

```
procedure WriteStr (var Dest: String; values and format specifications);
```

Description

Conforming to

Example

See also

xor**Synopsis**

```

operator xor (operand1, operand2: Boolean) = Result: Boolean;
or
operator xor (operand1, operand2: integer type) = Result: integer type;
or
procedure xor (var operand1: integer type; operand2: integer type);

```

Description

In GNU Pascal, ‘xor’ has three built-in meanings:

1. Logical “exclusive or” between two ‘Boolean’-type expressions. The result of the operation is of ‘Boolean’ type. (Logical ‘foo xor bar’ in fact has the same effect as ‘foo <> bar’.)
2. Bitwise “exclusive or” between two integer-type expressions. The result is of the common integer type of both expressions.
3. Use as a “procedure”: ‘operand1’ is “xor”ed bitwise with ‘operand2’; the result is stored in ‘operand1’.

Conforming to

ISO Pascal does not define the ‘xor’ operator; Borland Pascal and Delphi do.

Use of ‘xor’ as a “procedure” is a GNU extension.

Example

```

program XorDemo;
var
  a, b, c: Integer;
begin
  if (a = 0) xor (b = 0) then
    c := 1 { happens if either ‘a’ or ‘b’ is zero,      }
          { but not if both are zero or both nonzero }
  else if a xor b = 0 then { bitwise xor }
    c := 2 { happens if a = b }
  else
    xor (c, a) { same as ‘c := c xor a’ }
end.

```

See also

[\[and\]](#), page 262, [\[or\]](#), page 355, [Section 7.3 \[Operators\]](#), page 106.

9 Pascal keywords and operators supported by GNU Pascal.

This chapter lists all keywords understood by GNU Pascal.

By default, keywords can be redefined to make it possible that every correct ISO 7185 program can be compiled. However, you can use the compiler dialect switches (e.g., `--extended-pascal` or `--borland-pascal`) to tell GPC that keywords of a given standard must not be redefined.

The keywords are taken from the following standards:

- ISO 7185 Pascal (SP)
- ISO 10206 Extended Pascal (EP)
- ANSI draft Object Pascal (OP)
- USCD Pascal (USCD)
- Borland Pascal 7.0 (BP)
- Borland Delphi (BD)
- Pascal-SC (PXSC, Pascal eXtensions for Scientific Calculations)
- VAX Pascal (VP)
- GNU Pascal extensions (GPC)

In GPC you are free to re-define everything that is not a reserved word in ISO 7185 Pascal in your program or the dialect selected. E.g., you do not have to modify your code for GPC if you have an identifier like `Restricted` or `Value` or some such, unless you compile with the `'--extended-pascal'` option.

The following table lists all known keywords with short descriptions. The links point to the longer descriptions in the reference.

| | |
|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| absolute (BP, BD, GPC) (see [absolute] , page 258) | overloaded variable declaration |
| abstract (OP, GPC) (see [abstract] , page 259) | abstract object type or method declaration |
| all (GPC) (see [all] , page 261) | 'export' (see [export] , page 306) extension ('export foo = all') |
| and (any) (see [and] , page 262) | Boolean or bitwise 'and' operator or part of the 'and then' (see [and then] , page 263) operator |
| and_then (EP, OP, GPC) (see [and_then] , page 264) | short-circuit Boolean 'and' (see [and] , page 262) operator |
| array (any) (see [array] , page 268) | array type declaration |
| as (OP, BD, GPC) (see [as] , page 269) | object type membership test and conversion |
| asm (BP, BD, GPC) (see [asm] , page 269) | GNU style inline assembler code |
| asmname (GPC) (see [asmname] , page 269) | linker name of routines and variables |
| attribute (GPC) (see [attribute] , page 272) | attributes of routines and variables |
| begin (any) (see [begin] , page 272) | begin of a code block, part of a 'to begin do' (see [to begin do] , page 408) module constructor |

- bindable (EP, OP, GPC) (see [\[bindable\]](#), page 274)
 - external bindability of files
- case (any) (see [\[case\]](#), page 283)
 - multi-branch conditional statement or variant ‘**record**’ (see [\[record\]](#), page 377) type
- class (OP, BD, GPC) (see [\[class\]](#), page 287)
 - OOE/Delphi style object class (not yet implemented)
- const (any) (see [\[const\]](#), page 290)
 - constant declaration or constant parameter declaration
- constructor (OP, BP, BD, GPC) (see [\[constructor\]](#), page 291)
 - object constructor
- destructor (OP, BP, BD, GPC) (see [\[destructor\]](#), page 296)
 - object destructor
- div (any) (see [\[div\]](#), page 297)
 - integer division operator
- do (any) (see [\[do\]](#), page 298)
 - part of a ‘**while**’ (see [\[while\]](#), page 421) or ‘**for**’ (see [\[for\]](#), page 312) loop, a ‘**with**’ (see [\[with\]](#), page 422) statement, or a ‘**to begin do**’ (see [\[to begin do\]](#), page 408) or ‘**to end do**’ (see [\[to end do\]](#), page 409) module constructor or destructor
- downto (any) (see [\[downto\]](#), page 299)
 - part of a ‘**for**’ (see [\[for\]](#), page 312) loop when counting downwards
- else (any) (see [\[else\]](#), page 299)
 - alternative part of an ‘**if**’ (see [\[if\]](#), page 320) statement, default ‘**case**’ (see [\[case\]](#), page 283) label or part of the ‘**or else**’ (see [\[or else\]](#), page 357) operator
- end (any) (see [\[end\]](#), page 301)
 - end of a code block, end of a ‘**case**’ (see [\[case\]](#), page 283) statement, end of a ‘**record**’ (see [\[record\]](#), page 377) or object declaration, part of a ‘**to end do**’ (see [\[to end do\]](#), page 409) module destructor
- export (EP, OP, BP, BD, GPC) (see [\[export\]](#), page 306)
 - module interface export
- exports (BP, BD, GPC) (see [\[exports\]](#), page 306)
 - library export (not yet implemented)
- external (UCSD, BP, BD, GPC) (see [\[external\]](#), page 308)
 - declaration of external objects
- file (any) (see [\[file\]](#), page 310)
 - non-text file type declaration
- for (any) (see [\[for\]](#), page 312)
 - loop statement where the number of loops is known in advance
- forward (UCSD, BP, BD, GPC) (see [\[forward\]](#), page 314)
 - declaration of a routine whose definition follows below
- function (any) (see [\[function\]](#), page 316)
 - function declaration
- goto (any) (see [\[goto\]](#), page 318)
 - statement to jump to a ‘**label**’ (see [\[label\]](#), page 330)
- if (any) (see [\[if\]](#), page 320)
 - conditional statement

- import (EP, OP, GPC) (see [\[import\]](#), page 322)
module interface import
- implementation (NOT_SP) (see [\[implementation\]](#), page 322)
module or unit implementation part
- in (any) (see [\[in\]](#), page 323)
set membership test or part of a ‘for’ (see [\[for\]](#), page 312) loop when iterating through sets
- inherited (OP, BP, BD, GPC) (see [\[inherited\]](#), page 325)
reference to methods of ancestor object types
- inline (GPC) (see [\[inline\]](#), page 325)
declaration of inline routines
- interface (NOT_SP) (see [\[interface\]](#), page 328)
module or unit interface part
- interrupt (BP, BD) (see [\[interrupt\]](#), page 329)
interrupt handler declaration (not yet implemented)
- is (OP, BD, GPC) (see [\[is\]](#), page 329)
object type membership test
- label (any) (see [\[label\]](#), page 330)
label declaration for a ‘goto’ (see [\[goto\]](#), page 318) statement
- library (BP, BD, GPC) (see [\[library\]](#), page 331)
library declaration (not yet implemented)
- mod (any) (see [\[mod\]](#), page 346)
integer remainder operator
- module (EP, OP, GPC) (see [\[module\]](#), page 346)
EP style or PXSC style module
- nil (any) (see [\[nil\]](#), page 351)
reserved value for unassigned pointers
- not (any) (see [\[not\]](#), page 352)
Boolean or bitwise ‘not’ operator
- object (BP, BD, GPC) (see [\[object\]](#), page 353)
BP style object declaration
- of (any) (see [\[of\]](#), page 354)
part of an ‘array’ (see [\[array\]](#), page 268), ‘set’ (see [\[set\]](#), page 388) or typed ‘file’ (see [\[file\]](#), page 310) type declaration, a ‘case’ (see [\[case\]](#), page 283) statement, a variant ‘record’ (see [\[record\]](#), page 377) type or a ‘type of’ (see [\[type of\]](#), page 412) type inquiry
- only (EP, OP, GPC) (see [\[only\]](#), page 355)
import specification
- operator (PXSC, GPC) (see [\[operator\]](#), page 355)
operator declaration
- or (any) (see [\[or\]](#), page 355)
Boolean or bitwise ‘or’ operator or part of the ‘or else’ (see [\[or else\]](#), page 357) operator
- or_else (EP, OP, GPC) (see [\[or_else\]](#), page 358)
short-circuit Boolean ‘or’ (see [\[or\]](#), page 355) operator

- otherwise (EP, OP, GPC) (see [\[otherwise\]](#), page 359)
 - default case label
- packed (any) (see [\[packed\]](#), page 360)
 - declaration of packed ‘record’ (see [\[record\]](#), page 377) or ‘array’ (see [\[array\]](#), page 268) types, also packed ordinal subranges
- pow (EP, OP, GPC) (see [\[pow\]](#), page 367)
 - exponentiation operator with integer exponent
- private (BP, BD, GPC) (see [\[private\]](#), page 368)
 - private object fields
- procedure (any) (see [\[procedure\]](#), page 369)
 - procedure declaration
- program (any) (see [\[program\]](#), page 369)
 - start of a Pascal program
- property (OP, BD, GPC) (see [\[property\]](#), page 369)
 - variable properties (not yet implemented)
- protected (EP, OP, BD, GPC) (see [\[protected\]](#), page 370)
 - read-only formal parameters and protected object fields
- public (BP, BD, GPC) (see [\[public\]](#), page 372)
 - public object fields
- published (BP, BD, GPC) (see [\[published\]](#), page 373)
 - published object fields
- qualified (EP, OP, GPC) (see [\[qualified\]](#), page 374)
 - import specification
- record (any) (see [\[record\]](#), page 377)
 - structured type declaration
- repeat (any) (see [\[repeat\]](#), page 380)
 - loop statement
- resident (BP, BD) (see [\[resident\]](#), page 381)
 - library export specification (not yet implemented)
- restricted (EP, OP, GPC) (see [\[restricted\]](#), page 382)
 - restricted type specification
- segment (UCSD) (see [\[segment\]](#), page 388)
 - segment specification (not yet implemented)
- set (any) (see [\[set\]](#), page 388)
 - set type declaration
- shl (BP, BD, GPC) (see [\[shl\]](#), page 391)
 - bitwise left shift operator
- shr (BP, BD, GPC) (see [\[shr\]](#), page 395)
 - bitwise right shift operator
- static (GPC) (see [\[static\]](#), page 401)
 - static variable declaration
- then (any) (see [\[then\]](#), page 406)
 - part of an ‘if’ (see [\[if\]](#), page 320) statement or part of the ‘and then’ (see [\[and then\]](#), page 263) operator

- to (any) (see [\[to\]](#), page 408)
 - part of a **‘for’** (see [\[for\]](#), page 312) loop when counting upwards or a **‘to begin do’** (see [\[to begin do\]](#), page 408) or **‘to end do’** (see [\[to end do\]](#), page 409) module constructor or destructor
- type (any) (see [\[type\]](#), page 411)
 - type declaration or part of a **‘type of’** (see [\[type of\]](#), page 412) type inquiry
- unit (UCSD, BP, BD, GPC) (see [\[unit\]](#), page 414)
 - UCSD and BP style unit declaration
- until (any) (see [\[until\]](#), page 415)
 - end of a **‘repeat’** (see [\[repeat\]](#), page 380) statement
- uses (UCSD, BP, BD, GPC) (see [\[uses\]](#), page 416)
 - unit import
- value (EP, OP, GPC) (see [\[value\]](#), page 417)
 - variable initializer
- var (any) (see [\[var\]](#), page 418)
 - variable declaration or reference parameter declaration
- view (OP, GPC) (see [\[view\]](#), page 419)
 - object class view (not yet implemented)
- virtual (OP, BP, BD, GPC) (see [\[virtual\]](#), page 419)
 - virtual object method declaration
- volatile (GPC) (see [\[volatile\]](#), page 420)
 - volatile variable declaration
- while (any) (see [\[while\]](#), page 421)
 - loop statement
- with (any) (see [\[with\]](#), page 422)
 - automatic **‘record’** (see [\[record\]](#), page 377) or object field access
- xor (BP, BD, GPC) (see [\[xor\]](#), page 425)
 - Boolean or bitwise **‘exclusive or’** operator

10 Where to get support for GNU Pascal; how to report bugs.

Here you can find information on where to find the most up-to-date information about GPC, how you can get support (professional or voluntary), how to use GPC's Test Suite, and how to report new bugs you might encounter.

If you have problems with GNU Pascal, please read the relevant sections of the GPC Manual. The most current version of the manual is available at <http://www.gnu-pascal.de/gpc-doc.html> for online browsing. You can also download the complete manual in HTML format (tar.gz) ('[gpc-html.tar.gz](#)' on GPC's WWW home page). The manual is also available in DVI format (gzipped) ('[gpc.dvi.gz](#)' on GPC's WWW home page) and PostScript format (gzipped) ('[gpc.ps.gz](#)' on GPC's WWW home page) for printing.

If the manual doesn't help you, here is what we recommend you to do:

[Chapter 3 \[FAQ\], page 23](#) Check the GPC FAQ

10.1 The GPC Mailing List

There is a mailing list devoted to GNU Pascal. You can write to the mailing list, e.g. if you have problems installing GPC or if you found a problem with GPC (please see [Section 10.6 \[Reporting Bugs\], page 435](#)). You can also use it to discuss suggestions for improving GPC and, most welcome, to offer your help or contribute code, documentation or other work. Mails to the list should be in English.

To subscribe to the mailing list, send the command

```
subscribe gpc your@email.address
```

in the body of a mail to majordomo@gnu.de (**not** to 'gpc@gnu.de!'). The subject is ignored. (Please replace 'your@email.address' with your real email address.) For more info, send a line 'help' to majordomo@gnu.de.

You can send a message to the mailing list by sending email to the list address gpc@gnu.de as if it were a person.

To leave the mailing list, send the command

```
unsubscribe gpc your@email.address
```

to majordomo@gnu.de.

There is also a (low-traffic) announce list, gpc-announce@gnu.de that you can subscribe to stay up-to-date. To subscribe to the list, write an email with

```
subscribe gpc-announce your@email.address
```

in the body to majordomo@gnu.de. If you like to announce a contribution, a service or an event related to GPC, you are invited to post to this list rather than 'gpc@gnu.de', but please don't use the announce list for questions or discussions. Please note that all mail sent to the announce list is forwarded to the regular list, so you won't have to subscribe to both lists if you don't want to miss anything.

There is also a German speaking mailing list, gpc-de@gnu.de. To subscribe send the command

```
subscribe gpc-de your@email.address
```

in the body of a mail to majordomo@gnu.de (note the hints above).

10.2 The GPC Mailing List Archives

Perhaps your problem was already discussed on the list. There is a searchable archive of the mailing list on the WWW. It can be browsed or searched at

<http://www.gnu-pascal.de/crystal/gpc/en/> (English)
<http://www.gnu-pascal.de/crystal/gpc/de/> (German)

The archive of the German GPC list is at

<http://www.gnu-pascal.de/crystal/gpc-de/de/> (German)
<http://www.gnu-pascal.de/crystal/gpc-de/en/> (English)

10.3 Newsgroups relevant to GPC

To get support, you can also ask the Usenet newsgroups for help. There are several Pascal related newsgroups, but none is dedicated just to GNU Pascal, so use the one which is most appropriate for your problem. For general Pascal questions, we recommend the following one:

<news://comp.lang.pascal.misc> Pascal in general and ungrouped Pascals.

Pascal syntax related questions may be appropriate in:

<news://comp.lang.pascal.ansi-iso> Pascal according to ANSI and ISO standards.

The next newsgroup is a haven for beginners, answering questions that would apply to almost any Pascal. However, if you have a GPC-specific question don't post there – use the GPC mailing list. And when in doubt use the GPC mailing list.

<news://comp.lang.pascal.borland> Borland Pascal questions.

Don't forget to give back what you have obtained. None of us is getting money for answering your questions (unless you pay us by yourself). Please do your part by answering the questions of others instead.

10.4 Where to get individual support for GPC

GPC is free software and comes **without any warranty**.

If you want to get professional support, you can hire an individual or a company for providing such a service.

G-N-U GmbH is doing large parts of the development of GNU Pascal. This company offers special support for GPC and can be contacted at info@g-n-u.de.

More generally, to find a company or an individual who offers support and other consulting services for free software, look into the **GNU Service Directory**.

10.5 If the compiler crashes . . .

If the compiler crashes, you have discovered a bug. A reliable compiler never crashes. To help the maintainers fix this bug, it is important that you send us a problem report.

If you're on Unix, you can find out where the compiler crashed if you enable coredumps, then load the compiler ('gpc1') plus the core file in the debugger ('gdb /your_path_here/gpc1 core'), then type 'backtrace' to get a stacktrace. Include this stacktrace in your bug report.

10.6 How to report GPC bugs

If you encounter a bug with GPC, please check whether it is one of the known bugs (see [Section 11.1 \[Known Bugs\]](#), page 439). If not, please report it to the GNU Pascal mailing list (see [Section 10.1 \[Mailing List\]](#), page 433). That way, they always reach the maintainers. Please note the following points.

- Please send a description of the problem. Try to give as much information as possible, with the full text of any error messages encountered, or a description of how some output varies from the expected output. Always specify the operating system type with version and the machine type (try `'uname -a'` if unsure) as well as the version of GPC which you get by typing `'gpc -v'`.
- A good article on submitting bug reports can be found at either <http://www.chiark.greenend.org.uk/~sgtatham/bugs.html> or <http://freshmeat.net/news/2000/02/26/951627540.html>
Another good article “How To Ask Questions The Smart Way” is available as <http://www.tuxedo.org/~esr/faqs/smart-questions.html>

If the problem is with the compiler itself, not an installation problem or something like this, please provide a test program to reproduce the problem, and note the following hints. You can also contribute test programs for features that are working in GPC to ensure they will not break in future releases.

- The test program should be as short as possible, but **by all means**, please send a **complete** program and **make sure** that it still reproduces the problem before you send it. Too often, users have sent code which contained obvious syntax errors far before the actual problem, or just code fragments that we could only make wild guesses about. This is unproductive for us and doesn't help you get your problem solved.

The preferred form for test programs is the form that the automated GPC Test Suite understands. Please, if at all possible, send your test programs in this form which should be easy to do, so we won't have to waste our time to bring them into this form, and can concentrate on fixing the problem.

- The file containing the main program *must* have a name ending with `‘.pas’` and contain the keyword `‘program’` (case-insensitively) and a `‘;’` in the same line to be recognized by the Test Suite at all. Other files whose name ends in `‘.pas’` (e.g., units or modules needed by the program), must not contain this.
- Since the Test Suite must run under very . . . nah . . . strange operating systems, too, file names must be distinguished in their first eight characters (case-insensitively) and should not contain anything but letters, numbers, hyphens, underscores and a single dot. Furthermore, any ancillary files (units, modules, includes, data files) should not be longer than “8+3” characters. It is often a good idea to use your name, nickname or initials followed by a number as the file name.
- If your test program needs any units or modules, don't give them (or their interfaces in case of modules) common names like `‘Test’`, `‘Foo’` or `‘MyUnit’`, unless you have very special reasons to, because there might be subtle problems if several test programs use the same name. Instead, it is recommended to prefix the unit/module/interface names with the name of the main test program or an abbreviation of it (if necessary because of the file name restrictions). Furthermore, please avoid the use of units and modules at all if the bug is not specific to them, in order to keep the test as simple as possible.
- The test program, when run, should produce a line of output consisting of the string `‘OK’` (followed by a newline) if everything went as expected, and something else (e.g. `‘failed’`, possibly followed by the reason of failure) if something went wrong.
- However, if the program is intended to check whether GPC catches an (intentional) error in the program, place the string `‘WRONG’` somewhere in the test program, preferably in a

comment in the line that contains the intentional error, and make the program output ‘failed’ or something like this if it does compile mistakenly. ‘WRONG’ tests will be run with the option ‘-w’ to suppress all warnings, so only real errors will be detected.

Note: While it is possible to combine several ‘OK’ tests in a single test program (if you make sure that it outputs ‘OK’ only if all tests pass), you cannot put several ‘WRONG’ tests into one test program. This is because the compiler will fail (and the test therefore be regarded as successful) already if *one* error occurs. So, for ‘WRONG’ tests, write only one check per test program. Also, try to keep such a test program as simple as possible, to avoid the risk that it will fail because of other problems (and therefore the test be mistakenly considered successful).

- If the test should merely provoke a GPC warning, use ‘WARN’ instead of ‘WRONG’. This will run the test without ‘-w’, but with ‘-Werror’. However, such tests will also appear to succeed if they produce a compiler error, not only a warning. Therefore, when checking for a warning, it is often a good idea to provide a complementary test (with expected success) and with ‘-w’ in ‘FLAG’ or a compiler directive ‘{\$W-}’ to make sure that it’s really just a warning, not an error.

The following special features of the Test Suite may be helpful for constructing slightly unusual tests:

- If the expected output is something else than ‘OK’, place it in a file ‘<basename>.out’ (where ‘<basename>’ is the name of the test program without the ‘.pas’ extension).
- If the test program expects some input, place it in a file ‘<basename>.in’. It will automatically be redirected to the program’s standard input.
- If the test needs some special flags to be given to the GPC command line, place them in a comment preceded by ‘FLAG’, e.g.:

```
(* FLAG --extended-pascal -Werror *)
```

- The source file name of the test program will be passed as the first command-line argument to the test program run.
- If a test needs to be run in a special way, you can accompany the program with a script ‘<basename>.run’ that will do the actual test after the test program was compiled. This script will be run by ‘sh’ (regardless of its first line). In order to be portable, it should only use standard tools and features present in all ‘sh’ compatible shells (e.g., ‘ash’, ‘bash’, but not necessarily ‘csh’). The source file name of the test program will be passed as the first command-line argument to the run script in this case. The compiled file is called ‘./a.out’ on most systems, but, e.g., ‘./a.exe’ on Cygwin. The environment variable ‘A_OUT’ contains the base name (i.e., ‘a.out’ or ‘a.exe’, so you can always invoke the program as ‘./"\$A_OUT"’).
- If a test needs to be compiled in a special way (e.g., to decide whether to skip the test), place the commands in a script (preferably called ‘<basename>.cmp’), and put the file name of the script (without directory) in a comment preceded by ‘COMPILE-CMD:’ into the source of the test program. The compile script will be run **instead** of the compiler and any other action otherwise done for this test program, so it gives you maximum flexibility to do whatever you need to do. This script will be run by ‘sh’ (regardless of its first line). In order to be portable, it should only use standard tools and features present in all ‘sh’ compatible shells (see above). The first command-line argument to the compile script will be the compiler to use, including all options. The second argument will be the source file name of the test program. For some typical tests, there are standard compile scripts, e.g. ‘ia32.cmp’ which will skip the test unless run on an IA32 processor. This is necessary, e.g., when testing assembler code. Of course, it’s still better to avoid having to use such scripts when possible.
- In some cases you may want to write *randomized* tests. This is not usually recommended since it makes problems found harder to reproduce, but sometimes it might be useful (e.g.,

if you want to cover a large parameter space). In such a case, the following strategy can be used:

```

...

uses GPC;

var
  RandomSeed: Integer;

begin
  RandomSeed := Random (MaxInt);
  SeedRandom (RandomSeed);

  ... { do your normal tests }

  { when printing an error message: }
  if ... then
    begin
      WriteLn ('failed (', RandomSeed, ') ',
               ... { possibly additional information } );
      Halt
    end
  end.

```

This is a little unnatural since a random number is used to (re-)seed the random number generator, but there's currently no way to retrieve the internal state of the random number generator (and in fact, it's not represented by a single number, but by an array).

Given the value of 'RandomSeed' in an error message, it should then be possible to reproduce the problem by inserting this value in place of the 'Random (MaxInt)'. Just be sure to print this value in **every** message of failure the program may produce.

10.7 Running the GPC Test Suite

Note: If you have installed a GPC binary distribution, you usually don't have the Test Suite installed (you can download the GPC source distribution to get it, however), so this section does not apply to you. Still, you can find in the section '**Contributing Tests to the Test Suite**' how to report GPC bugs in the form of new test programs so we can fix them as fast as possible.

The files in the test directory and subdirectories are for testing GPC only and should not be of any other use.

Note: A few of the tests do not make sense on all systems. They are equipped with checks and will be skipped if they find the system not suitable. Skipped tests do **not** indicate a GPC bug, unless you have a reason to be sure that the particular test should make sense on your system.

- To run the whole Test Suite, type 'make' in the test directory (or 'make check' in the 'p' object directory after building GPC).
- The output will show all errors encountered (hopefully none) and tests skipped, and finally display a summary giving the number of successful, failed and skipped tests. Any failed test indicates a bug in GPC which should be reported to the GPC mailing list, gpc@gnu.de. Don't forget to mention the operating system you ran the test on and any other relevant information about what you did.

- You can also type `'make pascal.check-long'` to get a long output which is a sequence of file names followed by `'OK'` for successful tests, `'SKIPPED'` for skipped tests (both in capital letters), and anything else for failed tests.
- To run only some of the tests, you can type something like `'make MASK="foo[1-7]*.pas"'` or `'make MASK="foo42.pas" pascal.check-long'`.
- To clean up after running the tests, type `'make clean'`.

11 The GNU Pascal To-Do List.

This is the To-Do list for the GNU Pascal Compiler.

The GNU Pascal development team is constantly working on making GNU Pascal more reliable and more comfortable. However, there are some known bugs which will take some time to be fixed (any help welcome!), and we do not want to hide them from you. You might also be interested to know what features are planned to be implemented in the future. This list is meant to keep track of the known bugs and wanted features of GPC.

If you want to report a new bug or suggest a new feature, the best way to do it is in the mailing list. This way, other GPC users can provide additional ideas, perhaps work-arounds for bugs, and the GPC maintainers can sooner start to think about how to solve the problem. The GPC mailing list is gpc@gnu.de. To subscribe, send the command ‘`subscribe gpc your@email.address`’ in the body of a mail to majordomo@gnu.de (the subject is ignored). An archive of the mailing list can be found on <http://www.gnu-pascal.de/crystal/gpc/en/>.

The list changes every few days. The present version refers to the current GPC snapshot, 20020510.

This list is part of the GNU Pascal Manual, included in GPC distributions and snapshots. You can always browse the most current version of the list on GPC’s WWW page in HTML. If you check the To-Do list regularly you can decide if and when to try a new snapshot.

11.1 Known bugs in GPC

In the following sections, you can find information about GPC bugs that are known to the developers. The list always corresponds to the latest developer versions of GPC, usually not to the latest official distribution.

If you encounter a bug with GPC, please check whether it is one of the known bugs. If not, report it to the GNU Pascal mailing list. (But always report if you solve the problem! :—)

Entries will be removed from the list as soon as the problem is solved in the developers’ current GPC version. (Exception: If we can’t reproduce the problem, but someone else can, the entry will be removed when we hear from this person that the problem is solved.) Problems which are announced to be solved, but for which we (or the person who can reproduce the problem) did not get the proof (i.e., a GPC source patch) yet, are marked ‘(ok)’.

A message ID (like ‘<420foo.bar>’) refers to a message in the GPC mailing list (or a newsgroup, denoted with ‘news:’) where the topic was discussed (often a bug report). A note of the form ‘(xy20001231)’ refers to an internal message of the GPC developers. A file name like ‘(foo42.pas)’ refers to the according program in the GPC test suite included in the GPC source distribution.

- give a warning rather than an error (and nothing in ‘--borland-pascal’) when assigning/passing by value an object of derived type to one of a base type (and change the VMT pointer in the destination/actual parameter), don’t change the VMT pointer when assigning to a polymorphic object (chief35[ab].pas), don’t allow value parameters of abstract types, handle value parameters like variables in ‘is’/‘as’
- possible stack overflow when using string concatenation in a loop, and problem with string concatenation and ‘goto’ (contourbug.pas, martin1.pas, fjf419.pas)
- ‘setlimit’ is applied when it shouldn’t be ((a) variable/constant declarations, (b) ‘set of ShortCard’, (c) constant sets)
- the capacity of strings declared in interfaces of modules is not initialized (daj3.pas, sven14c.pas)
- (subrange) components of packed arrays should be packed as well (but not other types) (daj14[ab].pas)

- initializers of packed arrays don't work (emil5.pas)
- some functions in boolean shortcuts are always called (fjf226[a-\infty].pas)
- arithmetic expressions don't work as lower array/subrange bounds (fjf248.pas)
- global dynamic variables don't work (john1.pas)
- check for using, incrementing, ... unused variables <199711270257.VAA06393@mint.mint.net> (kevin2.pas), especially for strings, also for 'for'-loop counters after the loop (EP 6.8.1) and modifying 'for'-loop counters within the loop or in local routines <200005240807.EAA05355@mail.bcpl.net>
- types declared in a module interface are not visible in the implementation (kevin13.pas, mod12.pas)
- declaring a procedure in the implementation with the same name as an imported procedure doesn't work (chief18.pas), detect name collisions between imported EP modules (mod9.pas)
- packed array/record fields don't work in 'Read' etc. (tom5.pas)
- dynamic sets don't work (->PPS)
- there are some bugs with mathematical functions; GPC fails, for example, the Paranoia test
- the compiler does not always recover well after a parse error <199911040915.KAA11168@humulus.daimi.au.dk>
- count of parameters in error messages should not include 'Self' in methods or internal parameters for conformant/open arrays <8F990E3D9A6FD1118F3B0000F81EA1D84985CE@exchsa2.dstc.defence.gov.au>
- bug on machines with strict alignment requirements <199906021618.MAA06228@sten27.software.mitel.com>
- forward referencing pointers generate debug info that appears as generic pointers; no information of 'with' statements is currently given to the debugger
- check parameter names in repeated forward etc. declarations <20010321204051.A611@plato>
- check that all routines declared in an interface are implemented in the corresponding implementation
- the warnings about uninitialized/unused variables don't work for strings, sets, etc.
- Sparc with gcc-2.95.x: 'goto' jumping out of two procedure nesting levels doesn't work (GCC bug; fixed in 3.0.1) <200111170922.KAA09125@goedel.fjf.gnu.de> (fjf558[op].pas) (-> 'Trap' unit)
- AIX: 'ReturnAddress' doesn't work after use of dynamic variables (GCC bug)
- powerpc: '--strength-reduce' doesn't work with 'for' loops (ok?)

11.2 Features planned for GPC

In the following sections, you can find informations about features which have been suggested and/or discussed for inclusion into GPC, usually in the GPC mailing list. The division into the sections and the names of the sections may change when this seems useful. The entries within each section are in no particular order.

Some of the entries may be a bit difficult to read. Double question marks ('??') within the entries mean that it's not yet clear how to do the thing. Triple question marks ('???') mean that it's not clear whether to do it at all. ;—)

11.2.1 Planned features: Strings

- const/var 'AnyString' parameters and pointers (records internally, cf. gpc.pas) (GetCapacity; only for var parameters)

- ‘SetLength’ for non-Pascal string types; use truncate-flag
- make work on all string types: string functions from rts/gstrings.pas, Concat/+ (function with conformant array; Optimize ‘s := s + ch’) (fh19971105)
- new option ‘--arrays-of-char-as-cstrings={none,zero-based,all}’ to allow assigning [zero-based] arrays of char to cstring variables (warning otherwise) (cstrini2.pas); make padding of those arrays in initialized variables and in assignments dependent on this switch (fh19970921) (fjf57.pas, ok) and if the length matches exactly, give a warning (fh19971013) (cstrassign.pas); pass those arrays as cstrings in read*, write*, str (P_*STRING; current length=-1 in two places); compile time warning (and treatment as non-zero-based) if it’s not clear at compile time if a conformant array or schema is zero-based or not, and an operation depends on this in the zero-based state
- Short strings (Length, Capacity) and switches (tc19980326.2,tc19980327); allow ‘type x=string’ (undiscriminated) when switch is set so that strings don’t default to length 255 (fh19971113) (fjf97.pas, ok); don’t add a #0 terminator when passing as a CString parameter (automatically use String2CString)
- automatically convert CStrings to Strings?
- general switch ‘--bp-strings’
- offer trimming string relations as functions
- ‘WriteStr’-like function
- wide characters
- open array/string parameters (‘\$P’, ‘\$V’ in BP; undocumented ‘OpenString’ identifier in BP)
- variables of type undiscriminated schema/strings -> remove pointers to string constants; functions returning undiscriminated schemata (pg19980813.3)

11.2.2 Planned features: Records/arrays

- array/record values/initializers: recognize indices and field names (sven4.pas), ISO structured constants (constdef.pas); variant records <C1256791.0021F002.00@synln01.synstar.de>; allow omitting fields; fields in arbitrary order ???; index/field name optional; arrays: warning/error when too few fields are given; initialized schemata; <200106170346.f5H3ksj22229@mail.bcpl.net>
- initialized types in records/arrays (inirec[24].pas)
- when applying ‘New’ to a variant record type with a selector given, only allocate the space necessary for the selected variant (varrec2.pas) ???
- Oregon and Vax Pascal structured constants <80256540.005E7D08.00@buffer1.quantel.com> ???
- automatically detected upper array bounds in structured constants/initialized variables (-> PXSC)
- simplify code generated to compute size of dynamical variables if no bitfields are involved
- tagging feature for ‘with’ statements (Sun Pascal) (tom6.pas) <200012022215.eB2MFD614424@wsinpa16.win.tue.nl>
- transpose arrays (Fortran)? <news:918557\$mke\$1@nnrp1.deja.com>

11.2.3 Planned features: Files

- ‘AnyFile’ parameters and pointers
- keep files in FDRList while they live, not only while they’re open, so ‘_p_fdrdone’ can be applied to all of them

- packed files (EP) ??
- ‘FormatString’: left/center/both(?) justification (ok in RTS, NEG_WIDTH_LEFT_MASK etc.); rounding (PXSC) ???
- improve TFDDs (also for typed and untyped files) (OpenProc/CloseProc)
- read/write operators ???
- let ‘Assign’ call ‘_p_initfdr’ in ‘--borland-pascal’

11.2.4 Planned features: Other types

- UCSD Pascal’s ‘Integer[n]’ ??? BCD?
- enum types with specified values ???; Inc, Pred, ... ??
- enum type extensions (syntax??)
- check for dereferencing nil pointers
- general subtypes ???
- type cast operators ???
- make ‘SizeOf’ work on specially declared untyped var and const parameters (‘AnyType’?)
- sparse sets; sets of arbitrary types ?? ???
- optimize set constructors even better ???
- superfluous warning with sets and variable elements (fh19970928)
- initialization and finalization code for arbitrary types (e.g. GMP types)
- give an error rather than a warning when casting between types of different size in {X-}
- storage class qualifiers (‘external’, ‘asmname’, ‘static’, ‘volatile’, ‘attribute’)
- ‘SELECTED_REAL_KIND’ for real types (cf. Fortran, drf) ?? ???
- resize schemata (cf. ‘SetLength’ in Delphi)
- subranges with variable limits (couper[23].pas)

11.2.5 Planned features: Units and modules

- qualified identifiers <34508F33.4F685BD1@keele.ac.uk> (also ‘program_name.identifier’?) (problem module.id vs. record.field); also for operators; ‘gpc’ for built-in identifiers; duplicate identifiers in different units (fjf260[ab].pas); giving the same name to a routine in an interface and a local routine doesn’t work (fjf240.pas); don’t capitalize variable names in error messages and file name queries (store the casing of the first occurrence of an identifier) -> remove ‘{\$no-debug-info}’
- ‘external name’, ‘asmname’, ...; (-> BP, Delphi) ??, like ‘\$L’ (fh19990325.2)
- modules without implementation ??? (pmod1.pas)
- ‘asmname’ for units
- qualified import (mod10.pas)
- inline functions in GPI files
- unit inheritance (of a complete interface with one statement or selectively) <Pine.HPP.3.96.971105161603.28577A-100000@tea.geophysik.tu-freiberg.de>, <199711061008.LAA25341@agnes.dida.physik.uni-essen.de> ??; virtual procedures ???
- allow accessing non-exported identifiers in the implementation of a module <Pine.BSL.3.96.97110210330.7570A-100000@malasada.lava.net>
- ‘Initialization/Finalization’ (Delphi: =‘to begin/end do’) (???) (only in ‘--delphi’?)

11.2.6 Planned features: OOP

- init VMT in initialized variables (fjf445*.pas)
- ‘published’, ‘public’, ‘protected’, ‘private’ (scope limited to a unit in ‘--borland-pascal’, and to the object type normally)
- ‘ProcVar := Obj.Method’ {\$X+}; method pointers (‘procedure/function of object’) (-> Delphi) ???
- VMT link (global, local, new: set to 0 or @VMT; destructor: reset to 0)
- checks: ‘@Obj <> nil’, ‘TypeOf (Obj) <> nil’, ‘TypeOf (Obj)^.Size = -TypeOf (Obj)^.NegatedSize’; separate switches; function initialized (that does these 3 tests) ???
- virtual constructors
- ‘class is class’ (implemented in Pascal with ‘Parent’)
- interfaces (cf. OOE, Java); ‘obj is interface’ (not so easy?) ???; variables of type pointer to more than one interface [and class] (also possible!)
- allow method-implementation right after the declaration ???
- friends ???
- ‘dynamic’ (= ‘virtual’ ?)
- ‘class’ (reference to an object type); allow classes and object types to inherit from each other; OOE; <01BD7A3A.6B187A20.prucha@helicon.co.at>; obpascal.zip
- ‘New’: Delphi syntax; Dispose?? (automatically?; set references automatically to nil) (-> FPC)
- ‘--base-class=foo’, ‘--base-object=bar’ ???
- properties <01BD7A3A.6B187A20.prucha@helicon.co.at>, <16131.199805071354@pot-ter.cc.keele.ac.uk>
- virtual constructors in interfaces (load)???
- VMT problem with interfaces (my solution??? also with dynamic linking???)
- VMTs (also for local classes (EP modules???)!) in GPI files, written to assembler file by main program; ‘--cfiles=foo’: .s file with VMTs for C/assembler??? (also .h???)
- method overloading ??? ??
- class libraries (more or less TV compatible?/Free Vision/EFLIB) (streams as interface type?)
- VMT: ClassID (64/128 bits?) default 0, error when duplicated, warning when 0 and inherited from class with <>0 ?, not allowed for abstract classes!; ClassName (also for abstract classes?); []; ProgrammerID, BaseClassID at beginning of unit (redeclarable?) ???
- VMT: Children: list of pVMT
- find class by ClassID/ClassName (implementable in Pascal with ‘Child’)
- object constants, class variables (-> other name for ‘VMT’); virtual/static
- store in GPI: whether ClassID used, ClassName used, which classes are instantiated
- ‘asmname’ for methods

11.2.7 Planned features: Misc

- read Booleans and enum types from files, write enum types to files; ‘--[no-]read-range-checking’ (also for subtypes of Char, Boolean and enum types!)
- make it possible to declare routines as ‘iocritical’ and ‘ignorable’
- switch to warn about everything that could cause portability problems
- document all compiler options and switches; make ‘gpc --help’ output all the options ???

- libraries (static/shared; DLL) <Pine.HPP.3.96.971110183550.7996B-100000@tea.geophysik.tu-freiberg.de>
- smart linking
- range <Pine.LNX.4.21.0012091605570.8168-100000@rusty.russwhit.com>, overflow (right operand of mod <=0 is an error), nil pointer, string length, object VMT (pointer, negative size field), etc. checking <199911040915.KAA11168@humulus.daimi.au.dk>; also for array slice access (miklos1.pas); check that strings converted to CStrings don't contain #0 characters; initialize strings (length field), pointers, ordinal values and reals(?) with invalid values if checking is on
- overloading of unary operators
- intel assembler syntax; BP BASM ???
- function overloading (in units and static methods?? – with different parameters, override or overload?); asmname?? (perhaps: first occurrence of a procedure with normal asmname (=> all non-overloaded procedures get normal asmnames?)); cf. Delphi methods without 'override'
- and_else, or_then (names?); guarantee complete evaluation in '{B\$+}' mode
- '?:' ('x := if c then bar else baz')
- C operators ('.', '=', '++'/'--' (pre/post), '+=', ...), as functions ?
- 'for var: type = foo to bar do' ???
- error/exception handling (Java,Delphi?) <01BD7A3A.6B187A20.prucha@helicon.co.at> (tc20000623)
- RTS checking (libgpc.g), switch?
- simplify math functions <199708091006.MAA26576@agnes.dida.physik.uni-essen.de>
- variable number of arguments <32F9CFE7.5CB@lmemw.ericsson.se> ?? ???
- multithreading support ?? ???
- '--wirth-pascal' :-)
- PXSC standard ... ('pxsc.zip', 'contrib/peter/pxsc') (??)
- Object Oriented Extensions (Technical Report) (??)
- generic types (cf. OOE section C.1) (gentypes.pas) ???
- default parameters (cf. OOE section C.4; Delphi 4?) (iniparm[12].pas)
- Pascal++ standard ... (??) ???
- allow 'procedure foo; inline;'
- compile time assertions ???
- Ignore{Value,Result}/Discard and Swap for arbitrary types
- make operators also available as functions
- 'absolute' with automatic type detection; 'absolute' procedures (with automatic parameter detection) ???
- Delphi features: CompToCurrency, CurrencyToComp, Slice, TypeInfo ???, dynamic arrays (tc19991012); Assert (tc20010225.2)
- output column numbers in error messages ??
- warn when 'and' and 'or' are combined without parentheses (-Wparentheses; on by default)
- assembler blocks should be considered volatile by default ??? (fh19980829.4)

11.2.8 Planned features: Utilities

- ‘gp’ make utility to replace automake; compile and link programs, but compile units without linking and without a warning that there is nothing to link; store GPC version numbers, platform and options in GPD files and re-compile automatically in ‘--automake’ mode when they don’t match
- C header to Pascal translator
- gdb: Pascal types (sets, files, subranges, schemata, strings, . . .)
- ‘indent’-like source code formatter for Pascal
- AT&T <-> Intel assembler syntax converter ???

11.3 Fixed bugs and implemented features

11.3.1 Problems that have been solved

This section lists the bugs fixed since 1st Oct 1997, together with the date (YYYYMMDD) on which they were fixed, so you can check if some bug has already been solved in a recent release or developer version.

After the release of GPC 2.1, this section will be cleared and contain the bugs fixed after that release.

- 20020425: packed array types declared in units do not behave correctly (martin3.pas)
- 20020424: error when declaring a forward pointer to an overwritten type of name ‘Word’ (carel2*.pas)
- 20020423: runtime error on ‘EOLn’ when text file does not end in newline (emil20.pas)
- 20020423: error in debug entries generated for objects <8F990E3D9A6FD1118F3B0000F81EA1D84985D7@exchsa2.dst.defence.gov.au>
- 20020410: HP/UX: ‘unrecognizable insn’ error in connection with conformant or const string parameters) <199809280741.JAA17719@rug105.cs.rug.nl> (sietse1.pas), <Pine.SOL.4.10.9908051751550.23095-100000@nifheim.rutgers.edu>, <396C3531.3A327722@cs.rug.nl>
- 20020410: a schema which contains another schema whose discriminant depends on the first schema’s discriminant, while no part of the inner schema depends on its discriminant, is not initialized properly (emil19*.pas)
- 20020410: differences of unsigned integer constants are treated as unsigned, even if their value is negative (emil18.pas)
- 20020409: ‘ParamStr’ is not accepted as the first argument of ‘ReadStr’ and ‘Val’ (maur10a.pas)
- 20020409: GPC accepts function results of string type as well as ‘Re’ and ‘Im’ as “lvalues” (fjf657*.pas, fjf658*.pas)
- 20020409: string constants are not accepted as actual parameters for conformant arrays of ‘Char’ (fjf655*.pas)
- 20020409: building GPC with ‘-pipe’ fails <200204081912.16296.georges@its.caltech.edu>
- 20020407: using a unit of the same name as one of the RTS’s units (e.g., ‘Files’) does not work (carel1.pas)
- 20020401: ‘file of record end’ fails at runtime (emil1[56].pas)
- 20020325: GPC crashes on invalid comparisons between arrays and string constants (fjf652.pas)
- 20020323: ‘Val’ reads only one digit in some circumstances (fjf651b.pas)
- 20020323: ‘ReadStr’ and ‘Val’ evaluate their first argument twice (fjf651[ab].pas)

- 20020322: assigning/passing fixed strings (i.e., ‘array ... of Char’) to ‘CStrings’ doesn’t work correctly (emil17.pas, fjf390[a-d].pas)
- 20020322: GPC crashes on ‘Page’ without parameters (mike1.pas)
- 20020318: missing type checking in ‘><’ (fjf649a.pas); ‘><’ can’t be overloaded (fjf649b.pas)
- 20020314: GPC crashes on ‘packed array [...] of record end;’ (emil14.pas)
- 20020314: GPC accepts ‘[packed] array ... of Void’ (emil13[a-c].pas) and ‘[packed] file [...] of Void’ (fjf648[a-d].pas)
- 20020314: GPC segfaults on ‘set of Void’ (emil12.pas)
- 20020308: calling a virtual method ‘Size’ doesn’t work (maur9.pas)
- 20020226: ‘Re’, ‘Im’ and ‘Arg’ do not accept integer and real arguments (fjf641*.pas)
- 20020224: arrays whose domain is an enum type (not a subrange) behave slightly wrong with initializers containing schemata (fjf638.pas)
- 20020224: ‘inline’ and ‘asmname’ don’t work together when compiling without optimization (maur3.pas)
- 20020224: identifiers declared in a unit that have the same name as some object method are not visible (russell2.pas, fjf278.pas, fjf571.pas)
- 20020223: some redeclaration errors are not strict enough (fjf565*.pas)
- 20020222: the warnings about unused variables don’t work for global variables (fjf632[ab].pas)
- 20020222: the VMT of object variables is not initialized until a constructor is called (fjf631.pas)
- 20020214: gcc-2.95.x (mostly): spurious warnings (with ‘-Wall’ and ‘-O’) about uninitialized variables near ‘case’ statements
- 20020214: ‘Break’ and ‘Continue’ don’t work correctly in a ‘for ... in []’ loop (i.e., iterating over a constant empty set) (forloop.pas)
- 20020214: ‘Low’ and ‘High’ yield wrong results when applied to set constructors (fjf626.pas)
- 20020211: GPC might crash in the presence of corrupt GPI files
- 20020211: automake doesn’t recompile programs/modules/units that depend indirectly on interfaces that were changed
- 20020211: GPC might crash or produce wrong results when mismatching GPI files are used together, e.g. due to limitations of the automake mechanism (after fixing this bug, it aborts with a ‘checksum mismatch’ error message in this case)
- 20020210: enumeration types do not always properly survive transport through two interfaces that depend on each other (miguel2.pas) or two interfaces of the same module (daj2.pas)
- 20020209: constant declarations whose values contain RTS calls can give wrong results or lead to compiler crashes (emil11*.pas)
- 20020208: ‘SizeOf’ does not work on uninitialized non-polymorphic objects (chief32.pas)
- 20020208: the operators ‘pow’ and ‘**’ cannot be redefined (maur7.pas)
- 20020208: schema components of array fields of schemata are not initialized correctly <3A93D0C0.8F5A8308@zkm.de> (sven19[ab].pas)
- 20020208: methods returning records, arrays or pointers (chief39*.pas) and functions without parameters returning arrays or pointers (fjf619*.pas, fjf299.pas) don’t work correctly
- 20020207: initializers of arrays of length 1 don’t work (fjf320*.pas, fjf617.pas)
- 20020207: declaring several ‘absolute’ variables at once doesn’t work correctly (fjf616.pas)
- 20020205: ‘-pedantic’ wrongly warns about standard routines such as ‘WriteLn’ (emil10.pas)

- 20020203: GPC sometimes crashes with ‘-g’ <Pine.SGI.4.10.9903231101500.6691-100000@pugh.bip.bham.ac.uk>
- 20020202: don’t allow assignments to and other modifications of schema discriminants (e.g., string’s ‘Capacity’) (fjf615*.pas)
- 20020201: import and export of huge interfaces is very slow (quadratic time behaviour)
- 20020201: bug with const parameters and derived object types (chief42.pas)
- 20020128: ‘const’ object parameters don’t accept actual parameters of derived object type (chief42.pas)
- 20020125: complex ‘ArcTan’ yields inaccurate results in some cases (emil9.pas)
- 20020124: ‘protected’ and untyped files don’t work in procedural types (fjf601[a-d].pas)
- 20020123: sizes of schema types containing variant records are computed wrong (fjf600.pas)
- 20020122: too weak type checking in assignment and initialization of procedural variables (fjf598*.pas)
- 20020122: pointer types pointing to themselves don’t work (fjf244.pas)
- 20020117: complex ‘pow’ yields wrong results with a negative exponent (emil8.pas)
- 20020116: packed arrays of types of size 24, 40, 48, . . . bits are not really packed (fjf582.pas)
- 20020115: inlining of functions which locally declare a subrange type etc. can cause GPC to crash, especially when debug info is generated (emil7.pas)
- 20020114: assignments to packed array fields whose RHS involves the field itself don’t work correctly (emil6.pas)
- 20020112: complex ‘Abs’ overflows too early (maur8.pas)
- 20020111: give an error rather than a warning when using ‘Return’ without a value in a function <3BEC86B3.85264A58@alcatel.be>
- 20020108: ‘MinReal’, ‘MaxReal’ and ‘EpsReal’ don’t work (emil4.pas)
- 20020108: complex ‘Sqrt’ aborts with the false error ‘argument to ‘Sqrt’ is < 0’ on some arguments close to the real line (emil3.pas)
- 20011229: the ‘DST’ field of ‘TimeStamp’ contains wrong values (fjf580.pas)
- 20011229: the test scripts don’t work on systems that use ‘a.exe’ instead of ‘a.out’, e.g. Cygwin
- 20011229: Cygwin: ‘LineBreak’ should not contain a CR
- 20011227: Intl: automatically link ‘-lintl’ when necessary
- 20011227: ‘Get’ does not behave lazy, unlike ‘Read’ (emil2.pas)
- 20011214: GPC accepts string capacities <= 0 (fjf579[a-c].pas)
- 20011214: fatal range overflows in set constructors (couper8.pas, couper10.pas) <2C4F3FEF.20000809173117.FOO-13A6.frank@g-n-u.de>
- 20011214: missing type checking in set constructors (fjf57[67][a-l].pas)
- 20011213: packed records of (e.g.) 16 bit wide subranges are not handled correctly in assignments (emil1.pas)
- 20011202: packed records break when imported from units/module interfaces (martin2[ab].pas)
- 20011201: spurious warning when setting a function return value via ‘Str’ (fjf575.pas)
- 20011201: overflows in real constants are not detected at compile time (fjf573.pas)
- 20011130: real numbers that are very slightly larger than a power of 10 are output incorrectly with ‘Write’ on some platforms (e.g., IA32) (ian7.pas)
- 20011129: ‘mod’ yields a wrong result when the result should be 0 and the right operand is a signed type (fjf572a.pas)

- 20011123: some comparisons on packed subranges don't work correctly (couper1.pas)
- 20011122: two-unit bug with objects (adam2.pas) <Pine.GSO.4.30.0108011501180.14499-100000@math>
- 20011121: 'protected' parameters are not always respected; 'type of' must not preserve protectedness; sets constructed with 'type of' give a type mismatch; 'for' ... 'in' a protected set parameter doesn't work; 'const' parameters of real or 'LongInt' type to procedural types don't work; 'const' set parameters don't work; set expressions don't always work as actual parameters (fjf383.pas, fjf447.pas, fjf569[a-w].pas)
- 20011121: 'setlimit' doesn't work as a compiler directive (fjf215.pas)
- 20011121: 'set of Integer (42)' doesn't work (fjf215.pas)
- 20011121: GPC crashes on 'set of Real' (fjf568.pas)
- 20011120: Alpha/OSF: 'mips-tfile' crashes when the source is read from standard input (fjf519[abe].pas)
- 20011120: don't pass '-x' options with '--automake' (fjf567[ab].pas)
- 20011119: 64 bit machines: reading 'MedCard' variables doesn't work (readg9.pas)
- 20011119: 64 bit machines: set operations 'in', 'Include', 'Exclude' and some set constructors fail (mirsad[00-12].pas)
- 20011119: 'shl' should use the longest possible result type when necessary (shl.pas)
- 20011119: Alpha/OSF: compiling C files to be linked fails in 'mips-tfile'
- 20011115: some more obscure cases of operator precedence and associativity are wrong (fjf566[a-m].pas)
- 20011114: infinite compiler recursion when a unit uses itself (sven18[a-c].pas) <3A2275D8.F2DEA31A@zkm.de>
- 20011114: fixed string comparisons are wrong (takashi1.pas)
- 20011114: GPC doesn't handle sets with negative lower bounds correctly (fjf563*.pas, couper11.pas, wnj.pas)
- 20011111: enumeration types declared within a set or record type or variable or constant declaration or the case selector of a record within a unit are not visible in the main program (fjf211*.pas, fjf239[ab].pas)
- 20011108: the test suite scripts don't work with non-GNU versions of 'sed' and 'awk'
- 20011108: results of set operations are truncated to the left operand's range (especially noticeable when it is a constant set) (drf3[a-c].pas)
- 20011108: GPC should not accept 'set of Integer' etc. (drf2[ab].pas, couper11.pas)
- 20011108: GPC crashes on 'set of Integer' (couper11.pas)
- 20011108: functions returning sets don't work (fjf554[a-x].pas, setret.pas, chief41.pas)
- 20011107: too many parameters to 'New' are not checked (fjf553[bd].pas)
- 20011107: 'New' of an untyped pointer should not be allowed (fjf553a.pas)
- 20011107: GPC accepts reals as the bounds of subrange types (eike1[ab].pas)
- 20011106: guarantee full evaluation in '{ \$B+ }' (fjf552[ab].pas)
- 20011106: 'const' and 'protected' parameters are accepted as the second argument to 'Move', 'MoveLeft' and 'MoveRight' (fjf550[a-f].pas)
- 20011106: GPC doesn't allow Booleans and enum types for the 3rd parameter to 'FillChar' (BP allows this) (fjf549[ab].pas)
- 20011103: type-checking for '+' etc. is not strict enough (fjf277.pas, fjf309.pas, fjf399[ab].pas, fjf488xk.pas, fjf547[a-o].pas)
- 20011103: for 'mod' with a negative operand, behave standard-conformant by default, but non-standard in '--borland-pascal' and similar modes (fjf424[ac-e].pas)

- 20011026: GPC searches compiled units first in the current directory rather than the ‘unit-path’ etc.
- 20011025: ‘UpCase’ and ‘LoCase’ don’t accept character constants (fjf544[ab].pas)
- 20011025: MIPS: writing reals doesn’t work (gcc bug with varargs) <Pine.SGI.4.10.9903240952350.12280-300000@pugh.bip.bham.ac.uk>, <39DDC168.7CFFE872@larc.nasa.gov>
- 20011024: the second parameter of ‘Insert’ and the first parameter of ‘Delete’ must not be constant (fjf268[a-d].pas, fjf473[ab].pas)
- 20011024: non-default integer types like ‘MedInt’ (and therefore ‘SizeType’ under DJGPP) are not accepted as the 4th parameter to ‘BlockRead’ and ‘BlockWrite’ (chief33.pas, fjf252.pas, fjf543[a-f].pas)
- 20011024: ‘Concat’ with only one argument does not work (fjf542.pas)
- 20011024: ‘Trunc’, ‘Round’ and ‘Polar’ don’t accept integer parameters where reals are expected (fjf229.pas, fjf303.pas, fjf541[ab].pas)
- 20011023: ‘{ \$local }’ and ‘{ \$ifopt }’ don’t work with dialect options (e.g., ‘gnu-pascal’) (fjf535[a-d].pas, fjf536[a-k].pas)
- 20011021: GPC allows multiple declarations of the same variable if they are of the same type (dave1.pas, fjf316.pas, fjf453.pas)
- 20011021: const real parameters don’t work (fjf227[ab].pas, fjf228[a-c].pas, fjf319.pas, fjf391[ab].pas, fjf530.pas)
- 20011017: declaration blocks in the wrong order are not detected in ‘--classic-pascal’ (chuck1[a-c].pas)
- 20011015: wrong type mismatches with ‘const’ and ‘protected’ parameters used as array indexes, as case selectors, in writing to typed files, in ‘Include’, ‘Exclude’, ‘in’, in set assignments, or in file seeks (adam3[a-v].pas, chief31.pas)
- 20011014: files and discriminants of schemata inside arrays whose index is an enumeration type are not initialized correctly (theol[ab].pas)
- 20011014: GPC wrongly allows ‘<’, ‘>’, ‘<=’ and ‘>=’ comparison of char, enum and boolean values with integers (fjf235[a-d].pas, fjf392.pas, fjf463.pas, fjf503.pas, fjf529.pas)
- 20011014: missing constant range-checking in the upper bound of ‘for’ loops (chuck2.pas)
- 20010818: ‘BlockRead’ and ‘BlockWrite’ can behave wrong when the actual third parameter is larger than ‘Integer’ (especially on big-endian systems) (fjf526a.pas)
- 20010818: on systems where ‘LongReal’ has the same size as ‘Real’ (e.g., AIX), when writing them while ‘field-width’s are given, the width for ‘Real’ is used instead of that for ‘LongReal’
- 20010818: in ‘for’ loops with pointer counters, the pointer is always incremented/decremented by 1 instead of the correct type size (fjf525[ad].pas)
- 20010816: confusing error message when declaring a value parameter of file type (fjf521*.pas)
- 20010808: AIX etc.: StrSignal: segfaults when given an invalid signal number (fjf522.pas)
- 20010806: GetPasswordEntries: needs too much memory on systems with many users
- 20010801: CRT (X11 on AIX etc.): segfaults when program is interrupted by SIGINT
- 20010720: MD5: some bugs with macros, covered by the following bug on some platforms (md5test.pas)
- 20010720: the preprocessor treats ‘\$’ as part of identifiers on some platforms (e.g., Linux, DJGPP, ...) (fjf520.pas)
- 20010720: on the other platforms (e.g., AIX), ‘#\$fe’ does not work at the beginning of a line (dosunixtest.pas)

- 20010713: the GPC configuration and build process fails on systems without GNU ‘grep’
- 20010713: ‘-x Pascal’ or ‘--language=Pascal’ causes ‘gpc: Internal GPC problem: internal option ‘--amtmpfile’ not given’ (fjf519*.pas)
- 20010707: GPC crashes in the presence of old GPI files <3A2275D8.F2DEA31A@zkm.de>
- 20010704: integer parameters to built-in routines are not always converted to the right type (fjf349.pas)
- 20010703: gcc-2.95: GPC should call ‘ld’ when ‘collect2’ is not available
- 20010623: initializers of arrays with non-zero lower bounds contained within other structures are wrong (fjf247*.pas)
- 20010619: Sparc: the preprocessor doesn’t understand ‘defined’ (fjf266.pas,fjf238.pas,ian6.pas) <19990129132623.21658.qmail@euler.stams.strath.ac.uk>
- 20010604: ‘Delete (s, 3, MaxInt)’ segfaults (fjf509a.pas)
- 20010603: directory names in the unit path etc. are converted to lower case <156QP6-03q-00@ux.warez.linux.it>
- 20010601: writing a typed file of a structured type by assignments to the file buffer and ‘Put’ doesn’t work correctly (daj23.pas) <74323@tcs01.demon.co.uk>
- 20010529: multiple ‘--uses’ options don’t work (fjf508b.pas)
- 20010518: FreeBSD: ‘rts/rts.c’ does not compile because headers are included in the wrong order <Pine.BSF.4.21.0105160236480.63226-200000@hurricane.math.miami.edu>
- 20010516: file operations cause small memory leaks
- 20010501: some RTS functions that take string parameters don’t accept ‘Char’ parameters (fjf488*.pas)
- 20010421: when reading from text files, sometimes a spurious space character appears at a newline <000c01c0bb97\$2e0c7cc0\$b900a8c0@gbtwireless.com>, <003101c0c9a9\$773398a0\$b900a8c0@gbtwireless.com> (george1.pas)
- 20010421: with ‘--nested-comments’ and ‘-Wnested-comments’, the preprocessor mistakenly complains about nested comments, e.g., in ‘gpc.pas’ (nicola3[ab].pas)
- 20010420: GPC sometimes fails to link the runtime library <3A26A0D2.92344330@ujf-grenoble.fr>, <01041920501700.00458@hal>
- 20010419: ‘Halt’ does not return the correct status to the calling process (adam1.pas)
- 20010411: file variables aren’t treated correctly when cross-building from a 32 bit system to a 64 bit system
- 20010410: ‘Reset’ etc. don’t accept ‘-’ (only ‘-’) for stdin/stdout (fjf484*.pas)
- 20010410: ‘Reset’ etc. on untyped files allow two buffer size parameters (fjf483.pas)
- 20010409: writing real numbers very close to 0 causes the program to hang (lrbug2.pas) <000401c0bff6\$7d07d820\$46261bd4@machine>
- 20010409: ‘ExecutablePath’: the result should be ‘FExpand’ed
- 20010325: when reading real numbers like ‘1.03e+02’ with ‘ReadLn’ etc., there is a slight avoidable rounding error (couper12.pas)
- 20010315: Mac OS X: ‘--dollars-in-identifiers’ should not be the default
- 20010210: CRT: programs can segfault when interrupted (SIGINT etc.) shortly after startup
- 20010207: StringUtils: ‘StringReadWord’ fails if the last word is a single character long (steve1.pas) <01020711035902.13914@klaatu>
- 20010205: removed the ‘LongReal2Str’ work-around for the varargs problem on the MIPS
- 20010121: Trap: nested traps don’t work (trap2test.pas)
- 20010120: false warning if a function result is an array and is assigned field by field

- 20010120: don't require extended syntax for 'SetLength'
- 20010112: GPC crashes with invalid forward type declarations (nicola[12].pas)
- 20001223: point to the GPC mailing list instead of the GCC bug reporting facilities in compiler error messages
- 20001223: don't call procedures functions in error messages etc. <200007230522.BAA05497@strawberry.ncifcrf.gov>
- 20001206: DJGPP (and possibly other platforms): FileNameMatch (and related functions): patterns starting with '*' or '?' should not match file names starting with '.'
- 20001118: Linux/Alpha: build-problems in rts/rta-va.c <14812.54955.265326.731526@gargle.gargle.HOWL>
- 20001107: bug with two-dimensional schema arrays (rudyl.pas)
- 20001106: System: the return type of 'MemAvail' and 'MaxAvail' should be 'Cardinal' rather than 'Integer'
- 20001025: FreeBSD: 'T_RESADFLT' undeclared' (fixed by removing IllReservedAddress, IllPrivilegedInstruction, IllReservedOp which are not very useful and may not have been supported on any system, anyway)
- 20000902: if reading from files etc. is interrupted by signals, this causes an I/O error
- 20000717: GMP unit: doesn't work with version 3.x of the GMP library
- 20000626: slight errors in debug line number information for assignment or procedure call statements
- 20000606: CRT doesn't work with windows > 255 chars wide or high
- 20000529: the installation does not work without the 'install' program installed <latimer@phg.mc.vanderbilt.edu>
- 20000521: very hard reproducible bug(s?) (fjf212.pas; fh19980828.3)
- 20000520: fatal signal 6 when trying to write a GPI file into a non-writable directory
- 20000516: Dos: PackTime/UnpackTime give wrong results on big-endian machines
- 20000505: '-I' options are forgotten after each 'include' directive (ian4.pas)
- 20000505: 'div' also works as a real division (kevin14.pas)
- 20000505: the arguments of long real functions are converted to a wrong type <9811112136.AA18086@sunflower.agron.iastate.edu> (robert1[ab].pas)
- 20000505: problem with rewrite on file of packed array of packed record (daj7.pas) <48378@tcs01.demon.co.uk>
- 20000505: 'Extend'ing a file previously 'Reset' without an intermediate 'Close' doesn't work correctly (daj13.pas) <48469@tcs01.demon.co.uk>
- 20000503: Sparc: division by reals (fjf237.pas, matt1.pas) or 'Round (real_constant)' (chaput1.pas) make the compiler crash <199911040915.KAA11168@humulus.daimi.au.dk>
- 20000503: division of complex numbers by reals doesn't work (maur4.pas)
- 20000503: the Pascal main program does not get lineno stabs, so it is hard to debug it with GDB or RHIDE
- 20000503: 'Val' doesn't recognize hex numbers with '\$' (chief37.pas)
- 20000421: DosUnix: TranslateRedirections erroneously translates quoted redirections
- 20000420: the compiler segfaults on '--uses=foo,bar' (fjf101[ab].pas)
- 20000420: '--executable-file-name' doesn't work correctly with file names containing '\'
- 20000420: DJGPP: '--automake' is more buggy than on other systems
- 20000406: the preprocessor only understands C operators in '{\$if}' directives, not Pascal operators like 'not', 'and', 'or' (fjf423.pas)

- 20000324: unit/module initialization and finalization code is executed in the wrong order (fjf185.pas)
- 20000324: IRIX and AIX (and wherever else): unit/module initializers and finalizers are not executed
- 20000323: mingw: environment variables are not accessible
- 20000319: ignore text after `$else` and `$endif`, but warn if `--pedantic` was given (fjf412[ab].pas)
- 20000319: character constants of the form `#42` are not handled correctly in complicated macro usage (fjf205.pas)
- 20000308: `attribute (const)` doesn't work
- 20000226: during GPC build, the info files should be created in the source rather than the build directory, because they're included in source distributions
- 20000221: global goto bug (goto4.pas, demos/parserdemo.pas) <3832137D.21C612FD@ujf-grenoble.fr>, <199911040324.WAA19382@kaylor.ncifcrf.gov>
- 20000213: processing of initialized arrays takes quadratic time
- 20000206: superfluous warning `'cast increases required alignment of target type' (tmp)` (fjf398.pas)
- 20000202: `'Close'` should not be predefined in `--extended-pascal` <199912112311.SAA25109@mail.bcpl.net> (fjf393.pas)
- 20000202: `'case'` in the main program doesn't work correctly (e.g. pretty.pas) (tmp)
- 20000202: insufficient type checking with subranges (fjf305.pas)
- 20000202: gpc-lex must not seek back (fjf311.pas; `-pipe` doesn't work correctly)
- 20000202: Big-endian machines: some set operations don't work correctly (fjf329[ab].pas)
- 20000202: gpc1 crashes when initializing a string with `'ParamStr (1)'`
- 20000202: for a binary operation with a signed and an unsigned integer operand, use a signed type for the result (fjf325.pas, fjf326.pas)
- 20000201: a few BP compatibility routines in the Dos and WinDos units (e.g. `'GetDate'`) don't accept parameters of type `Word` if it was redefined using `'-D__BP_TYPE_SIZES__'`
- 20000131: `--uses` doesn't work in units
- 20000124: `'gpc -B. -L. -v'` should not try to link
- 19991221: reference string parameters to RTS functions break after declaring a procedural variable with a value string parameter (fontana1.pas)
- 19991107: CRT, CRTDemo: improved behaviour in response to screen size changes
- 19990913: Sparc: `'downto'` loops with variables of size 1 bit don't work (fjf374.pas)
- 19990905: GetCPUTime can't measure long CPU times reliably on some systems (e.g. Solaris)
- 19990804: the variable `'Environment'` can be made invalid by PutEnv (e.g. on DJGPP), assignments to it are not allowed (e.g. glibc), and some other problems with environment variables (fjf371.pas)
- 19990802: GPM files are not stored in the unit-destination-path
- 19990725: opened files can't be erased
- 19990720: real constants of the form `'0.5E+00'` are not interpreted correctly (rick1.pas)
- 19990712: function results of a string type declared in another unit are not correctly converted to CStrings (fjf302.pas)
- 19990623: type error with schemata containing strings (fjf189.pas)
- 19990623: integer shifts should not alter the sign (fjf84[ab].pas, fjf355{,a}.pas)

- 19990622: computed constants that don't fit into a LongestInt don't work (fjf41.pas,fjf88.pas)
- 19990619: routines with const parameters don't work in procedural parameters (chief26.pas)
- 19990618: two-unit bugs (baby2.pas, sam12.pas, maur6.pas)
- 19990618: the construct '`~f_oo`' is misinterpreted as a Borland-style char constant (fjf350.pas)
- 19990618: conformant array bounds of enum types don't work <C1256784.0026BE34.00@synln01.synstar.de> (pd2.pas)
- 19990618: enum variables cannot be used in a '`for var in`' statement <C1256784.0027179B.00@synln01.synstar.de> (pd1.pas)
- 19990609: superfluous warning when '`return`'ing a char constant from a function returning a char (fjf249.pas,fjf351.pas)
- 19990601: the Graph and CRT units cannot be used together (requires PDCurses update compiled with -DLIBBCC)
- 19990512: Rewrite/Extend with a filename parameter don't check for the existence of the file (fjf348.pas)
- 19990504: DJGPP: '`FExpand`'ing '`x:`' and '`x:\..`' can give strange results
- 19990428: IOSelect doesn't work with the X11 version of CRT (fix includes PDCurses patch)
- 19990412: bug with goto and local variables of non-constant size (berend3.pas) <004001be4bc2\$24bfc9c0\$0321a8c0@bmach.nederware.nl>
- 19990411: EGCS: new errors (tom4.pas); new errors with '`-g -O3`' (forvars1.pas)
- 19990411: EGCS: '`New`'ing a '`File`' pointer doesn't work (chief30.pas)
- 19990410: missing range checking in '`#42`' char constants (fjf332.pas)
- 19990403: Dos-like systems: Dos: FindFirst/FindNext file name matching should be case-insensitive <3705B550.B1AA360E@ujf-grenoble.fr>
- 19990313: Solaris 2.7 (and perhaps other systems): FExpand doesn't work correctly with an empty directory name
- 19990308: don't turn the lower index of an array slice access to 1 (except for strings in '`--extended-pascal`') (fjf340[a-d].pas)
- 19990304: BlockRead and BlockWrite don't check if the file is open for reading/writing (fjf339.pas)
- 19990225: '`Copy`' and some other built-in routines don't check the number of arguments (fjf333.pas)
- 19990223: DJGPP (and other systems without `sinl()` etc. in libm): long real Sin etc. produce linking errors <36D3063C.4D14F73C@cicc.unam.mx> (maur5.pas)
- 19990222: '`Null`' is not accepted as an open or conformant array parameter
- 19990219: '`Break`' and '`Continue`' with case statements are handled like in C, not like in BP <368563CE.F7F2D31C@mundivia.es> (fjf287[ab].pas)
- 19990204: pointers to '`file`' don't work (chief28.pas)
- 19990203: the order of objects/libraries in a '`{ $L }`' directive is reversed
- 19990203: cardinals are not converted correctly in some expressions (fjf324.pas)
- 19990203: '`Length`' should return integer, not cardinal (fjf323.pas) (tmp)
- 19990202: using undefined strings can cause segfaults at runtime (fjf322.pas)
- 19990202: chars are not accepted as value/const string parameters to '`Insert`' (fjf254.pas)
- 19990202: DJGPP: CRT: ReadKey returns #10, not #13, for the enter key when Check-Break is True

- 19990201: FreeBSD: ‘StatFS’ in the RTS doesn’t compile <003001be4b65\$1b0b2d50\$0321a8c0@bmach.nederware.nl>
- 19990130: ‘ForceExtension’ doesn’t handle empty wanted extensions or directory names with ExtSeparators in them
- 19990129: ‘RemoveDirSeparator’ erroneously removes the root directory slash
- 19990129: CRT with ncurses: ‘Read[ln]’ returns endless empty lines after the first line entered
- 19990129: Bind should remove trailing ‘DirSeparators’ from the file name (-> FSplit and some other functions don’t work always/on all systems)
- 19990128: Big-endian machines: CRT: the declaration of ‘TWindowXY’ is wrong
- 19990127: automake and autolink can’t use units without source (fh19990124.2)
- 19990127: let ExpandEnvironment, FileNameMatch and HasWildCards (formerly in GP-CUtil, now in the RTS) handle ‘\’ quotations (except under Dos systems, of course)
- 19990126: Extend/Append can cause segfaults under more or less strange circumstances
- 19990126: the (non-trimming) ‘>’ and ‘<=’ string operators are mixed up (chief27.pas)
- 19990123: CRT: let CRT_Done be called before runtime errors so the error messages are not overwritten by closing curses
- 19990122: reading from TTYs/pipes doesn’t handle #0’s correctly (fjf318[ab].pas)
- 19990122: some superfluous warnings in ‘--borland-pascal’ mode
- 19990116: the compiler should abort if a C compilation fails (link8.pas)
- 19990116: const parameters of schema type should be passed by reference, not by value (fjf315[ab].pas)
- 19990115: problems treating ‘string’ as ‘string(255)’ in connection with procedural parameters (fjf241.pas)
- 19990115: ignore ‘--executable-file-name’, ‘--executable-path’, ‘--unit-destination-path’ etc. when ‘-S’, ‘-c’, ... is given
- 19990112: Solaris (and other big-endian machines): writing chars doesn’t work (fjf314.pas)
- 19990110: DJGPP: when {\$executable-file-name} is given, stubify doesn’t get the correct file name, so no .exe is created
- 19990109: linking errors with automake when a unit is not recompiled (fh19971015), <AB-cLeYr887@e00827.vno.lt> (marius2[ab].pas)
- 19990109: choose a unique temporary file name for the (former) .gpc files so that concurrent compilations don’t conflict
- 19990109: empty .gpc files before usage
- 19990109: automake doesn’t handle ‘uses’ in implementation part of a unit (fjf200{,c}.pas)
- 19990109: ‘\$L’ in units doesn’t always work without ‘--autobuild’ (link1[a-c].pas, link5[ab].pas)
- 19990106: when compiling without automake and a needed unit is not found, compilation should abort immediately
- 19990102: ‘\$L’ at the beginning of a source file makes the compiler crash (link6.pas)
- 19981230: an integer subrange type is destroyed when a subrange of another type of the same size is being used as an array index (ross1.pas)
- 19981230: arguments to ‘Dispose’ are evaluated twice <36730596.81CC880C@mundivia.es> (miguel1.pas)
- 19981230: the result of ‘Copy’ can’t be passed to ‘Val’ (fjf306.pas) (tmp)
- 19981228: fatal signal 6 when trying to write a GPI file into a non-writable directory
- 19981227: autobuild doesn’t recompile C files if the object file exists already

- 19981227: passing a CString result of a function with parameters to a string parameters works, although it shouldn't, at least not without conversion (fjf242.pas)
- 19981227: procedural variables should not be dereferenced when passed as an untyped parameter (fjf261.pas)
- 19981227: integers can be passed for string parameters (fjf253.pas)
- 19981227: for loops with counters of type subranges of char don't work correctly (chars2.pas) (tmp)
- 19981220: missing type checking in 'absolute' (fjf300.pas)
- 19981219: don't pass Pascal specific options (e.g. '--automake') to gcc1, but do pass the other ones (fjf203.pas)
- 19981217: 'Polar' doesn't accept integer constants (fjf303.pas)
- 19981212: DJGPP: fflush() clobbers the file position which causes some problems with GPC's file handling
- 19981211: procedural variables are always passed by value <ABcLeYr887@e00827.vno.lt> (marius1.pas)
- 19981208: the preprocessor gets confused by two Pascal comments in sequence in an unusual situation <199812081112.LAA25879@stams.strath.ac.uk> (ian2.pas)
- 19981207: set addition doesn't work correctly (ian1.pas)
- 19981207: bug in set addition (fjf262.pas)
- 19981207: some set operations don't work with optimization (fjf196.pas)
- 19981207: comparing sets doesn't always work (chris5.pas)
- 19981207: the automake mechanism doesn't always work properly to compile the Pascal parts of the RTS
- 19981206: the result of built-in string functions can be passed as var (fjf298[a-\infty].pas)
- 19981206: bugs on machines with strict alignment requirements (chris4.pas, confarr5.pas, pack{4,5,6,10,11,12}.pas)
- 19981205: truncate strings in 'Copy' (fjf40b.pas)
- 19981205: CString2String doesn't work correctly with CStrings of length > 4 (fjf295.pas,fjf297[a-c].pas) (tmp)
- 19981202: another instance of the two-unit problem (fjf294[ab].pas) (tmp)
- 19981202: GCC2: typed constants don't work with '-g -O3' (fjf36.pas)
- 19981202: don't allow files or structures containing files to be assigned via ':=' or returned from a function (john2[a-d].pas)
- 19981202: only 1 parameter is accepted for C functions with varargs <3.0.6.32.19981110215411.007bb100@vegasnet.net> (ken1.pas)
- 19981130: autobuild should recompile a unit only once, even if it is used from multiple places
- 19981129: some invalid preprocessor directives cause infinite error messages (dollars.pas)
- 19981129: storage class qualifiers don't work with typed constants and initialized variables (fjf245{,a}.pas)
- 19981129: operator declarations with var parameters or const parameters of record type make the compiler crash (fjf232[a-c].pas)
- 19981129: missing type checking with const parameters of record type (fjf231.pas)
- 19981129: cyclic 'uses' don't work (jesper5.pas)
- 19981129: using a named subrange type as an array index spoils the range (sam11.pas)
- 19981119: enum types with 128 or more elements don't work (sam9.pas)

- 19981118: missing type checking with value string parameters (fjf291.pas)
- 19981118: superfluous warning with constant sets and unsigned variables (fjf290.pas)
- 19981118: missing type checking of method function results against string parameters (fjf289.pas)
- 19981118: gpc segfaults after the declaration of `'array [Char] of Boolean'` (fjf288.pas)
- 19981118: increase every object's alignment to the maximum in order to prevent alignment warnings with child types (fjf286.pas)
- 19981118: schemata in variant records are not initialized correctly in some situations (fjf272.pas)
- 19981118: another Low/High bug (fjf269.pas)
- 19981118: another string parameter bug (cstrpar3.pas)
- 19981118: gpc segfaults on `'operator +;'`
- 19981116: subranges that occur in packed records can't be passed by reference <802566BB.0043115A.00@buffer1.HQ.quantel> (sam8.pas)
- 19981116: val doesn't handle empty strings correctly (fjf292.pas)
- 19981104: `'--ignore-function-results'` doesn't work with string return values (fjf282.pas)
- 19981104: gpc1 segfaults on a strange schema usage (fjf275.pas)
- 19981104: const void parameters don't work (fjf274.pas)
- 19981104: external variables shouldn't be initialized again (fjf273.pas)
- 19981104: missing type checking with High applied to arrays indexed by enumeration types (fjf271.pas)
- 19981104: indexing an `'array [False .. True] ...'` doesn't work (fjf270.pas)
- 19981104: don't initialize schemata and files when using GetMem as a procedure (baby.pas)
- 19981020: string return values of object methods are not initialized (fjf281.pas) (tmp)
- 19981020: severe bug with CString2String in a case statement (fjf279.pas)
- 19980920: pass the correct specs to gcc1 (e.g. `-D__i386__` on an IA32) (predef.pas)
- 19980918: `'--executable-file-name'` doesn't work with program names like `'magic'`, `'format'`, and prefixes of them (magic.pas)
- 19980830: DJGPP: GPC crashes if the DJGPP variable is set incorrectly <ABfsDYraQI@e00827.vno.lt>
- 19980830: DJGPP: 'JDIR' problem
- 19980830: make the To-Do list, `__GPC_RELEASE__` and GPC archive file names y2k safe
- 19980830: check conditions that are always true/false also for Cardinal (fjf225.pas)
- 19980830: superfluous warning with ParamStr(ByteVar) (fjf224.pas)
- 19980830: variables initialized by a function call don't work (fjf210.pas)
- 19980830: the preprocessor can't handle `'elif'` (fjf236.pas)
- 19980826: type checking bug with `^Longint` (fjf223.pas)
- 19980822: EGCS: new errors with `'-g -O3'` (objects.pas, retval.pas, testounit.pas)
- 19980822: CString2String evaluates its argument mutiple times (fjf208.pas)
- 19980822: give an error rather than a warning when passing/assigning incompatible pointer types (fjf201[a-h].pas)
- 19980822: `{$executable-file-name}` doesn't work without `'program foo'` (results in a.out) (fjf51.pas)
- 19980822: array ranges are not checked in schemata (schema4.pas)

- 19980816: file buffers of files open for writing can't be read from (fjf220.pas) (tmp)
- 19980802: extend/append should only work for text files in '--borland-pascal' (fjf202.pas)
- 19980802: type casts into 'file' don't work (fjf207.pas)
- 19980729: define '__NEED_ALIGNMENT__' when needed
- 19980729: incorrect cyclic 'uses' are not recognized properly (fjf161.pas,fjf161u.pas,fjf162.pas)
- 19980729: new does not work with an object pointer variable and constructor given (fjf155.pas)
- 19980729: '_p_binding()' must only be called for files (fjf153.pas)
- 19980729: fatal signal 6 when confusing a schema type with a schema variable (fjf151.pas)
- 19980729: constant char arrays with boolean index range can't be declared like strings (fjf150.pas)
- 19980729: multi-dimensional packed arrays are packed only in the outermost dimension (fjf149.pas)
- 19980729: missing type checking of boolean array indices (fjf124a.pas)
- 19980729: 'virtual memory exceeded' with some sequences of automake options and an 8-char long program file name (fjf199aa.pas) (tmp)
- 19980729: defining a type equals to text doesn't work in a unit (fjf198.pas)
- 19980729: array slice access to CStrings doesn't work (fjf188.pas)
- 19980729: gpc crashes when trying to pass a const string parameter to a value string parameter (fjf182.pas) (tmp)
- 19980729: false warning when using 'forward' in the implementation part of a unit (fjf177.pas)
- 19980729: initialized variables in statement part don't work (fjf176.pas)
- 19980729: initialized records with no fields given ('()') don't work (fjf175.pas)
- 19980729: returning a string constant with 'return' doesn't work (fjf174{,a}.pas)
- 19980729: initialized string arrays, indexed with an enumeration type, don't work (fjf172.pas)
- 19980729: initialized variables of simple (no record or array) schema types does not work (fjf171.pas)
- 19980729: in some cases, a value type casting is done instead of a variable type casting for lvalues (fjf170.pas)
- 19980729: problems treating 'string' as 'string(255)' in some cases (chief25a.pas)
- 19980728: Bug with SeekWrite (russell1.pas)
- 19980722: declaring an asmname for procedures in the implementation of a unit/module doesn't work
- 19980722: schema, pointer and record types do not properly survive transport through two interfaces (fjf164.pas,orland1.pas,fjf178.pas) <Pine.3.89.9805202229.A26897-e400000@bc.sefin.org.>, <Pine.3.89.9805211812.B6540-9200000@bc.sefin.org.>
- 19980722: DJGPP: Segfault while compiling a program which uses a unit with a long interface <3537FE98.A4417284@ujf-grenoble.fr>
- 19980722: GPC's preprocessor outputs too many empty lines when removing text between {#ifdef} ... {#endif} (fh19971115), <ABcLeYr887@e00827.vno.lt>
- 19980722: missing file mkstemp with GCC2
- 19980722: set constants are not accepted for const set parameters (chief21.pas)
- 19980722: With dynamic variables whose discriminant is initialized with a function call, the function is called twice (john1a.pas)

- 19980722: set constants don't work in units (fjf195.pas)
- 19980722: CString2String doesn't work on nil (fjf191{,b}.pas) (tmp)
- 19980722: filename argument to reset is not handled properly (fjf186.pas,fjf187.pas)
- 19980722: bug with string parameters (fjf184.pas) (tmp?)
- 19980722: preprocessor bug with unterminated strings constants in undef-ed parts (fjf183.pas)
- 19980722: High/Low don't work with schema-arrays and strings (fjf181{,a}.pas) (tmp)
- 19980722: when assigning a string to a CString, no #0 is appended (fjf180.pas) (tmp)
- 19980722: bug with converting big integer constants to reals (fjf179.pas) (tmp?)
- 19980722: substrings of string constants give strange results (fjf168.pas)
- 19980722: initialized strings with a #0 in them are cut after the #0 (fjf168.pas)
- 19980722: operations should be promoted to the bigger operand's size (fjf167a.pas,fjf167b.pas)
- 19980722: the last parameter of BlockRead and BlockWrite is not type checked (fjf163.pas)
- 19980722: schema discriminants are not assigned in 'New' (fjf152.pas)
- 19980722: strings within a schema type are not recognized in read/write (fjf148.pas)
- 19980722: exit doesn't work in main program in some situations (fjf147.pas)
- 19980722: '--executable-file-name' has problems with 8+3 character long file names (fjf141aa.pas)
- 19980722: strange error message at strange position (fh19980121:fjf140.pas)
- 19980722: var parameters of type untyped file don't work (fjf138.pas)
- 19980722: reset, rewrite, extend on untyped files should require a size parameter (except in '--borland-pascal'; there: default to 128 and give a warning) (fjf136.pas,fjf137.pas)
- 19980722: reset, rewrite, extend on untyped files don't allow a size parameter when given a file name, too (fjf126.pas)
- 19980722: array with two dimensions, indexed by booleans, doesn't work (fjf124.pas)
- 19980722: wrong comparison of byte with integer (fh19971130.2:fjf118.pas)
- 19980722: don't allow 'type y(b:integer)=array[1..b] of integer;x=y;' in '--extended-pascal' (fjf115a.pas)
- 19980722: schema types that are no records or arrays (fh19971124:fjf114.pas,fjf114a.pas)
- 19980722: don't allow writing strings to a file of char (fh19971130:fjf111.pas)
- 19980722: constants can't be written to typed files (fjf110.pas)
- 19980722: no constant range checking in FillChar (fh19971124) (fjf102.pas)
- 19980722: ReadStr doesn't work with bit fields (fjf37a.pas) (tmp?)
- 19980722: bug with constants and parameters of function type (knuth1a.pas)
- 19980715: assigning string constant pointers to string pointer variables doesn't work (fjf194{,a,b,c}.pas)
- 19980715: file variables should be automatically bindable without '--extended-pascal' (fjf193{,a,b}.pas)
- 19980715: empty string constants don't work (fjf192.pas)
- 19980715: superfluous warning when automatically adding the #0 terminator to const strings (fjf190.pas)
- 19980630: System: The declaration 'Integer = Integer (16)' should come before 'pInteger = ^Integer', and similarly for other declarations
- 19980630: System: remove built-in procedures Seek and RunError

- 19980629: an object type cannot be called 'Time' <359458B1.9EC44A39@ujf-grenoble.fr>
- 19980629: superfluous warnings 'no previous prototype for __init_unitname' in Pascal parts of the RTS when making GPC
- 19980629: gpc does not return an error status after a used unit does not exist (neither as source nor precompiled) or when auto-making a unit failed
- 19980629: fixed size strings are not accepted for const string parameters (fixstr1.pas)
- 19980629: superfluous warnings when initializing CStrings with a string constant and when assigning a string to a CString (fjf176.pas)
- 19980611: writing to files via 'filevar^' doesn't always work (fjf173.pas)
- 19980531: allow resetting a file that was opened with rewrite, don't close it temporarily <199710081754.KAA17185@gnarly.swdc.stratus.com>
- 19980523: EMX (dos?,os/2!): randomize doesn't work
- 19980521: automake doesn't work on djgpp in gpc980401 <352539F3.92DE9585@ujf-grenoble.fr>
- 19980520: strings are passed to Insert and Delete by value rather than by reference after the declaration of a procedure with a value string parameter (fjf166.pas)
- 19980520: name space conflict with strcmp and other functions (chief24.pas)
- 19980520: System: set ExitProc to nil before calling
- 19980520: System: remove built-in procedures fillchar, move, assign, paramcount, paramstr, insert, delete, pos, copy, str, val, int, frac, binfile stuff
- 19980520: GPCTypes: type declarations (esp. string=bpstring) should rather be in system
- 19980520: GPCTypes: use the modern integer type declarations; Integer, Word 16 bit; comp 64 bit with _Borland_16_Bit_
- 19980520: Dos: include a dummy 'SwapVectors' procedure
- 19980512: don't pre-read the buffer in typed files after read (fjf104.pas)
- 19980512: 'Seek' and 'SeekRead' etc. do not yet work in all situations (fjf95b.pas)
- 19980416: non-text files opened with reset are not writable (fjf157.pas)
- 19980416: position for writing into a file opened with reset is wrong by one record (fjf157.pas, fjf158.pas, fjf159.pas, fjf160.pas)
- 19980410: 'EOF' doesn't work with untyped files in djgpp (tc19980324)
- 19980410: Dos line endings are not handled correctly in 'ReadLn'
- 19980405: reading chars from text files doesn't work (fjf131.pas) (tmp)
- 19980405: '--borland-pascal': superfluous warnings 'compiler directives ... incompatible' for '{\$define}', '{\$if[n]def}', '{\$b+/-}', '{\$x+/-}'
- 19980405: make parameter to 'GetFile' 'const', not 'var'
- 19980405: read/write don't work with a text file as the only argument (fjf132.pas)
- 19980405: randomized automake (fh19971015)
- 19980405: chars are not accepted for const string parameters (chief22.pas)
- 19980405: 'xor' doesn't work with booleans (fjf154.pas)
- 19980405: const parameters of undiscriminated schema type don't work (fjf144.pas)
- 19980405: don't accept object methods that were not declared with the object type (fjf143.pas)
- 19980405: GPC barfs on type checking with Boolean values in 'case' statements <199801171504.QAA13384@agnes.dida.physik.uni-essen.de>
- 19980405: Nested packed conformant arrays do not yet work in all cases <199801171504.QAA13384@agnes.dida.physik.uni-essen.de>

- 19980405: Inside ‘New’, all methods of an object become visible and may cause name clashes <199801171504.QAA13384@agnes.dida.physik.uni-essen.de>
- 19980405: string value parameters don’t work (fjf125.pas), <199802022303.SAA20015@mint.mint.net>
- 19980405: pack and unpack don’t work with conformant arrays
- 19980405: checking of string var parameters is not strict enough (fh19971213:fjf123.pas)
- 19980405: check for division by zero in constants at compile time (fh19971201:fjf121.pas)
- 19980405: missing type checking of different integer types in var parameters (fh19971130:fjf109.pas)
- 19980405: variable type casting of ‘Integer’ into ‘Pointer’ for passing as var parameter doesn’t work (fh19971130:fjf108.pas)
- 19980405: GPC crashes when writing an array of char to a file of char <199711262349.SAA17009@mint.mint.net> (kevin3.pas)
- 19980405: type casts of integer constants to ‘[Long]Real’ don’t work (fh19971124)(fjf113.pas)
- 19980405: don’t allow ‘Dec(Length(S), Count)’ (fjf117.pas), ‘S[0]’ (fjf116.pas) <199711181231.NAA14069@helena.mi.uni-erlangen.de> (2*fj19971124)
- 19980405: produce an error instead of warning for constants out of range (fh19971124)(fjf103.pas)
- 19980405: EMX: ‘Extend’ doesn’t work <199803090440.XAA08386@mint.mint.net>
- 19980405: ‘Read[ln]’: make INT_READ_HEX_MASK the default in ‘--borland-pascal’; ‘Write[ln]’: REAL_CAPITAL_EXP_MASK (capexp.pas), make it the default in ‘--borland-pascal’
- 19980401: fatal signal 11 with assignment to function method return value with a local type declaration (fjf142.pas)
- 19980220: ‘ReadStr’ causes an error when reading strings and source is empty
- 19980215: ‘Seek’ doesn’t work with block devices
- 19980215: ‘Seek’ doesn’t work with untyped files
- 19980209: treat nil CStrings as empty in write
- 19980120: ‘Overlay’ is not a reserved word in BP
- 19980113: bit fields don’t work in read (bitfields.pas)
- 19980112: ‘Int’ and ‘Frac’ don’t work on constants <199801091201.HAA06756@mint.mint.net> (fjf74.pas) (tmp)
- 19980106: when reading strings from text files, the capacity is too big by 1 (fjf133.pas)
- 19971230: read doesn’t work with packed arrays of char <199712300500.AAA30736@mint.mint.net>
- 19971229: don’t allow ‘4 .. 1’ <199711270257.VAA06393@mint.mint.net> (subrw2.pas)
- 19971229: too strict type checking with conformant arrays of char (confarr4.pas)
- 19971229: too strict type checking in ‘case’ statement with chars (chars2.pas)
- 19971216: don’t pre-read the buffer in files (fjf120.pas) <199712051906.UAA00483@agnes.dida.physik.uni-essen.de>
- 19971215: use ‘LongReal’ for long real constants (fh19971105) (fjf77.pas)
- 19971215: file and string variables declared in the statement part are not initialized (fh19971130:fjf106.pas,fjf107.pas)
- 19971215: too strict type checking with Seek (kevin4.pas)
- 19971215: segfault with for loop in init code of a unit (bpcomp-
pat1.0:system.pas),(fh19971005) (maur1.pas)

- 19971130: move whole words and take care of alignment when necessary in MoveLeft, MoveRight (moves2.pas) (moves3.pas)
- 19971130: ‘Seek’ to elements just written doesn’t work (fh19971130:fjf110.pas) (tmp)
- 19971130: remove ‘Bound_objects’ and ‘Bound_free_list’ <199710151621.SAA02929@helena.mi.uni-erlangen.de> (ciriaco1.pas)
- 19971121: give a warning for ‘SizeOf (constant)’
- 19971121: ‘sizeof(1+1)=4’, ‘sizeof(2)=8’; types of constants (fh19971113:fjf92.pas)
- 19971121: LongInt constants for varargs parameters are passed as integers (fjf56.pas,fjf92.pas)
- 19971121: sizes of [packed] subranges (fjf86.pas,fjf87.pas)
- 19971121: detect integer constant overflows (fh19971113:fjf76.pas,fjf81.pas,fjf82.pas,fjf83.pas)
- 19971121: make real numbers assignment compatible with complex numbers <97101711354779@petrella.cfilm.ba.cnr.it> (pg19971113)
- 19971121: allow sizeof(discriminated schema type) (fjf99.pas); don’t allow sizeof(undiscriminated schema type) (2*f19971115) (fjf98.pas)
- 19971121: ‘Seek’ bug (2*f19971113) (fh19971113) (fjf94.pas,fjf95.pas) (tmp); SeekRead bug (seekrd.pas)
- 19971121: ‘array[boolean] of String(2000)’ doesn’t work (fh19971113) (fjf96.pas) (tmp)
- 19971121: local inline functions after var declaration aren’t parsed correctly (fh19971013) (fjf75.pas)
- 19971121: ‘const procvar = proc’ (fh19971113:fjf90.pas)
- 19971121: check string var parameters for matching capacity (fh19971113:fjf91.pas)
- 19971121: accept ‘else’/‘otherwise’ in a ‘case’ statement without preceding ‘;’ (fh19971112) (fjf80.pas)
- 19971121: ‘else’/‘otherwise’ bug in ‘case’ (multiple statements); don’t allow a colon before it <199710061122.HAA26981@mint.mint.net>, <Pine.OSF.3.96.971007133527.1198C-100000@capella.hut.fi>
- 19971121: wrong error messages for Insert (2*f19971109) (fjf93.pas) (tmp)
- 19971121: pointer addition: allow ‘+’/‘-’ and ‘Succ’/‘Pred’; bug: adds ‘n*Sqr(SizeOf(...))’ instead of ‘n*SizeOf(...)’ (fh19971113:fjf72.pas)
- 19971121: don’t allow reading of (non-typed) constants (error, not only warning) (fh19970928) (fjf45.pas)
- 19971121: segfault with assembler code using a record component in a procedure (fh19971015) (fjf73.pas)
- 19971121: wrong error message for invalid record components <199710152102.XAA04800@helena.mi.uni-erlangen.de> (fjf71.pas)
- 19971116: accessing a packed array in a variant record does not work correctly <199711161700.SAA09857@agnes.dida.physik.uni-essen.de>
- 19971116: capacity is not stored in a string in a variant record <199711161700.SAA09857@agnes.dida.physik.uni-essen.de>
- 19971113: write blanks before ‘NaN’ (pg19971113) (tmp)
- 19971112: ‘Str’ in ‘--borland-pascal’: only a numeric argument (strbool.pas)
- 19971112: bug with ‘goto’ in a unit <3.0.2.32.19971005235702.006a032@icenet.com.au>
- 19971112: array schema types of text files don’t work (fh19971016) (fjf64.pas)
- 19971112: don’t allow schema object types (fh19971016) (fjf65.pas)

- 19971112: don't allow the same identifier for schema type discriminator and a field of the schema (fh19971016) (fjf66.pas)
- 19971112: fatal error with schema type referring to another schema type (fh19971016) (fjf67.pas)
- 19971112: Pointers to string constants don't work (fh19971016) (fjf68.pas)
- 19971112: bug with multidimensional conformant arrays
<199710152102.XAA04800@helena.mi.uni-erlangen.de> (fjf69.pas)
- 19971112: don't allow arrays with negative size (fh19970928) (fjf44.pas)
- 19971112: 'var procvar value proc': last program in
<199707022313.BAA08656@helena.mi.uni-erlangen.de>, (fh19971003)
- 19971112: segfault with 'SqrT' in constant declaration in a unit (fh19971111) (fjf78.pas) (tmp)
- 19971112: procedure in a unit accessing an array passed by reference segfaults (fh19971111) (fjf79.pas) (tmp)
- 19971112: string overflows <6dRwLb2VlJB@rufus.central.de>
<3258461722101997/A08869/HDC5/11BAB46E3A00*@MHS> (fjf40a.pas) (fh19971013)
- 19971112: SubStr/Copy bug (fh19971013)
- 19971112: sizes of [packed] subranges (fjf85.pas,fjf88.pas)
- 19971111: bug with Rewrite,Reset with filename as second parameter
<1948441422101997/A07437/HDC5/11BAB3AC2F00*@MHS>
- 19971110: 'prior parameter's size depends on ...' bug
<80256546.003DB078.00@buffer1.quantel.com>
- 19971110: unknown identifiers in module implementations
<Pine.BSI.3.96.971108223417.5629A-100000@malasada.lava.net>
- 19971106: string length check is off by 1 char (fh19971105)
- 19971106: read and write without parameters are not accepted (fh19970928) (fjf43.pas)
- 19971106: warn about assigning strings to chars (fh19971008)
- 19971106: type checking in a case statement (fh19971008) (fjf58.pas)
- 19971106: superfluous warning after reading in the return value of a function (fh19971003)
- 19971106: 'x absolute procvar': second to last program in
<199707022313.BAA08656@helena.mi.uni-erlangen.de>, (fh19971003) (fjf48.pas)
- 19971102: 'Write (LongRealValue)' doesn't work with very big or small or unnormal numbers (2*f19971105)
- 19971101: problems with resetting an already open file <m0xIyyF-0006OkC@bockermann.ping.de>
- 19971101: division of LongReals doesn't use full precision
- 19971101: segfault with wrong program (undeclared array bound) (fh19971010)
- 19971101: accept strings like '#48#49' <6dRwLb2VlJB@rufus.central.de>,
<SIMEON.9710101739.A@muahost.cc.keele.ac.uk>,
<199710102323.BAA15175@helena.mi.uni-erlangen.de>
- 19971101: sometimes '*.gpc' files are not removed (fh19971015)
- 19971101: give a warning for an assignment (or parameter passing) of a string to a char
- 19971101: integer function result can't be assigned to a cardinal
<199710282015.VAA17667@helena.mi.uni-erlangen.de> (kevin1.pas)
- 19971022: uses in implementation part of a unit; circular unit references
<7420001522101997/A07601/HDC5/11BAB3C01400*@MHS>

- 19971013: ‘Dispose (nil)’ causes a segfault (fjf63.pas)
- 19971001: ‘type x=packed record a,b:packed 1..6 end’: SizeOf (x) = 8 (fjf31.pas) <199706271232.OAA15639@helena.mi.uni-erlangen.de>
- 19971001: objects bug <SIMEON.9704041456.A@muahost.cc.keele.ac.uk>
- 19971001: pointers to fields of packed arrays/records <199705010212.EAA29018@helena.mi.uni-erlangen.de> (3 items) (fjf55.pas)
- 19971001: bug with redefined operator <6ZV6gbuMRMB@p-wendt.chateau.line.org> (chris1.pas)
- 19971001: minor bug <199708111750.AA05985@hoover.gilbarco.com> (rphil5.pas)
- 19971001: exported type bug <1.5.4.16.19970613155920.32b721e4@icenet.com.au>
- 19971001: the set code generated in the Alpha causes runtime errors in the generated code
- 19971001: put global variables into the data segment, not on the stack <199707261050.MAA21734@agnes.dida.physik.uni-essen.de>
- 19971001: bug with call of ‘Sqr’/‘Abs’/‘Round’/... in an expression as a parameter <6dNsBq9VlJB@rufus.central.de>
- 19971001: GPC doesn’t recognize equal types in connection with two units <2754032017091997/A08645/HDC5/11B98D033600*@MHS>

11.3.2 Features that have been implemented

This section lists the new features implemented since 1st Nov 1997, together with the date (YYYYMMDD) on which they were implemented.

After the release of GPC 2.1, this section will be cleared, and the features implemented after that release will either be listed in a new section here or directly in the *news*.

- 20020424: new procedures ‘Initialize’, ‘Finalize’ (fjf659*.pas)
- 20020423: GMP: also supports GMP library version 4 now
- 20020407: ‘asmname’ for programs, units and module interfaces (fjf656*.pas)
- 20020306: new function ‘CStringStrError’
- 20020225: new field ‘Parent’ in ‘PObjectType’; new operators ‘is’ and ‘as’ (fjf639*.pas)
- 20020224: abstract methods and object types (fjf637*.pas); new options ‘-W[no-]implicit-abstract’, ‘-W[no-]inherited-abstract’
- 20020224: new field ‘Name’ in ‘PObjectType’, containing a pointer to the object type’s name (fjf636*.pas)
- 20020224: new built-in type ‘PObjectType’ with fields ‘Size’ and ‘NegatedSize’, returned by ‘TypeOf’ and required by ‘SetType’ (fjf636*.pas)
- 20020216: new function ‘FormatString’, new variable ‘FormatStringTransformPtr’ (fjf629*.pas)
- 20020203: additional make targets ‘pascal.install-with-gcc’, ‘pascal.bindist-with-gcc’
- 20020125: new function ‘Ln1Plus’ (fjf602.pas)
- 20020103: (start of) translation of the manual into Croatian
- 20011221: BP compatible ‘Graph’ unit (in ‘GRX’ package)
- 20011220: Intl: new unit
- 20011213: new function ‘LTrim’
- 20011201: before adding ‘#0’ when assigning/passing string as CStrings, check if there is a ‘#0’ already, to avoid faults if the memory is read-only (fjf265.pas, fjf574a.pas)

- 20011111: new options `-W[no-]semicolon` (warn about a semicolon after `'then'`, `'else'` or `'do'`) (fjf562*.pas)
- 20011108: changed the syntax for computed `'goto's` from `'goto *Ptr'` to `'goto (Ptr)'` (only half as ugly:—) (drf4.pas)
- 20011103: new options `--[no-]double-quoted-strings` (fjf546[a-f].pas)
- 20011102: support `'InitProc'` (fjf482.pas)
- 20011023: new options `--[no-]typed-address`, also as compiler directives `'{${no-]typed-address}'` or `'{${T+}'}'/'{${T-}'}'` (fjf540[a-h].pas)
- 20011023: `'asmname'` and `'uses ... in'` now allow concatenated strings (fjf539[ab].pas)
- 20011023: new `'public'` and `'private'` directives for interfaces (fjf538[ab].pas)
- 20011023: new options `--big-endian`, `--little-endian`, `--print-needed-options` for targets whose endianness can vary
- 20011022: make `'{$gpc-main}'` work in units (fjf545.pas)
- 20011018: new predefined symbol `'__GPC_VERSION__'`
- 20011018: new options `--classic-pascal` and `--classic-pascal-level-1` (equivalent to `--standard-pascal` and `--standard-pascal-level-1`, and meaning to supersede the latter in the future)
- 20011016: new parameters `'TimeZone'`, `'DST'`, `'TZName1'`, `'TZName2'` to `'UnixTimeToTime'`; new fields `'TimeZone'`, `'DST'`, `'TZName1'`, `'TZName2'` in `'TimeStamp'`
- 20011007: StringUtils: new procedure `'StrHashTableUsage'`
- 20010816: StringUtils: new function `'ShellTokenizeString'`
- 20010713: new option `-x Preprocessed-Pascal` or `--language=Preprocessed-Pascal` (fjf519*.pas)
- 20010704: optimize string assignments
- 20010704: optimize (non-padding) comparisons with and assignment of the constant empty string
- 20010704: warn about some string comparisons and `'in'` tests that are always `'True'` or always `'False'`
- 20010614: ParserDemo: add support for `'cot'` and angle degree notation
- 20010604: allow `'Delete'` to be called with two or three arguments (fjf509b.pas)
- 20010531: CRT: new key codes `'kbShCtrlIns'`, `'kbShCtrlDel'`
- 20010529: new option `--init-modules` (ian3.pas, ian5[ab].pas)
<01051815483106.01126@ida>
- 20010524: new variable `'FakeHighLetters'`
- 20010524: StringUtils: new routines `'ShellQuoteString'`, `'AllocateTPStrings'`, `'ClearTPStrings'`, `'TokenizeString'`
- 20010506: `'InOutResString'` and `'InOutResCErrorString'` are now `'PString's` rather than `'CString's`
- 20010506: new argument `'Caller'` to the argument `'Proc'` of `'ForEachMarkedBlock'`
- 20010503: new options `--[no-]read-base-specifier`, `--[no-]read-hex`, `--[no-]read-white-space`
- 20010502: new field `'Links'` in `'BindingType'`
- 20010501: DosUnix: new functions `'OEM2Latin1'` and `'Latin12OEM'`
- 20010430: `'GetTerminalName'` now returns a string rather than a `'CString'`
- 20010421: make some lower-level RTS routines available in `'gpc.pas'`, marked “mostly for internal use”

- 20010420: new function `ReadLink`
- 20010417: moved the `PExecute` code to the `Pipe` unit
- 20010417: new parameter `CloseFlag` to `AssignHandle`; new field `CloseFlag` in `BindingType`
- 20010415: new function `IsTerminal`
- 20010412: many error messages now include libc's error message for a more accurate description
- 20010412: new procedure `RuntimeErrorErrNo`; new variable `InOutResCErrorString`; `InOutResStr`: renamed to `InOutResString`, moved to the `GPC` unit from a built-in declaration; new parameter `ErrNoFlag` to `IOError`, `IOErrorInteger`, `IOErrorCString` and `IOErrorFile`
- 20010409: make GPC build with gcc-2.95.3
- 20010312: new routines `GetDayOfYear`, `GetSundayWeekOfYear`, `GetMondayWeekOfYear`, `GetISOWeekOfYear`
- 20010304: new procedure `ChOwn`
- 20010227: System: new Delphi compatible routines and variables `CompToDouble`, `DoubleToComp`, `AllocMemCount`, `AllocMemSize`, `Assert`, `DefaultAssertErrorProc`, `AssertErrorProc`, `NoErrMsg`
- 20010227: removed the alternative address operator `&` (`@` is still there)
- 20010227: removed the dialect specific behaviour if GPC is invoked as `pc`, `epc`, `bpc`, etc.
- 20010224: replaced the `ReleaseCount` function by a more general `ForEachMarkedBlock` procedure
- 20010223: BP compatible `binobj` utility
- 20010223: System: new conditional `__BP_PARAMSTR_0__`
- 20010121: Trap: new procedure `TrapReset`
- 20010110: `uses` and `import` may now occur multiple times in a program, unit/module interface or unit/module implementation, even between declarations
- 20010108: ParserDemo: add factorial support
- 20010107: new functions `IsAlpha`, `IsSpace`
- 20001216: CRT: new functions `AltGrKey`, `ExtraKey`
- 20001215: new function `GetTempFileNameInDirectory`
- 20001210: new function `FormatTime`, new constant `InvalidYear`
- 20001206: new constant `MaskNoStdDir`
- 20001205: the constant `MonthLength` was replaced by a function of the same name that handles leap years
- 20001201: new constant `FileMode_Text_Reset_ReadWrite`
- 20001115: `shl` and `shr` can also be used as procedures now
- 20001112: new switches `-W[no-]object-directives`
- 20001106: StringUtils: new routines `AppendStr`, `StrCut`, `Char2Boolean`, `StrSkipSpaces`, `StrReadQuoted`, `StrReadDelimited`, `StrReadWord`, `StrReadConst`, `StrReadComma`, `StrReadInt`, `StrReadReal`, `StrReadBoolean`, `StrReadEnum`
- 20001017: DisposePPStrings
- 20001016: `GetIOErrorMessage` now returns a string rather than a `CString`
- 20001016: RegExType: changed the field `Error` from `CString` to `PString`
- 20001016: GlobBuffer: replaced fields `Count` and `Result` by `Result` (`PPStrings`)
- 20001015: `GetOptErrorFlag` is now True by default

- 20001014: StringUtils: new functions StrCount, StrReplace, Char2Digit, QuoteString, UnQuoteString, ExpandTabs, ExpandCEscapeSequences
- 20001007: many new docdemo programs
- 20001007: new options '-W[no-]underscore'
- 20001003: many new docdemo programs
- 20001001: many new 'Reference' entries and new material in the 'Programming' chapter in the manual
- 20000917: added the 'Size' field of BindingType again
- 20000910: don't add a newline on 'Extend' to text files that were bound as binary
- 20000909: 'GetOptLong' can now optionally derive the short options from the 'LongOptions' array
- 20000909: 'CStringCharPos', 'CStringLastCharPos': renamed to 'CStringChPos' and 'CStringLastChPos' to avoid confusion with 'CharPos' and 'LastCharPos'
- 20000902: CRT: new procedure CRTSetTerminal
- 20000828: new procedure FileMove
- 20000826: new constant DayOfWeekName
- 20000825: integrated the FAQ into the GPC Manual
- 20000820: new routines SystemInfo, FileLock, FileUnlock, Alarm
- 20000819: StringUtils: new unit, implementing a string hash table (further routines to be added)
- 20000817: CRT: new routines CRTSavePreviousScreen, CRTSavePreviousScreenWorks
- 20000806: new function GetTerminalName
- 20000803: new functions UserID, GroupID
- 20000723: new parameter 'AccessTime' to SetFileName
- 20000716: renamed the file mode constants from 'fmfoo' to 'fm_foo'
- 20000716: new routines MemoryMap, MemoryUnMap
- 20000626: the default make target for testing GPC is called 'pascal.check' (or 'check-pascal') rather than 'check-gpc' now; the test must be run in the build directory (not the 'p' subdirectory) or in the 'test' subdirectory of the source directory now
- 20000619: '--borland-pascal': ignore everything after 'end.' (also takes care of "~Z" characters at the end of Dos text files)
- 20000613: Dos: special versions of GetCBreak and SetCBreak for MS-Windows
- 20000612: Dos: new procedures (not only on DJGPP) DosVersion, SetDate, SetTime
- 20000611: CRT: new procedures 'SetScreenSize', 'SetMonochrome'; renamed 'IsMonoMode' to 'IsMonochrome'
- 20000610: each of the parameters 'Dir', 'Name' and 'Ext' to 'FSplit' may now be 'Null'
- 20000607: Single RTS command line options are now recognized with '--gpc-rtsoption' as well, and this can be given multiple times
- 20000607: new procedure ResetGetOpt
- 20000606: CRT: new functions CtrlKey, AltKey; new constants chCtrlA ... chCtrlZ, kbCtrlA ... kbCtrlZ
- 20000605: new routines BlockSignal, SignalBlocked
- 20000605: CRT with ncurses: changing the screen is now done through a shell command definable in the environment variable 'RESIZETERM' (which defaults to 'resize', 'SVGATextMode' and 'setfont'); the variables 'crt_setfont_command_80_25', 'crt_setfont_command_80_50', 'crt_setfont_command_40_25' and 'crt_setfont_command_40_50' (Linux only) were removed

- 20000604: Dos: new procedures (not only on DJGPP) GetCBreak, SetCBreak, GetVerify, SetVerify
- 20000604: new routines SetInputSignals, GetInputSignals
- 20000531: new demo program 'DynamicArrayDemo'
- 20000530: integrated the interface of all units included with GPC into the GPC Manual; formatted the interfaces, also of gpc.pas, more nicely
- 20000528: integrated the To-Do list and the list of new GPC features into the GPC Manual
- 20000528: include the demo programs printed in the GPC Manual (currently 59, but expected to become more) into binary distributions in a directory 'docdemos'
- 20000527: restructured the GPC Manual
- 20000526: in the GPC Manual, the list of command-line options and the list of keywords for the various dialects were updated, and from now on, they are automatically kept up to date, directly from the source
- 20000526: changed the license of most units and the RTS from LGPL + exception to GPL + exception
- 20000525: ReverseBytes, ConvertFromLittleEndian, ConvertFromBigEndian, ConvertToLittleEndian, ConvertToBigEndian: new parameter 'ElementSize'; new demo program 'EndianDemo'
- 20000523: derive the keyword list in the documentation directly from the source
- 20000521: WinCRT: new unit (identical to CRT)
- 20000521: CRT: GetScreenSize renamed to ScreenSize (WinCRT compatibility); added some missing WinCRT compatibility stuff
- 20000519: new function GetMountPoint
- 20000516: new field Device in BindingType
- 20000516: BlockReadLittleEndian, BlockReadBigEndian, BlockWriteLittleEndian, BlockWriteBigEndian: new parameter 'ElementSize'
- 20000516: new procedures ReadStringLittleEndian, ReadStringBigEndian, WriteStringLittleEndian, WriteStringBigEndian
- 20000509: System: new functions Ofs, Seg, Ptr, CSeg, DSeg, SSeg, SPtr and a number of variables (mostly useless and only for BP compatibility)
- 20000507: new procedure IOErrorFile
- 20000505: 'asmname' in variable and constant declarations must now come after the type; furthermore, 'asmname' doesn't imply 'external' anymore
- 20000502: SeekEOF, SeekEOLn
- 20000421: new function InstallSignalHandler
- 20000418: recognize files with '.pp' or '.dpr' extension as Pascal sources
- 20000415: new switch '{\$[no-]debug-statement[=foo]}' (call a procedure automatically before each statement for debugging)
- 20000415: RTS command line options are now recognized after '--gpc-rts' instead of '-Grts'
- 20000415: removed '__cstring__', '__void__'
- 20000414: the RTS command line options are now also available as long options; new RTS options '--version' (print RTS version and exit), '--abort-on-error' (abort with SIGABRT on runtime error), '--error-file', '--error-fd' (dump runtime error messages and stack trace to given file name or FD)
- 20000412: runtime errors are now printed with their address to help debugging (using addr2line), and the address is stored in ErrorAddr

- 20000411: new functions `ReturnAddress`, `FrameAddress`
- 20000411: local compiler directives and defines with `'{$local}'` and `'{$endlocal}'` (fjf430*.pas)
- 20000409: `'{$ifopt}'`
- 20000409: case-[in]sensitive defines with `{{{$csdefine}}}` and `{{{$cidefine}}}` (or `'--csdefine'` and `'cidefine'`); `'{$define}'` (but not `'--define'`) is now case-insensitive
- 20000407: make `'mod'` with negative right operand work like in BP; allow expressions like `'-2 * +3'`
- 20000407: `'make check'` now runs the current test suite rather than the (obsolete and removed) dejagnu tests; the test suite now produces a summary output by default, `'make pascal.check-long'` (or `'check-pascal-long'`) produces the long output format as before
- 20000407: new option `'-W[no-]warnings'` (enable/disable warnings)
- 20000407: make single-letter compiler directives BP compatible (`'--borland-pascal'`: ignore `'$F'`, `'$O'` etc., ignore numbers after `'$M'`); new option `'--[no-]stack-checking'`, also as compiler directives `'{$[no-]stack-checking}'` or `'{$S+}'`/`'{$S-}'`; replace `'{$P+}'`/`'{$P-}'` by `'{$[no-]pedantic}'` (or `'--[no-]pedantic'` on the command line); ignore `'{W+}'`/`'{W-}'` in `'--borland-pascal'` mode
- 20000406: CRT: new variable `CRTAutoInitProc`; new procedure `CRTNotInitialized`
- 20000405: new switches `'--[no-]macros'`
- 20000402: new switches `'-W[no-]field-name-problem'`
- 20000402: allow all `'-Wfoo'` options also as `'{$W foo}'` directives (no more `'{$Wfoo}'` like in the last alpha release!)
- 20000331: replace `'--no-nested-comments'` by `'--mixed-comments'` (and vice versa); new options `'--[no-]nested-comments'`, `'-W[no-]mixed-comments'`, `'-W[no-]nested-comments'` (mixcom*.pas, nest*.pas); allow comments (but not compiler directives) within compiler directives
- 20000331: make C style char escapes the default for strings enclosed in `"` (like `'--char-escapes'` used to do), and use `'\'` rather than `'"` to get a verbatim `"` in them; remove the `'--[no-]char-escapes'` switch and the `'{$E[+-]}'` compiler directive
- 20000331: Delphi style `'//'` comments, new switch `'--[no-]delphi-comments'` and compiler option `'{$[no-]delphi-comments}'`
- 20000327: new header `gpc-in-c.h` for inclusion of GPC code into C programs; new demo program `GPC_C_Pas` to demonstrate this
- 20000327: allow `'^const'` to create a pointer to a constant
- 20000327: don't expand macros in `'--borland-pascal'` and `'--delphi'`
- 20000327: Dos: added the unportable Dos-only routines under DJGPP if `'__BP_UNPORTABLE_ROUTINES__'` is defined
- 20000326: removed `'__asmname__'`, `'__const__'`, `'__external__'`, `'__inline__'`, `'__static__'`, `'__volatile__'`, `'__byte__'`, `'__short__'`, `'__long__'`, `'__longlong__'`, `'__unsigned__'`
- 20000322: cleaned up the lexer; removed some fossils, e.g. `'--c-numbers'`
- 20000306: file sizes can now be bigger than `'Integer'` (e.g. 64 bit files on 32 bit machines) if supported by the OS via `lseek64()` or `llseek()` (e.g. Linux, Solaris, IRIX)
- 20000221: new types `ByteBool`, `ShortBool`, `WordBool`, `MedBool`, `LongBool`, `LongestBool`, `Boolean(n)` (fjf395.pas)
- 20000219: build in `'Include'`, `'Exclude'`
- 20000213: make `'nil'` also a value of any procedural/functional type (fjf258[a-e].pas)

- 20000211: new functions `PathExists`, `DataDirectoryName`, new parameter `Prefix` to `ConfigFileName`
- 20000211: new fields `SymLink`, `TextBinary` in `BindingType`; new procedure `AssignBinary`; removed variable `TextFilesBinary`
- 20000202: new options `--[no-]progress-messages`, `--[no-]progress-bar`
- 20000202: ignore `{ $L+ }`/`{ $L- }` directives (for BP compatibility)
- 20000131: new unit `MD5`; new demo program `MD5Demo`
- 20000124: new unit `FileUtils`; new demo program `FindFilesDemo`
- 20000111: changed the internal file handling from using `FILE *` to integer file handles, to make it more efficient and get rid of some problems; replaced the `CFile` field in `BindingType` by a `Handle` field; replaced the `AssignCFile` procedure by an `AssignHandle` procedure; removed the `GetFile` function (note `FileHandle`)
- 20000111: new function `Integer2String`
- 20000106: new functions `IsPrintable`, `CharSet2RegEx`
- 19991217: System: new functions `RealToBPPReal`, `BPPRealToReal`
- 19991217: new functions `IsInfinity`, `IsNotANumber`, `SplitReal`
- 19991124: new demo program `ProcVarDemo`
- 19991117: new function `LongReal2Str` to work-around the `'Work (Real)'` problem on the MIPS
- 19991110: CRT: DJGPP: added support for 40 column modes (requires updated `PDCurses` library)
- 19991104: new demo program `FExpandDemo`
- 19991103: CRT: changed the define to get an X11 version from `XCURSES` to `X11`
- 19991102: added `'Special'` field to `BindingType`
- 19991101: new function `GetShellPath`
- 19991101: new option `--[no-]transparent-file-names` to derive the external file names from the file variable names `<199909010105.VAA23844@kaylor.ncifcrf.gov>` (`fjf394.pas`)
- 19991025: CRT: new procedures `SimulateBlockCursor`, `SimulateBlockCursorOff`
- 19991023: CRT: don't initialize curses at the beginning of the program, but initialize it automatically when the first CRT routine is called (for BP compatibility); new procedure `CRTInit` to explicitly initialize CRT which also sets some defaults (`PCCharSet` and update level) to more natural (and less BP compatible) values
- 19991023: CRT: allow any of the parameters to `GetWindow` to be `'Null'`
- 19991014: new procedure `ReAlloc`; previous `ReAlloc` function (`libc`) renamed to `CReAlloc`; new variable `ReAllocPtr`
- 19991014: new functions `GetPasswordEntryByName`, `GetPasswordEntryByUID`, `GetPasswordEntries`; make `ExpandEnvironment` recognize `'~user'`
- 19991006: `RegEx`: support for converting subexpression references to upper/lower case while replacing them with `'\u7'/'\17'`
- 19990924: new functions `MemCompCase`, `StrEqualCase`, `PosCase`, `LastPosCase`, `PosFromCase`, `LastPosTillCase`, `IsPrefixCase`, `IsSuffixCase`, `ExecuteNoTerminal`
- 19990922: System: new procedure `SetTextBuf` for BP compatibility
- 19990905: before building the RTS, make sure that the compiler version used is current, to prevent strange bugs when building with an older version `<17698.990820@mg.dp.ua>`
- 19990805: new procedure `SeedRandom`; new variable `SeedRandomPtr`; automatically initialize the random number generator like `Randomize` does at the first call to `Random` unless `SeedRandom` was called before (only for the default RNG; not the BP compatible one in the System unit)

- 19990802: new procedure `RestoreTerminalClearCRT`
- 19990801: CRT: added support for panels (overlapping windows); new routines `GetActivePanel`, `PanelNew`, `PanelDelete`, `PanelBindToBackground`, `PanelIsBoundToBackground`, `PanelActivate`, `PanelHide`, `PanelShow`, `PanelHidden`, `PanelTop`, `PanelBottom`, `PanelMoveAbove`, `PanelMoveBelow`, `PanelAbove`, `PanelBelow`, `IgnoreCursor`
- 19990728: new demo program `ArraySliceDemo`
- 19990727: CRT: replaced the variables `PCCharSet` and `UseControlChars` by routines `SetPCCharSet`, `GetPCCharSet`, `SetControlChars`, `GetControlChars`
- 19990727: GMP: new procedures `mpf_exp`, `mpf_ln`, `mpf_pow`, `mpf_arctan`, `mpf_pi`
- 19990726: implemented environment variable management in Pascal, so that it's independent of libc differences (e.g. the presence or not of `'environ'`); new routines `UnSetEnv`, `GetCEnvironment`; removed `PutEnv` and `CSystem` functions (obsoleted by `SetEnv` and `Execute`); turned the `Environment` variable into a schema which contains the environment variables as `CStrings`; allow empty and case-sensitive environment variables within GPC programs even under Dos
- 19990723: make `'{$gnu-pascal}'` completely equivalent to `'--gnu-pascal'`; add `'{$gnu-pascal}'` to all included units so they can also be compiled with `'--automake'` when `'--foo-pascal'` options are given (dialec[1-6].pas)
- 19990723: new options `'-W[no-]typed-const'` and `'-W[no-]near-far'`
- 19990720: new functions `SetTerminalProcessGroup`, `GetTerminalProcessGroup`
- 19990719: new demo program `RealPower`
- 19990709: new constants for signals; new routines `Kill`, `WaitPID`, `SetProcessGroup` (formerly in the `Pipe` unit)
- 19990622: new function `FileHandle`; un-built-in `GetFile` – it is now in the GPC unit, but obsolete
- 19990622: new routines `AllocateBigMem`, `DisposeBigMem`, `MoveToBigMem`, `MoveFromBigMem`, `MapBigMem` for uniform access to big memory blocks for GPC and BP; new demo program `BigMemDemo`
- 19990617: integrated the `'PExecute'` unit into the RTS
- 19990612: `'register'` directive
- 19990609: integrated the `GetOpt` unit into the RTS (because the RTS uses it, anyway); removed the `Internal` unit from the installation (because using it from programs is really not recommendable)
- 19990603: new procedure `SetEnv` (makes obsolete libc's `PutEnv`)
- 19990601: included a `'GPC'` unit for BP to provide some GPC compatibility to BP programs
- 19990527: new demo program `TrapDemo`
- 19990527: new units `HeapMon`, `Trap`
- 19990527: new function `ReleaseCount`
- 19990526: new routines `RegisterRestoreTerminal`, `UnregisterRestoreTerminal`, `RestoreTerminal`
- 19990502: new routine `SetProcessGroup`
- 19990424: new function `RegExPosFrom`
- 19990403: new constant `FileNamesCaseSensitive`, new function `FileNameLoCase`
- 19990327: added 20 demo programs
- 19990325: new function `GetMicroSecondTime`
- 19990324: renamed the `CString` routines in the RTS so they get a `'CString'` prefix, moved the BP compatibility identifiers for the same routines into the `'Strings'` unit

- 19990308: ‘--no-default-paths’
- 19990307: new functions IOSelect, IOSelectRead
- 19990225: ‘--no-{unit,object}-path’
- 19990225: ‘--[no-]io-checking’ and ‘{\${no-]io-checking}’ as synonyms for ‘{\${I+-}’
- 19990219: recognize (but currently ignore) published/public/protected/private
- 19990218: renamed DataReady to CanRead
- 19990213: change warnings of the form ‘Foo-Pascal does not have foobars’ into ‘foobars are {GPC-specific|a GPC extension}’ and add spaces before all but the first line of multi-line messages
- 19990211: new procedures Sleep, SleepMicroSeconds, GetCPUTime
- 19990211: CRT: new procedures CRTUpdate, CRTRedraw, SetScroll, CRTSetCursesMode
- 19990209: renamed the `..BP_INTEGERS..` (System unit) and `..Borland.16.Bit..` (Dos and WinDos units) defines to `..BP_TYPE_SIZES..`
- 19990209: Pipe: new parameter ‘Process’ to Pipe; new functions WaitPipeProcess, StrSignal, Kill, WaitPID; new constants (actually variables) for the signals
- 19990205: new routines HasWildCardsOrBraces, BraceExpand, MultiFileNameMatch, GlobOn, MultiGlob, MultiGlobOn, QuoteFileName, UnQuoteFileName, FExpandQuoted, ForceAddDirSeparator, FindNonQuotedChar, FindNonQuotedStr, NameExtFromPath; new parameter ‘Quoted’ to RelativePath
- 19990202: new declarations DirRoot, QuotingCharacter, EnvVarChars, EnvVarCharsFirst, WildCardChars, FileNameSpecialChars, ShellExecCommand
- 19990127: new functions IsUpCase, IsLoCase, IsAlphaNum, IsAlphaNumUnderscore
- 19990127: CRT: catch some signals and return pseudo function keys for them if CheckBreak is False
- 19990125: added ‘User’, ‘Group’, ‘Mode’ and ‘INode’ fields to BindingType; new procedure ChMod
- 19990125: CRT: react to screen size changes by external events and return a pseudo function key
- 19990115: built in ‘Null’ (= ‘nil^’)
- 19990115: Pipe unit (also for Dos!)
- 19990115: new function DataReady to check if data can be read from a file without blocking
- 19990110: integrated the ‘PExecute’ unit into GPC
- 19990102: pass all given options to automake compilations too (without having to repeat them with ‘--automake="foo"’), remove ‘--automake="foo"’
- 19990101: ‘--[no-]autolink’ (default is autolink)
- 19981228: ‘--[no-]executable-path’, ‘--[no-]unit-destination-path’, ‘--[no-]object-destination-path’
- 19981222: implemented buffering to speed up reading from files
- 19981213: integrated the following units into GPC: ‘GetOpt’, ‘RegEx’, ‘GMP’, ‘Ports’
- 19981212: new string routines: SetString, StringOfChar (Delphi compatibility)
- 19981212: integrated the ‘DosUnix’ unit into GPC
- 19981210: integrated the ‘GPCUtil’ unit into GPC
- 19981208: integrated the following units into GPC: ‘System’, ‘Turbo3’
- 19981208: remove ‘{W-}’ as much as possible in the units
- 19981208: built in Addr, Assigned
- 19981207: integrated the following units into GPC: ‘CRT’, ‘Dos’, ‘Overlay’, ‘Printer’, ‘Strings’, ‘WinDos’

- 19981206: ‘--unit-path’ (upath.pas), ‘--object-path’ (opath.pas); don’t allow them in a source file
- 19981206: allow ‘Copy’ with 2 arguments (fjf40e.pas)
- 19981205: ‘FileName’ function with a Pascal string return value
- 19981205: interpret ‘{\$L foo}’ as ‘-lfoo’; accept files with ‘.so’ extension in ‘{\$L}’
- 19981203: pre-define ‘__OS_DOS__’ on Dos-like systems
- 19981202: ‘--uses=foo(bar.pas),bar,baz(..baz.pas)’ (fjf101b.pas)
- 19981202: make ‘=’ and so on for strings work as exact comparisons (‘--borland-pascal’; ‘--[no-]exact-compare-strings’) (fjf38{,[a-f]}.pas)
- 19981201: pre-define __BORLAND_PASCAL__ etc. depending on the dialect options and __GNU_PASCAL__ if no dialect option was given (dialdef{,[1-6]}.pas)
- 19981108: new time routines UnixTimeToTimeStamp and TimeStampToUnixTime
- 19981108: added ‘AccessTime’, ‘ModificationTime’ and ‘ChangeTime’ fields to BindingType
- 19981021: added a ‘Force’ field to BindingType
- 19980921: procedures to convert the endianness of single variables (ReverseBytes, Convert{From,To}-{Little,Big}Endian) and to do this while reading/writing them from/to untyped files (Block{Read,Write}-{Little,Big}Endian)
- 19980919: MaxLongInt
- 19980918: a number of new CString routines, including almost all (that weren’t already there) of BP’s strings unit
- 19980918: WinDos: portable BP compatible unit with most of the routines (those that can possibly be implemented in a portable way)
- 19980917: CRT: some win (TP 5), winCRT and tpcrt compatibility routines and some extensions added
- 19980915: Internal: unit, with the internal RTS declarations from gpc.pas moved into it
- 19980914: System: remove built-in procedures UpCase, LoCase, ChDir, MkDir, RmDir, FileSize, AddNullTerminator, InOutRes, IOResult, FileMode
- 19980914: System: GetDir, Lo, Hi, Swap, MemAvail, MaxAvail, HeapError, HeapErrorNil-Return
- 19980912: declared CGetMem, CFreeMem, ReAlloc
- 19980909: build in GetMemPtr, FreeMemPtr
- 19980830: allow ‘RunError’ without arguments (error code -1)
- 19980830: ‘--no-automake’, ‘--no-autobuild’, ‘--no-autolink’ (each of them disables all of ‘--autolink’, ‘--automake’ and ‘--autobuild’)
- 19980822: internally remove the ‘type’ parameter to _p_bind()
- 19980818: build in GPC_StatFS
- 19980724: procedures UpCaseString, LoCaseString, functions UpCaseStr, LoCaseStr
- 19980722: longest{int,real}-field-width (fieldw.pas)
- 19980722: allow collecting options in several ‘--automake’ oder ‘--autobuild’ options
- 19980719: build in ExitCode, ErrorAddr
- 19980719: Dos: portable BP compatible unit with most of the routines (those that can possibly be implemented in a portable way)
- 19980717: added a ‘DayOfWeek’ field to TimeStamp and a DayOfWeek function
- 19980715: define __GPC_RELEASE__
- 19980702: new CString functions: StrLen, StrEnd, StrScan, StrRScan, StrDup, StrCmp, StrCaseCmp

- 19980701: new file name declarations and routines: PathSeparator, DirSeparator, DirSeparators, ExtSeparator, DirSelf, DirParent, NullDevice, TTYDevice, ConsoleDevice, GetCurrentDirectory, GetTempDirectory, GetTempFileName, GetTempFileName_CString, Slash2OSDirSeparator, OSDirSeparator2Slash, Slash2OSDirSeparator_CString, OSDirSeparator2Slash_CString, FileExists, DirectoryExists, FSearch, FSearch_Executable, Expand_Environment, FExpand, FSplit, DirFromPath, NameFromPath, ExtFromPath, OpenDir, ReadDir, CloseDir
- 19980629: runtime I/O error handling with `{I+-}`
- 19980629: build in NewCString, StrPCopy, CString2String (fjf156.pas); String2CString
- 19980629: build in UpCase, LoCase (locale-dependent, except in `--borland-pascal`, there only 7 bit ASCII) (fjf165a.pas,fjf165b.pas)
- 19980629: build in High, Low (for ordinal types and arrays)
- 19980629: build in Random (for LongestCard and LongestReal), Randomize
- 19980629: build in SizeType, PtrDiffType
- 19980629: build in Pi <Pine.SGI.3.96.980318113542.2662B-100000@pugh.bip.bham.ac.uk>
- 19980629: build in Erase, Rename, ChDir, MkDir, RmDir, FileMode, Flush
- 19980628: internally remove the unused second parameter of Dispose/FreeMem
- 19980626: allow mixing of New/GetMem/Dispose/FreeMem with malloc()/free() and with Mark/Release (except free() with Release in some cases)
- 19980623: Turbo3 unit
- 19980619: Printer: portable (piping to lpr under Un*x)
- 19980613: `--gnu-pascal`
- 19980611: CRT: portable ncurses-based unit
- 19980604: print error messages in the form: `'a.out: [internal error:] unknown code in 'Write' (error #904)'`
- 19980531: when opening a file with a file name, do a binding actually (fjf169.pas)
- 19980523: added a `MicroSecond` field to TimeStamp
- 19980520: printer unit for Dos
- 19980520: `--uses="foo"` (fjf101.pas,fjf101a.pas)
- 19980511: build in FilePos, FileSize, Truncate, Append
- 19980511: build in RunError
- 19980405: accept (but currently ignore) `{$ifopt}`
- 19980405: When passing a long string value to a PChar parameter, automatically add a `#0` terminator
- 19980405: allow `'type y(b:integer)=array[1..b] of integer; x=y;'` (fjf115.pas)
- 19980405: Fail (FreeMem, when constructor called by New)
- 19980405: rename AssignLength and AssignType to SetLength and SetType, resp., for Delphi compatibility
- 19980405: warn about absolute declarations and type casts that can cause alignment problems
- 19980405: `--autobuild`
- 19980129: predefine symbols for endianness
- 19980114: recognize `--[no-]truncate-strings` in WriteStr (fjf59.pas,truncstr.pas)
- 19980114: build in untyped files and BlockRead, BlockWrite (blockop.pas)
- 19971230: build in Int, Frac (fjf129.pas)
- 19971215: build in PtrInt, PtrCard, PtrWord

- 19971130: allow opening files to ‘’’ or ‘’-’ for stdin/stdout
- 19971121: different versions of math functions for LongReal
- 19971121: allow ‘with’ for schema types <199710152102.XAA04800@helena.mi.uni-erlangen.de> (fjf70.pas)
- 19971121: allow ‘(var) := expr’ (fjf100.pas)
- 19971112: build in ParamCount, ParamStr (params.pas)
- 19971112: initialize arrays of text in a loop rather than individually (fh19971016) (fjf64.pas)
- 19971112: build in Seek
- 19971112: build in FillChar, Move (moving whole words), MoveLeft, MoveRight (moving single bytes) (moves.pas)
- 19971106: build in Delete (fjf62.pas) (fh19971008), Pos (delinspos.pas), Copy
- 19971106: AssignLength (alength.pas)
- 19971101: make the char array in a String ‘[1..Capacity+1]’ so that there’s always space for a #0 terminator
- 19971101: build in Str and Val; Str in ‘--borland-pascal’: only one argument
- 19971101: build in StdErr
- 19971101: optimize ‘in’ with set constructors
- 19971101: build in Insert (fjf61.pas)

12 The GPC Source Reference

“The Source will be with you. Always.”

This chapter describes internals of GPC. It is meant for GPC developers and those who want to become developers, or just want to know more about how the compiler works. It does not contain information needed when using GPC to compile programs.

This chapter tells you how to look up additional information about the GNU Pascal compiler from its source code.

Note: If you intend to modify GPC’s source, please check the top of each file you’re going to modify. A number of files are generated automatically by various tools. The top of these files will tell you by which tool and from what file they were generated. Modifying a generated file is pointless, since it will be overwritten the next time the tool is run. Instead, modify the original source (which will usually be easier in fact, e.g. a bison input file vs. the generated C code). This also holds for various documentation files.

Proprietary compilers often come with a lot of technical information about the internals of the compiler. This is necessary because their vendors want to avoid to distribute the source of the compiler – which is always the most definitive source of this technical information.

With GNU compilers, on the other hand, you are free to get the source code, look how your compiler works internally, customize it for your own needs, and to re-distribute it in modified or unmodified form. You may even take money for this redistribution. (For details, see the GNU General Public License, [Appendix C \[Copying\]](#), page 495.)

The following subsections are your guide to the GNU Pascal source code. If you have further questions, be welcome to ask them at the GNU Pascal mailing list (see [Chapter 10 \[Support\]](#), page 433).

All file paths mentioned in this chapter are relative to the GNU Pascal source directory, usually a subdirectory ‘p’ of the GCC source.

The following sections roughly coincide with the order of the steps a Pascal source passes through during compilation (omitting the code generation which is the job of the GCC backend, and the assembler and linker steps at the end which are done by the programs ‘as’ and ‘ld’ of binutils and possibly other utilities like ‘collect2’). Also missing here is the compiler driver ‘gpc’ which behaves very similarly to ‘gcc’ and whose main job is to invoke the other parts in the right order, with the right arguments etc.

@@ Under construction. Many more things are missing because nobody has yet had the time to write something about them.

For more information, see chapters “Portability” through “Fragments” in [section “Top” in “Using and Porting GNU CC”](#).

12.1 The Pascal preprocessor

‘gpcpp’ is based on the C preprocessor, so it does everything ‘cpp’ does (see [section “cpp” in The cpp manual](#)) and some more. In particular:

- Comments like ‘cpp’ does, but within ‘{ ... }’ and ‘(* ... *)’, also after ‘//’ if ‘delphi-comments’ is active, never within ‘/* ... */’. Also mixed comments (‘{ ... *)’, ‘(* ... }’) if enabled (‘mixed-comments’) and nested comments (e.g. ‘{ ... { ... } ... }’) if enabled (‘nested-comments’)
- Macros and conditionals like ‘cpp’ does, but both case sensitive and insensitive ones; ‘no-macros’ to turn macro expansion off (e.g., for BP compatibility)
- ‘ifopt’ for short and long options
- Include files like ‘cpp’ does, but also with ‘{\$I ...}’ (BP style), which allows the file name extension to be omitted

- Recognize Pascal strings (to avoid looking for comments and directives within strings) enclosed in single (like Standard Pascal) or double quotes (like C).
- Option handling, sharing tables in ‘`gpc-options.h`’ with the compiler:
 - Default option settings
 - Options can imply other options (e.g., ‘`borland-pascal`’ -> ‘`no-macros`’ etc.)
 - Short compiler directives
 - Short directive ‘`W`’ (warnings) is disabled in ‘`borland-pascal`’ and ‘`delphi`’ because it has another meaning there
- Compiler directives (‘`{$....}`’ or ‘`(*$....*)`’):
 - pass them through, so the compiler can handle them
 - keep track of them for ‘`ifopt`’
 - handle those that affect the preprocessor (e.g., about comments)
 - allow comments within compiler directives if nested comments are enabled
 - local directives
 - case insensitive
- Slightly Pascal-like syntax for conditional compilation (‘`not`’ -> ‘`!`’, ‘`and`’ -> ‘`&&`’, ‘`or`’ -> ‘`||`’, ‘`xor`’ -> ‘`!=`’, ‘`shl`’ -> ‘`<<`’, ‘`shr`’ -> ‘`>>`’, ‘`False`’ -> ‘`0`’, ‘`True`’ -> ‘`1`’, ‘`<>`’ -> ‘`!=`’, ‘`=`’ -> ‘`==`’)
- Line directives like ‘`cpp`’ does, but recognize BP style (‘`#42`’ or ‘`#$f0`’) character constants and don’t confuse them with line directives (the latter seem to always have a space after the ‘`#`’)

12.2 GPC’s Lexical Analyzer

The source file ‘`gpc-lex.c`’ contains the so-called *lexical analyzer* of the GNU Pascal compiler. (For those of you who know ‘`flex`’: This file was *not* created using ‘`flex`’ but is maintained manually.) This very-first stage of the compiler (after the preprocessor which is a separate executable) is responsible for reading what you have written and dividing it into *tokens*, the “atoms” of each computer language. The source ‘`gpc-lex.c`’ essentially contains one large function, ‘`yylex()`’.

Here is, for example, where the real number ‘`3.14`’ and the subrange ‘`3..14`’ are distinguished, and where Borland-style character constants like ‘`#13`’ and ‘`^M`’ are recognized. This is not always a trivial task, for example look at the following type declaration:

```
type
  X = ^Y;
  Y = packed array [^A .. ^B] of Char;
  Z = ^A .. ^Z;
```

If you wish to know how GPC distinguishes the pointer forward declaration ‘`^Y`’ and the subrange ‘`^A..^Z`’, see ‘`gpc-lex.c`’, function ‘`yylex()`’, ‘`case '^':`’ in the big ‘`switch`’ statement.

There are several situation where GPC’s lexical analyzer becomes context-sensitive. One is described above, another example is the token ‘`protected`’, a reserved word in ISO-10206 Extended Pascal, but an ordinary identifier in ISO-7185 Pascal. It appears in parameter lists

```
procedure foo (protected bar: Integer);
```

and says that the parameter ‘`bar`’ must not be changed inside the body of the procedure.

OTOH, if you write a valid ISO-7185 Pascal program, you can declare a parameter ‘`protected`’:

```
procedure foo (protected, bar: Integer);
```

Here both standards contradict each other. GPC solves this problem by checking explicitly for “protected” in the lexical analyzer: If a comma or a colon follows, this is an ordinary identifier, otherwise it’s a reserved word. Having this, GPC even understands

```
procedure foo (protected protected: Integer);
```

without losing the special meaning of ‘protected’ as a reserved word.

The responsible code is in ‘gpc-lex.c’ – look out for ‘PROTECTED’.

If you ever encounter a bug with the lexical analyzer – now you know where to hunt for it.

12.3 Interrelations between the lexer and parser

See ‘gpc-lex.c’, ‘parse.y’.

- ‘lex_const_equal’
- ‘lex_caret’
- ‘enable_keyword’, ‘disable_keyword’
- compiler directives (via ‘gpc-decl.c’)

12.4 Language Definition: GPC’s Parser

The file ‘parse.y’ contains the “bison” source code of GNU Pascal’s parser. This stage of the compilation analyzes and checks the syntax of your Pascal program, and it generates an intermediate, language-independent code which is then passed to the GNU back-end.

The *bison* language essentially is a machine-readable form of the Backus-Naur Form, the symbolic notation of grammars of computer languages. “Syntax diagrams” are a graphical variant of the Backus-Naur Form.

For details about the “bison” language, see [section “Top” in the Bison manual](#). A short overview how to pick up some information you might need for programming follows.

Suppose you have forgotten how a variable is declared in Pascal. After some searching in ‘parse.y’ you have found the following:

```
/* variable declaration part */

variable_declaration_part:
    LEX_VAR variable_declaration_list semi
  | LEX_VAR semi
    { error ("missing variable declaration"); }
;

variable_declaration_list:
    variable_declaration
  | variable_declaration_list semi variable_declaration
    { yyerrok; }
  | error
  | variable_declaration_list error variable_declaration
    {
        error ("missing semicolon");
        yyerrok;
    }
  | variable_declaration_list semi error
;

```


Translated into English, this means: “The variable declaration part consists of the reserved word (lexical token) ‘**var**’ followed by a ‘variable declaration list’ and a semicolon. A semicolon immediately following ‘**var**’ is an error. A ‘variable declaration list’ in turn consists of one or more ‘variable declarations’, separated by semicolons.” (The latter explanation requires that you understand the recursive nature of the definition of ‘**variable_declaration_list**’.)

Now we can go on and search for ‘**variable_declaration**’.

```
variable_declaration:
    id_list
    {
        [...]
    }
    enable_caret ':' optional_qualifier_list type_denoter
    {
        [...]
    }
    absolute_or_value_specification
    {
        [...]
    }
    ;
```

(The ‘[...]’ are placeholders for some C statements which aren’t important for understanding GPC’s grammar.)

From this you can look up that a variable declaration in GNU Pascal consists of an “id list”, followed by “enable_caret” (whatever that means), a colon, an “optional qualifier list”, a “type denoter”, and an “absolute or value specification”. Some of these parts are easy to understand, the others you can look up from ‘**parse.y**’. Remember that the reserved word ‘**var**’ precedes all this, and a semicolon follows all this.

Now you know the procedure how to get the exact grammar of the GNU Pascal language from the source.

The C statements, not shown above, are in some sense the most important part of the bison source, because they are responsible for the generation of the intermediate code of the GNU Pascal front-end, the so-called *tree nodes*. For instance, the C code in “type denoter” juggles a while with variables of the type ‘**tree**’, and finally returns (assigns to ‘**\$\$**’) a so-called *tree list* which contains the information about the type. The “variable declaration” gets this tree list (as the argument ‘**\$6**’) and passes the type information to the C function ‘**declare_vars()**’ (declared in ‘**util.c**’). This function ‘**declare_vars()**’ does the real work of compiling a variable declaration.

This, the parser, is the place where it becomes Pascal.

12.5 Tree Nodes

If you want really to understand how the GNU Pascal language front-end works internally and perhaps want to improve the compiler, it is important that you understand GPC’s internal data structures.

The data structure used by the language front-end to hold all information about your Pascal program are the so-called “tree nodes”. (Well, it needn’t be Pascal source – tree nodes are language independent.) The tree nodes are kind of objects, connected to each other via pointers. Since the GNU compiler is written in C and was created at a time where nobody really thought about object-orientated programming languages yet, a lot of effort has been taken to create these “objects” in C.

Here is an extract from the “object hierarchy”. Omissions are marked with “...”; nodes in parentheses are “abstract”: They are never instantiated and aren’t really defined. They only appear here to clarify the structure of the tree node hierarchy. The complete list is in ‘`../tree.def`’; additional information can be found in ‘`../tree.h`’.

```
(tree_node)
|
|--- error_mark { enables GPC to continue after an error }
|
|--- (identifier)
|   |
|   |--- identifier_node
|   |
|   \--- op_identifier
|
|--- tree_list { a list of nodes, also used as a
|               general-purpose "container object" }
|
|--- tree_vec
|
|--- block
|
|--- (type) { information about types }
|   |
|   |--- void_type
|   |
|   |--- integer_type
|   |
|   ...
|   |
|   |--- record_type
|   |
|   |--- function_type
|   |
|   \--- lang_type { for language-specific extensions }
|
|--- integer_cst { an integer constant }
|
|--- real_cst
|
|--- string_cst
|
|--- complex_cst
|
|--- (declaration)
|   |
|   |--- function_decl
|   |
|   ...
|   |
|   |--- type_decl
|   |
|   \--- var_decl
|
```

```

|--- (reference)
|   |
|   |--- component_ref
|   ...
|   |
|   \--- array_ref
|
|--- constructor
|
\--- (expression)
    |
    |--- modify_expr { assignment }
    |
    |--- plus_expr { addition }
    ...
    |
    |--- call_expr { procedure/function call }
    |
    |--- goto_expr
    |
    \--- loop_expr { for all loops }

```

Most of these tree nodes – struct variables in fact – contain pointers to other tree nodes. A ‘tree_list’ for instance has a ‘tree_value’ and a ‘tree_purpose’ slot which can contain arbitrary data; a third pointer ‘tree_chain’ points to the next ‘tree_list’ node and thus allows us to create linked lists of tree nodes.

One example: When GPC reads the list of identifiers in a variable declaration

```

var
  foo, bar, baz: Integer;

```

the parser creates a chain of ‘tree_list’s whose ‘tree_value’s hold ‘identifier_node’s for the identifiers ‘foo’, ‘bar’, and ‘baz’. The function ‘declare_vars()’ (declared in ‘util.c’) gets this tree list as a parameter, does some magic, and finally passes a chain of ‘var_decl’ nodes to the back-end.

The ‘var_decl’ nodes in turn have a pointer ‘tree_type’ which holds a ‘_type’ node – an ‘integer_type’ node in the example above. Having this, GPC can do type-checking when a variable is referenced.

For another example, let’s look at the following statement:

```

baz := foo + bar;

```

Here the parser creates a ‘modify_expr’ tree node. This node has two pointers, ‘tree_operand[0]’ which holds a representation of ‘baz’, a ‘var_decl’ node, and ‘tree_operand[1]’ which holds a representation of the sum ‘foo + bar’. The sum in turn is represented as a ‘plus_expr’ tree node whose ‘tree_operand[0]’ is the ‘var_decl’ node ‘foo’, and whose ‘tree_operand[1]’ is the ‘var_decl’ node ‘bar’. Passing this (the ‘modify_expr’ node) to the back-end results in assembler code for the assignment.

If you want to have a closer look at these tree nodes, write a line ‘{\$debug-tree="Foobar"}’ into your program with ‘Foobar’ being some identifier in your program. (Note the capitalization of the first character in the internal representation.) This tells GPC to output the ‘identifier_local_value’ tree node – the meaning of this identifier – to the standard error file handle in human-readable form.

While hacking and debugging GPC, you will also wish to have a look at these tree nodes in other cases. Use the ‘debug_tree()’ function to do so. (In fact ‘{\$debug-tree="Foobar"}’ does

nothing else than to `'debug_tree()'` the `'identifier_local_value'` of the `'Foobar'` identifier node.)

12.6 Parameter Passing

GPC supports a lot of funny things in parameter lists: `'protected'` and `'const'` parameters, strings with specified or unspecified length, conformant arrays, objects as `'var'` parameters, etc. All this requires sophisticated type-checking; the responsible function is `'convert_arguments()'` in the source file `'gpc-typeck.c'`. Every detail can be looked up from there.

Some short notes about the most interesting cases follow.

Conformant arrays:

First, the array bounds are passed (an even number of parameters of an ordinal type), then the address of the array itself.

Procedural parameters:

These need special care because a function passed as a parameter can be confused with a call to the function whose result is then passed as a parameter. See also the functions `'maybe_call_function()'` and `'probably_call_function()'` in `'util.c'`.

Chars: According to ISO-10206 Extended Pascal, formal char parameters accept string values. GPC does the necessary conversion implicitly. The empty string produces a space.

Strings and schemata:

Value parameter strings and schemata of known size are really passed by value. Value parameter strings and schemata of unknown size are passed by reference, and GPC creates temporary variable to hold a copy of the string.

'const' parameters:

If a constant value is passed to a `'const'` parameter, GPC assigns the value to a temporary variable whose address is passed. Exception: Small types (whose size is known and not bigger than that of a pointer) as well as all integer, real and complex types are really passed by value.

Typeless parameters:

These are denoted by `'var foo'` or `'var foo: Void'` and are compatible to C's `'void *'` parameters; the size of such entities is *not* passed. Maybe we will change this in the future and pass the size for `'var foo'` parameters whereas `'var foo: Void'` will remain compatible to C. (Same with `'const'` instead of `'var'`.)

'CString' parameters:

GPC implicitly converts any string value such that the address of the actual string data is passed and appends a `'Chr (0)'` terminator.

12.7 GPI files – GNU Pascal Interfaces

This section documents the mechanism how GPC transfers information from the exporting modules and units to the program, module or unit which imports (uses) the information.

A GPI file contains a precompiled GNU Pascal interface. “Precompiled” means in this context that the interface already has been parsed (i.e. the front-end has done its work), but that no assembler output has been produced yet.

The GPI file format is an implementation-dependent (but not *too* implementation-dependent ;–) file format for storing GNU Pascal interfaces to be exported – Extended Pascal and PXSC module interfaces as well as interface parts of Borland Pascal units compiled with GNU Pascal.

To see what information is stored in or loaded from a GPI file, run GPC with an additional command-line option ‘`--debug-gpi`’. Then, GPC will write a human-readable version of what is being stored/loaded to the standard error file handle. (See also: [Section 12.5 \[Tree nodes\]](#), [page 478](#).) **Note:** This will usually produce *huge* amounts of output!

While parsing an interface, GPC stores the names of exported objects in tree lists – in ‘`gpc-parse.y`’, the bison (yacc) source of GPC’s parser, search for ‘`handle_autoexport`’. At the end of the interface, everything is stored in one or more GPI files. This is called in ‘`gpc-parse.y`’ – search for ‘`create_gpi_files`’. (See also: [Section 12.4 \[Language definition\]](#), [page 477](#), for an introduction to ‘`gpc-parse.y`’)

Everything else is done in `module.c`. There you can find the source of ‘`create_gpi_files()`’ which documents the file format: First, a header of 33 bytes containing the string ‘GNU Pascal unit/module interface’ plus a newline.

This is followed by an integer containing the “magic” value 12345678 (hexadecimal) to carry information about the endianness. Note that, though a single GPI file is always specific to a particular target architecture, the host architecture (i.e., the system on which GPC runs) can be different (cross-compilers). Currently, GPC is not able to convert endianness in GPI files “on the fly”, but at least it will detect and reject GPI files with the “wrong” endianness. “Integer” here and in the following paragraphs means a ‘`gpi_int`’ (which is currently defined as ‘`HOST_WIDE_INT`’).

The rest of the GPI file consists of chunks. Each chunk starts with a one-byte code that describes the type of the chunk. It is followed by an integer that describes the size of the chunk (without this chunk header). The further contents depend on the type, as listed below.

For the numeric values of the chunk type codes, please refer to ‘`gpi.h`’. Chunk types denoted with ‘`(*)`’ must occur exactly once in a GPI file. Other types may occur any number of times (including zero times). The order of chunks is arbitrary. “String” here simply means a character sequence whose length is the chunk’s length (so no terminator is needed).

‘`GPI_CHUNK_VERSION`’ (String) (*)

The version of the GPI file which is the same as the GPC version. If ‘`USE_GPI_DEBUG_KEY`’ is used (which will insert a “magic” value at the beginning of each node in the node table, see below, so errors in GPI files will be detected more reliably), ‘`D`’ is appended to this version string. (Currently, ‘`USE_GPI_DEBUG_KEY`’ is used by default.) Furthermore, the GCC backend version is appended, since it also influences GPI files.

‘`GPI_CHUNK_MODULE_NAME`’ (String) (*)

The name of the unit/module.

‘`GPI_CHUNK_SRCFILE`’ (String) (*)

The name of the primary source file of the unit/module.

‘`GPI_CHUNK_IMPORT`’

The name of an interface imported by the current interface. This chunk consists of a string followed by the checksum of the imported interface’s nodes, so the chunk length is the length of the string plus the size of an integer. Again, no terminator of the string is needed.

The checksum is currently a simple weighted sum over the contents of the ‘`GPI_CHUNK_NODES`’ chunk’s contents (see below). This might be replaced in the future by a MD5 hash or something else more elaborate.

‘`GPI_CHUNK_LINK`’ (String)

The name of a file to link.

‘`GPI_CHUNK_LIB`’ (String)

The name of a library to link (prefixed with ‘`-l`’).

‘GPI_CHUNK_INITIALIZER’ (String)

The name of a module initializer. For technical reasons, any such chunk must come *after* the ‘GPI_CHUNK_MODULE_NAME’ chunk.

‘GPI_CHUNK_GPC_MAIN_NAME’ (String)

A ‘`gpc-main`’ option given in this interface. (More than one occurrence is pointless.)

‘GPI_CHUNK_NODES’ (*)

The exported names and the objects (i.e., constants, data types, variables and functions) they refer to are internally represented as so-called *tree nodes* as defined in the files ‘`../tree.h`’ and ‘`../tree.def`’ from the GNU compiler back-end. (See also: [Section 12.5 \[Tree nodes\]](#), page 478.) The names are stored as ‘IDENTIFIER_NODE’s, their meanings as ‘IDENTIFIER_GLOBAL_VALUE’s of these nodes. The main problem when storing tree nodes is that they form a complicated tree in memory with a lot of circular references so the storing mechanism must make sure that nothing is stored multiple times.

The functions ‘`load_node()`’ and ‘`store_node_fields()`’ do the main work of loading/storing the contents of a tree node with references to all its contained pointers in a GPI file. Each tree node has a ‘TREE_CODE’ indicating what kind of information it contains. Each kind of tree nodes must be stored in a different way which is not described here. See the source of these functions for details.

As most tree nodes contain pointers to other tree nodes, ‘`load_node()`’ is an (indirectly) recursive function. Since this recursion can be circular (think of a record containing a pointer to a record of the same type), we must resolve references to tree nodes which already have been loaded. For this reason, all tree nodes loaded are kept in a table (see ‘`mark_node_loaded()`’).

On the other hand, for ‘`store_node_fields()`’ the (seeming) recursion must be resolved to an iterative process so that the single tree nodes are stored one after another in the file, and not mixed together. This is the job of ‘`store_tree()`’. It uses a hash table (see ‘`get_node_id()`’) for efficiency.

When re-exporting (directly or indirectly) a node that was imported from another interface, and a later compiler run imports both interfaces, it must merge the corresponding nodes loaded from both interfaces. Otherwise it would get only similar, but not identical items. However, we cannot simply omit the re-exported nodes from the new interface in case a later compiler run imports only one of them. The same problem occurs when a module exports several interfaces. In this case, a program that imports more than one of them must recognize their contents as identical where they overlap.

Therefore, each node in a GPI file is prefixed (immediately before its tree code) with information about the interface it was originally imported from or stored in first. This information is represented as a reference to an ‘INTERFACE_NAME_NODE’ followed by the id (as an integer) of the node in that interface. If the node is imported again and re-re-exported, this information is copied unchanged, so it will always refer to the interface the node was originally contained in. For nodes that appear in an interface for the first time (the normal case), a single 0 integer is stored instead of interface ‘INTERFACE_NAME_NODE’ and id (for shortness, since this information is implicit).

This mechanism is not applied to ‘INTERFACE_NAME_NODE’s since there would be a problem when the identifier they represent is the name of the interface they come from; neither to ‘IDENTIFIER_NODE’s because they are handled somewhat specially by the backend (e.g., they contain fields like ‘IDENTIFIER_GLOBAL_VALUE’ which depend on the currently active declarations, so storing and loading them in GPI files would be wrong) because there is only one ‘IDENTIFIER_NODE’ ever made for

any particular name. But for the same reason, it is no problem that the mechanism can't be applied to them.

'INTERFACE_NAME_NODE's are a special kind of tree nodes, only used for this purpose. They contain the name of the interface, the name of the module (to detect the unlikely case that different modules have interfaces of the same name which otherwise might confuse GPC), and the checksum of that interface. The latter may seem redundant with the checksum stored in the 'GPI_CHUNK_IMPORT' chunk, but in fact it is not. On the one hand, 'GPI_CHUNK_IMPORT' chunks occur only for interfaces imported directly, while the 'INTERFACE_NAME_NODE' mechanism might also refer to interfaces imported indirectly. On the other hand, storing the checksum in the 'GPI_CHUNK_IMPORT' chunks allows the automake mechanism to detect discrepancies and force recompilation of the imported module, whereas during the handling of the 'GPI_CHUNK_NODES' chunk, the imported modules must already have been loaded. (It would be possible to scan the 'GPI_CHUNK_NODES' chunk while deciding whether to recompile, but that would be a lot of extra effort, compared to storing the checksum in the 'GPI_CHUNK_IMPORT' chunks.)

Finally, at the end of the 'GPI_CHUNK_NODES' chunk, a checksum of its own contents (excluding the checksum itself, of course) is appended. This is to detect corrupted GPI files and is independent of the other uses of checksums.

'GPI_CHUNK_OFFSETS' (*)

An offset table for the tree nodes. Each node in a GPI file is assigned a unique id (which is stored as an integer wherever nodes refer to other nodes). There are some special tree nodes (e.g., 'integer_type_node' or 'NULL_TREE') which are used very often and have fixed meanings. They have been assigned predefined ids, so they don't have to be stored in the GPI file at all. Their number and values are fixed (but may change between different GPC versions), see 'special_nodes' in 'module.c'.

For the remaining nodes, the 'GPI_CHUNK_NODES' table contains the file offsets as integers where they are stored within the (only) 'GPI_CHUNK_NODES' chunk. The offsets are relative to the start of that chunk, i.e. after the chunk header. After the table (but still in this chunk) the id of the node that contains the list of all exported names is stored as an integer. (Currently, this is always the last node, but for the file format definition, this is not guaranteed.)

'GPI_CHUNK_IMPLEMENTATION'

This chunk contains no data (i.e., its size must be 0). Its only purpose is to signal that the module implementation or the implementation part of the unit has been compiled. (Stored, but not used currently.)

That's it. Now you should be able to "read" GPI files using GPC's '--debug-gpi' option. There is also a utility 'gpidump.pas' in the 'utils' directory to decode and show the contents of GPI files. It does also some amount of integrity checking (a little more than GPC does while loading GPI files), so if you suspect a problem with GPI files, you might want to run 'gpidump' on them, discarding its standard output (it writes all error reports to standard error, of course).

If you encounter a case where the loaded information differs too much from the stored information, you have found a bug – congratulations! What "too much" means, depends on the object being stored in or loaded from the GPI file. Remember that the order things are loaded from a GPI file is the *reversed* order things are stored when considering *different* recursion levels, but the *same* order when considering the *same* recursion level.

12.8 GPC's AutoMake Mechanism – How it Works

When a program/module/unit imports (uses) an interface, GPC searches for the GPI file (see [Section 12.7 \[GPI files\]](#), [page 481](#)) derived from the name of the interface.

Case 1: A GPI file was found.

Each GPI file contains the name of the primary source file (normally a `‘.pas’` or `‘.p’` file) of the module/unit, and the names of all interfaces imported. GPC reads this information and invokes itself with a command like

```
gpc foo.pas -M -o foo.d
```

This means: preprocess the file, and write down the name of the object file and those of all its source files in `‘foo.d’`. GPC reads `‘foo.d’` and looks if the object file exists and if the source was modified since the creation of the object file and the gpi file. If so, GPC calls itself again to compile the primary source file. When everything is done, the `‘.d’` file is removed. If there was no need to recompile, all interfaces imported by the module/unit are processed in the same way as this one.

Case 2: No GPI file was found.

In this case, GPC derives the name of the source file from that of the interface by trying first `‘interface.p’`, then `‘interface.pas’`. This will almost always work with Borland Pascal units, but not always with Extended Pascal modules. The programmer can override this assumption using `‘uses ... in’` or `‘import ... in’`.

All this is done by the function `‘gpi_open()’` which uses some auxiliary functions such as `‘module_must_be_recompiled()’` and `‘compile_module()’`.

Each time an object file is compiled or recognized as being up-to-date, its name is stored in a temporary file with the same base name as all the other temporary files used by GPC but the extension `‘.gpc’`. When the top-level `‘gpc’` is invoked (which calls `‘gpc1’` later on), it passes the name of this temporary file as an additional command line parameter to `‘gpc1’`. After compilation has been completed, the top-level `‘gpc’` reads the temporary file and adds the new object files to the arguments passed to the linker.

The additional command `‘--amtmpfile’` (not to be specified by the user!) is passed to child GPC processes, so all compiles use the same temporary file.

The source for this is merely in `‘module.c’`, but there are also some hacks in `‘gpc.c’`, additional command line options in `‘lang-options.h’` and `‘gpc-decl.c’`, and `‘gpc-defs.h’` contains declarations for the functions and global variables.

12.9 Files that make up GPC; Integrating GNU Pascal in GCC

Note: This is not up to date.

1. The GNU back end (gbe). Used to convert RTL into asm. Supposed to be language independent. Files are in the `‘..’` directory (i.e., the directory called `‘gcc’`). It also uses files in the `‘../config’` subdirectories etc.

Unfortunately, some of them are not completely language independent and need patching for GPC. This patch (against different GCC versions) is in the `‘diffs’` subdirectory. It affects these files:

```
convert.c
dbxout.c
expr.c
fold-const.c
function.c
optabs.c
stor-layout.c
toplev.c
```

2. Pascal language implementation files hacked from GCC source. In the ideal world, we would optimize them so much for Pascal that their GCC roots would no longer be recognizable. ;—) These files are in the Pascal directory (i.e., the one called `‘p’`) and are the following:

```
gpc.c          (gcc.c)
gpcpp.c        (cccp.c)
gpc-common.c   (c-common.c)
gpc-decl.c     (c-decl.c)
lang.c         (c-lang.c)
gpc-lex.c      (c-lex.c)
gpc-typeck.c   (c-typeck.c)
gpspec.c       (g77spec.c from GNU Fortran)
```

Some are even reused unmodified and are still in the GCC source directory ('..'):

```
c-aux-info.c
c-iterate.c
c-pragma.c
```

3. GPC sources written from scratch. They are in the Pascal directory.

```
gpc-defs.h
gpc-options.h
gpc.gperf (generates hash.h)
gpi.h
lang-options.h
module.[ch]
objects.[ch]
parse.y (generates parse.[ch])
util.[ch]
```


Appendix A Contributors to GNU Pascal.

Jukka Virtanen

invented GNU Pascal in March 1988, implemented the ISO-7185 and most of the ISO-10206 standard, etc.

Dr. Peter Gerwinski

added Borland Pascal related and other extensions to GNU Pascal in summer 1995, ported GPC to EMX, does most of the development of the compiler since 1996, created and maintains the WWW home page, maintains the GNU Pascal mailing list, does some other administrative stuff, etc.

Jan-Jaap van der Heijden

ported GPC to DJGPP and to Microsoft Windows 95/NT, added ELF support in spring 1996, solved a lot of configuration and compatibility problems, created the GPC FAQ, etc.

Frank Heckenbach

rewrote and maintains the Run Time System since July 1997, wrote most of the standard units distributed with GPC (including BP compatibility units), wrote a large number of test programs, maintains the GPC To-Do list (see [Chapter 11 \[To Do\]](#), [page 439](#)) etc.

Prof. Abimbola A. Olowofoyeku (“The African Chief”)

created the original versions of many BP compatibility units in May 1997, contributed code to other units and the Run Time System, helped porting GPC and the units to Cygwin and mingw, wrote a number of test programs, contributed a Delphi-compatible ‘SysUtils’ [unit](#), etc.

Nick Burrett

fixed some bugs and cleaned up GPC in May 1998, etc.

Matthias Klose

integrated GPC into EGCS and Debian GNU/Linux in May 1998, improved the installation process, etc.

Dominik Freche

improved and extended the GPC manual in August - September 1999 and wrote conversion routines for Borland compatible 6 Byte floating point numbers in December 1999.

Alexey Volokhov

improved the performance of GPC’s module/unit support in June 1997.

Bill Currie

implemented more Borland extensions into GPC in July 1997.

Eike Lange

translated the GNU Pascal Coding Standards into German.

Mirsad Todorovac

translated the GPC documentation into Croatian.

Russ Whitaker

updated and maintains the GNU Pascal FAQ. (see [Chapter 3 \[FAQ\]](#), [page 23](#))

The development of GNU Pascal profits a lot from independent contributions (which are not part of the GNU Pascal distribution):

Anja Gerwinski

set up the old archives for the GPC mailing list, in September 1999.

Berend de Boer

wrote a lot of useful documentation about Extended Pascal in 1995.

Markus Gerwinski

created the drawing showing a Gnu with Blaise Pascal and helped to design the WWW home page in October 1996.

Nicola Girardi

contributed a **GPC unit** for the ‘**svgalib**’ graphics library for some platforms in February 2000.

Eike Lange

contributed <http://www.gnu-pascal.de/contrib/eike/> to access MySQL, GNU DBM and PostgreSQL databases in August 2000, and a unit (now part of GPC) and tools for internationalization in October - December 2001.

Eike Lange and Nicola Girardi

together contributed a set of **GTK units** in February - May 2001.

Nicola Girardi

wrote the GNU Pascal Coding Standards in English. Eike Lange translated them to German.

Prof. Phil Nelson

created a bug reporting system for GPC in October 1996.

Robert H hne

wrote **RHIDE**, an integrated development environment for GNU compilers running under Dos (DJGPP) and Linux, and added support for GNU Pascal in autumn 1996.

Sven Hilscher

wrote a mostly BP compatible ‘**Graph**’ unit for several platforms in December 1996, now part of the **GRX library**.

Dario Anzani (“**Predator Zeta**”)

contributed documentation about the use of assembler in GNU Pascal in May 1997. (see [Section 5.2.3 \[Assembler\]](#), [page 44](#))

Lluis de Yzaguirre i Maura

set up a HTML version of the GNU Pascal mailing list archives, [Section 10.2 \[Mailing List Archives\]](#), [page 434](#), in September 1997.

Dieter Schmitz

set up a German mailing list for GPC, [Section 10.1 \[Mailing List\]](#), [page 433](#), in March 2001.

(-:-----:-)

This space is reserved for *your* name. ;-) Please contact us at the GPC mailing list, [Section 10.1 \[Mailing List\]](#), [page 433](#), if you have something interesting for us.

We thank everybody who supports us by reporting bugs, contributing knowledge and good ideas, donating development tools, and giving us the opportunity to test GPC on a large variety of systems. We are particularly indebted (in alphabetical order, individuals first) to

Sietse Achterop, Jawaad Ahmad, Montaz Ali, Jamie Allan, Strobe Anarkhos, John P. R. Archer, Geoffrey Arnold, Steven J. Backus, Geoff Bagley, Uwe Bauermann, Silvio a Beccara, Ariel Bendersky, Pablo Bendersky, John Blakeney, Nicolas Bley, Philip Blundell, Preben Mikael Bohn, Ernst-Ludwig Bohnen, Nils Bokermann, J. Booij, Patrice Bouchand, Jim Brander, Matthias Braun, Marcus Brinkmann, Steve Brooker, Doug Brookmann, J. David Bryan, Kev Buckley, Jason Burgon, Ricky W. Butler, Dr. E. Buxbaum, Andrew Cagney, Loris Caren, Theo Carr-Brion, Fernando Carrilho, Larry Carter, Fabio Casamatta, Janet Casey, Romain Chantereau,

Emmanuel Chaput, Jean-Pierre Chevillard, Carl Eric Codere, Jean-Philippe Combe, Paolo Cortelli, F. Couperin, Nicolas Courtel, Miklos Cserzo, Tim Currie, Serafim Dahl, Martin G. C. Davies, Stefan A. Deutscher, Jerry van Dijk, Thomas Dunbar, Andreas Eckleder, Stephan Eickschen, Sven Engelhardt, Klaus Espenlaub, Toby Ewing, Chuck B. Falconer, Joachim Falk, Irfan Fazel, Carel Fellingier, Christopher Ferrall, David Fiddes, Alfredo Cesar Fontana, Kevin A. Foss, Marius Gedminas, Philip George, Nicholas Geovanis, Jose Oliver Gil, Jing Gloria, Roland Goretzki, Morten Gulbrandsen, Kocherlakota Harikrishna, Joe Hartley, Hans Hauska, Jakob Heinemann, Arvid Herzenberg, Thorsten Hindermann, Honda Hirotaka, Stephen Hurd, Mason Ip, Daniel Jacobowitz, Andreas Jaeger, David James, Nathalie Jarosz, Sven Jauring, Niels Kristian Bech Jensen, Emil Jerabek, Johanna Johnston, Achim Kalwa, Christine Karow, Tim Kaulmann, Thomas Keller, Clark Kent, Victor Khimenko, Russell King, Niels Ole Staub Kirkeby, Prof. Donald E. Knuth, Tomasz Kowaltowski, Peter Ulrich Kruppa, Jochen Kuepper, Casper ter Kuile, Oliver Kullmann, Krzysztof Kwapien, Randy Latimer, Bernard Leak, Olivier Lecarme, Wren Lee, Martin Liddle, Kenneth Linder, Stephen Lindholm, Orlando Llanes, Miguel Lobo, Benedict Lofstedt, Steve Loft, John Logsdon, Maurice Lombardi, Dmitry S. Luhtionov, Jesper Lund, Martin Maechler, Claude Marinier, Michael McCarthy, Michael Meeks, Clyde Meli, Axel Mellinger, Jeff Miller, John Miller, Russell Minnich, Rudy Moddemeijer, Jason Moore, Scott A. Moore, Jeffrey Moskot, Pierre Muller, Adam Naumowicz, Andreas Neumann, Christian Neumann, Adam Oldham, Gerhard Olejniczak, Alexandre Oliva, John G. Ollason, Marius Onica, Ole Osterby, Klaus Friis Ostergaard, Jean-Marc Ottorini, Michael Paap, Matija Papec, Miguel A. Alonso Pardo, Laurent Parise, Andris Pavenis, Robert R. Payne, Opie Pecheux, Jose M. Perez, Ronald Perrella, Bjorn Persson, Per Persson, Michael Pfeiffer, Pierre Phaneuf, Pascal Pignard, Tam Pikey, Nuno Pinhao, Larry Poorman, Stuart Pope, Yuri Prokushev, Hugu Rademaker, Shafiek Rasdien, Mike Reid, Leon Renkema, John L. Ries, Phil Robertson, Clive Rodgers, Jim Roland, Guillaume Rousse, Marten Jan de Ruiter, Sven Sahle, Carl-Johan Schenstrom, Hartmut Schmider, Thomas D. Schneider, Dominique Schuppli, Egbert Seibertz, George Shapovalov, Richard Sharman, Patrick Sharp, Joe da Silva, Arcadio Alivio Sincero, Ian Sinclair, Tomas Srb, Anuradha Srinivasan, David Starnier, Andrew Stribblehill, Alan Sun, Veli Suorsa, Mark Taylor, Paul Tedaldi, Robin S. Thompson, Ian Thurlbeck, Gerhard Tonn, Ivan Torshin, Bernhard Tschirren, Luiz Vaz, Tom Verhoeff, Kresimir Veselic, Alejandro Villarroel, Bohdan Vlasjuk, Marco van de Voort, Raymond Wang, Nic Webb, Peter Weber, Francisco Stefano Wechsler, Christian Wendt, Benedikt Wildenhain, Gareth Wilson, Marc van Woerkom, David Wood, Michael Worsley, Takashi Yamanoue, George L. Yang, Salaam Yitbarek, Dafi Yondra, Eli Zaretskii, Gerhard Zintel, Mariusz Zynel, the *BIP* at the *University of Birmingham*, UK, the *Institut fuer Festkoerperforschung (IFF)* at the *Forschungszentrum Juelich*, Germany, CARNet (Croatian Academic and Research NETwork) and the Academy of Fine Arts at the University of Zagreb, Croatia,

and everybody we might have forgotten to mention here. Thanks to all of you!

GNU Pascal is based on GNU CC by Richard Stallman. Several people have contributed to GNU CC:

- The idea of using RTL and some of the optimization ideas came from the program PO written at the University of Arizona by Jack Davidson and Christopher Fraser. See “Register Allocation and Exhaustive Peephole Optimization”, *Software Practice and Experience* 14 (9), Sept. 1984, 857-866.
- Paul Rubin wrote most of the preprocessor.
- Leonard Tower wrote parts of the parser, RTL generator, and RTL definitions, and of the Vax machine description.
- Ted Lemon wrote parts of the RTL reader and printer.
- Jim Wilson implemented loop strength reduction and some other loop optimizations.
- Nobuyuki Hikichi of Software Research Associates, Tokyo, contributed the support for the Sony NEWS machine.
- Charles LaBrec contributed the support for the Integrated Solutions 68020 system.

- Michael Tiemann of Cygnus Support wrote the support for inline functions and instruction scheduling. Also the descriptions of the National Semiconductor 32000 series cpu, the SPARC cpu and part of the Motorola 88000 cpu.
- Jan Stein of the Chalmers Computer Society provided support for Genix, as well as part of the 32000 machine description.
- Randy Smith finished the Sun FPA support.
- Robert Brown implemented the support for Encore 32000 systems.
- David Kashtan of SRI adapted GNU CC to VMS.
- Alex Crain provided changes for the 3b1.
- Greg Satz and Chris Hanson assisted in making GNU CC work on HP-UX for the 9000 series 300.
- William Schelter did most of the work on the Intel 80386 support.
- Christopher Smith did the port for Convex machines.
- Paul Petersen wrote the machine description for the Alliant FX/8.
- Dario Dariol contributed the four varieties of sample programs that print a copy of their source.
- Alain Lichnewsky ported GNU CC to the Mips cpu.
- Devon Bowen, Dale Wiles and Kevin Zachmann ported GNU CC to the Tahoe.
- Jonathan Stone wrote the machine description for the Pyramid computer.
- Gary Miller ported GNU CC to Charles River Data Systems machines.
- Richard Kenner of the New York University Ultracomputer Research Laboratory wrote the machine descriptions for the AMD 29000, the DEC Alpha, the IBM RT PC, and the IBM RS/6000 as well as the support for instruction attributes. He also made changes to better support RISC processors including changes to common subexpression elimination, strength reduction, function calling sequence handling, and condition code support, in addition to generalizing the code for frame pointer elimination.
- Richard Kenner and Michael Tiemann jointly developed `reorg.c`, the delay slot scheduler.
- Mike Meissner and Tom Wood of Data General finished the port to the Motorola 88000.
- Masanobu Yuhara of Fujitsu Laboratories implemented the machine description for the Tron architecture (specifically, the Gmicro).
- James van Artsdalen wrote the code that makes efficient use of the Intel 80387 register stack.
- Mike Meissner at the Open Software Foundation finished the port to the MIPS cpu, including adding ECOFF debug support, and worked on the Intel port for the Intel 80386 cpu.
- Ron Guilmette implemented the `protoize` and `unprotoize` tools, the support for Dwarf symbolic debugging information, and much of the support for System V Release 4. He has also worked heavily on the Intel 386 and 860 support.
- Torbjorn Granlund implemented multiply- and divide-by-constant optimization, improved long long support, and improved leaf function register allocation.
- Mike Stump implemented the support for Elxsi 64 bit CPU.
- John Wehle added the machine description for the Western Electric 32000 processor used in several 3b series machines (no relation to the National Semiconductor 32000 processor).

Appendix B Resources For Use With GPC.

Many of the programs mentioned here, plus some more, can be found at

<http://www.gnu-pascal.de/contrib/>

GNU Pascal Drawing



On the web you can find our GNU Pascal drawing as a small PNG file, with ('GnuPascal-small-framed.png' on GPC's WWW home page) and without a frame ('GnuPascal-small.png' on GPC's WWW home page), as a large PNG image (10 KB) ('GnuPascal.png' on GPC's WWW home page), as an EPS file (45 KB) ('GnuPascal.eps' on GPC's WWW home page), and as a PDF file (18 KB) ('GnuPascal.pdf' on GPC's WWW home page).

Due to **patent problems** we do not use GIF files. Fortunately **the PNG format**, the successor of GIF, does not have this problem – and introduces better compression and more advanced features anyway.

By the way, the color gradient ('gradient.png' on GPC's WWW home page) that makes our page background is a PNG file of only 632 bytes. It was generated by a Pascal program compiled with GPC and 'pnmtopng'. [Example (gradient.pas)]

PENG

PENG is an integrated development environment (IDE) for GNU Compilers and other purposes on any platform supported by GPC, written by Frank Heckenbach. The home page of PENG is

<http://fjf.gnu.de/peng/>.

RHIDE

RHIDE is an integrated development environment (IDE) for GNU Compilers on DOS (DJGPP) or Linux, written by Robert Hoehne. The home page of RHIDE is

<http://www.tu-chemnitz.de/~sho/rho/rhide.html>.

GRX

GRX is a graphics library for C and GNU Pascal, including a mostly BP compatible 'Graph' unit. It is available from

<http://www.gnu.de/software/grx/>

Although GRX originated on DJGPP, a DOS programming platform, it is portable to Linux with SVGAlib, to all Unix-like systems running the X11 window system, and to MS-Windows 9x/NT.

Internationalization

Units and tools for internationalization are available in

<http://www.gnu-pascal.de/contrib/eike/>

Database units

GNU Pascal units to access MySQL, GNU DBM and PostgreSQL databases are available in

<http://www.gnu-pascal.de/contrib/eike/>

GTK units

GNU Pascal units for the GTK+ and GTK+ GL libraries are available in

<http://www.gnu-pascal.de/contrib/nicola/>

Svgalib unit

Nicola Girardi wrote a unit which you can use to interface Svgalib. You can find it at <http://www.gnu-pascal.de/contrib/nicola/>.

SysUtils unit

Prof. Abimbola A. Olowofoyeku (“The African Chief”) wrote a Delphi-compatible (though a few routines are still missing) ‘SysUtils’ unit. It has been tested under Cygwin, mingw, Linux (Mandrake 7.0), and Solaris 7. It can be downloaded from <http://www.gnu-pascal.de/contrib/chief/>.

Crystal, a mailing list archive program

Crystal is a web based mailing list archive, written for GNU Pascal and used for the archives of GPC’s mailing lists (see [Section 10.2 \[Mailing List Archives\]](#), page 434). The source code can be found at <http://fjf.gnu.de/crystal/>.

ISO standards

The Pascal standard specifications are available in PostScript format at

http://ftp.digital.com/pub/Digital/Pascal/iso10206_a4.ps.gz
(ISO-7185 Pascal)

<http://ftp.digital.com/pub/Digital/Pascal/iso10206.ps.gz>
(ISO-10206 Extended Pascal)

Alternative addresses are

<ftp://ftp.europe.digital.com/pub/DEC/Pascal/>
<ftp://ftp.digital.com/pub/DEC/Pascal/>

There are also copies at

<http://www.employees.org/~samiam/iso7185.ps>
(ISO-7185 Pascal)

<http://www.employees.org/~samiam/iso10206.ps>
(ISO-10206 Extended Pascal)

Note: These documents are a bit hard to navigate (e.g., in ghostview) because they are missing the so called “document structuring comments” (DSC). The GPC source distribution

contains a little script ‘`ps2dsc`’ to add the DSC again and make the documents easier to navigate. Note that for reasons of copyright, you are probably only allowed to do this for your own use and not to distribute the modified files.

You can find an easy-to-read introduction to Extended Pascal by Prospero Software at

<http://www.prosperosoftware.com/epintro.html>

Please note that Standard Pascal is **not** the same as Borland Pascal nor a subset of it. See [Chapter 1 \[Highlights\], page 5](#) for examples of Standard Pascal features that are missing in Borland Pascal.

The [ANSI-ISO Pascal FAQ \(132 KB\)](#) by [Scott A. Moore](#) discusses the differences between both dialects in detail.

Protect your freedom!

Programming activities of small companies and individuals are threatened by software patents. If you are a programmer, you are in danger, too! Your employer or yourself might be sued by a large company holding a patent on some *ideas* you are using in your programs. (You need not use foreign code in order to become vulnerable.)

For more information look at

<http://lpf.ai.mit.edu/>

Appendix C GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright © 1989, 1991 Free Software Foundation, Inc.
59 Temple Place – Suite 330, Boston, MA 02111-1307, USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

GPL Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software – to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation’s software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author’s protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors’ reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone’s free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The “Program”, below, refers to any such program or work, and a “work based on the Program” means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term “modification”.) Each licensee is addressed as “you”.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
 - a. You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
 - b. You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
 - c. If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:
 - a. Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - b. Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed

under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- c. Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.
6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.
7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that

system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and “any later version”, you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the “copyright” line and a pointer to where the full notice is found.

one line to give the program's name and a brief idea of what it does.
 Copyright (C) 20yy *name of author*

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 20yy *name of author*
 Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
 This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands ‘show w’ and ‘show c’ should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ‘show w’ and ‘show c’; they could even be mouse-clicks or menu items – whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a “copyright disclaimer” for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 ‘Gnomovision’ (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Appendix D GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright © 1991, 1999 Free Software Foundation, Inc.
59 Temple Place – Suite 330, Boston, MA 02111-1307, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

LGPL Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software—to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software—typically libraries—of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the *Lesser* General Public License because it does *Less* to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
 - a. The modified work must itself be a software library.
 - b. You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
 - c. You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
 - d. If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that

you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a “work that uses the Library”. Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a “work that uses the Library” with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a “work that uses the library”. The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a “work that uses the Library” uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a “work that uses the Library” with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer’s own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a. Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable “work that uses the Library”, as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b. Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user’s computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

- c. Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d. If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e. Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the “work that uses the Library” must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:
 - a. Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
 - b. Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.
8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.
10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients’ exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.
11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and “any later version”, you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH

ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the “copyright” line and a pointer to where the full notice is found.

one line to give the library’s name and an idea of what it does.

Copyright (C) year name of author

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307, USA.

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a “copyright disclaimer” for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library
‘Frob’ (a library for tweaking knobs) written by James Random Hacker.

signature of Ty Coon, 1 April 1990

Ty Coon, President of Vice

That’s all there is to it!

Appendix E The GNU Project.

GNU Pascal is part of the GNU project which was founded by Richard Stallman in 1984. The aim of the GNU project is to provide a complete operating system with editors, compilers etc. as *Free Software*.

People often confuse *Free Software* with *public domain software* or have other wrong information about the GNU project. If you want to know it definitely, please read the **GNU General Public License**.

For even more information, please consult the official **GNU home page** of the *Free Software Foundation (FSF)*,

- <http://www.gnu.org/> (USA),
- [\[list of mirror sites\]](#).

Some small notes about common misunderstandings follow.

- It is legal to compile commercial, including non-free, programs written in Pascal with GNU Pascal. They do *not* automatically become Free Software themselves.
- “Free” is opposed to “proprietary”, but *not* opposed to “commercial”. Free Software can be – and is in fact – distributed commercially for a real price. In contrast, most non-commercial software does *not* meet **the open source criteria** and thus does *not* qualify as Free Software.
- When you modify a free program released under the **GNU General Public License**, e.g. the GNU Pascal compiler itself, your modified work will become Free Software, too.
- When using libraries for writing proprietary programs, check the libraries’ licenses carefully. The **GNU Lesser General Public License** allows linking a library to non-free software under certain conditions, the ordinary *GNU General Public License* does not.
- It is legal to charge a fee for distributing Free Software. If somebody sold you a copy of GNU Pascal you could have got without paying for it as well, that’s in agreement with the *GNU General Public License*.
- However if somebody wants you to sign an agreement that you won’t re-distribute the Free Software you have got, it would be illegal. That person would lose the right to use and distribute that Free Software.
- The preferred form to distribute Free Software is in source code. This ensures that everybody has the freedom to customize the software or to fix bugs by themselves. When we also distribute GNU Pascal binaries we do it only to simplify installation and to encourage its use.

E.1 The GNU Manifesto

The GNU Manifesto which appears below was written by Richard Stallman at the beginning of the GNU project, to ask for participation and support. For the first few years, it was updated in minor ways to account for developments, but now it seems best to leave it unchanged as most people have seen it.

Since that time, we have learned about certain common misunderstandings that different wording could help avoid. Footnotes added in 1993 help clarify these points.

For up-to-date information about the available GNU software, please see the latest issue of the GNU’s Bulletin. The list is much too long to include here.

E.1.1 What's GNU? Gnu's Not Unix!

GNU, which stands for Gnu's Not Unix, is the name for the complete Unix-compatible software system which I am writing so that I can give it away free to everyone who can use it.¹ Several other volunteers are helping me. Contributions of time, money, programs and equipment are greatly needed.

So far we have an Emacs text editor with Lisp for writing editor commands, a source level debugger, a yacc-compatible parser generator, a linker, and around 35 utilities. A shell (command interpreter) is nearly completed. A new portable optimizing C compiler has compiled itself and may be released this year. An initial kernel exists but many more features are needed to emulate Unix. When the kernel and compiler are finished, it will be possible to distribute a GNU system suitable for program development. We will use T_EX as our text formatter, but an nroff is being worked on. We will use the free, portable X window system as well. After this we will add a portable Common Lisp, an Empire game, a spreadsheet, and hundreds of other things, plus on-line documentation. We hope to supply, eventually, everything useful that normally comes with a Unix system, and more.

GNU will be able to run Unix programs, but will not be identical to Unix. We will make all improvements that are convenient, based on our experience with other operating systems. In particular, we plan to have longer file names, file version numbers, a crashproof file system, file name completion perhaps, terminal-independent display support, and perhaps eventually a Lisp-based window system through which several Lisp programs and ordinary Unix programs can share a screen. Both C and Lisp will be available as system programming languages. We will try to support UUCP, MIT Chaosnet, and Internet protocols for communication.

GNU is aimed initially at machines in the 68000/16000 class with virtual memory, because they are the easiest machines to make it run on. The extra effort to make it run on smaller machines will be left to someone who wants to use it on them.

To avoid horrible confusion, please pronounce the 'G' in the word 'GNU' when it is the name of this project.

E.1.2 Why I Must Write GNU

I consider that the golden rule requires that if I like a program I must share it with other people who like it. Software sellers want to divide the users and conquer them, making each user agree not to share with others. I refuse to break solidarity with other users in this way. I cannot in good conscience sign a nondisclosure agreement or a software license agreement. For years I worked within the Artificial Intelligence Lab to resist such tendencies and other inhospitalities, but eventually they had gone too far: I could not remain in an institution where such things are done for me against my will.

So that I can continue to use computers without dishonor, I have decided to put together a sufficient body of free software so that I will be able to get along without any software that is not free. I have resigned from the AI lab to deny MIT any legal excuse to prevent me from giving GNU away.

¹ The wording here was careless. The intention was that nobody would have to pay for *permission* to use the GNU system. But the words don't make this clear, and people often interpret them as saying that copies of GNU should always be distributed at little or no charge. That was never the intent; later on, the manifesto mentions the possibility of companies providing the service of distribution for a profit. Subsequently I have learned to distinguish carefully between "free" in the sense of freedom and "free" in the sense of price. Free software is software that users have the freedom to distribute and change. Some users may obtain copies at no charge, while others pay to obtain copies – and if the funds help support improving the software, so much the better. The important thing is that everyone who has a copy has the freedom to cooperate with others in using it.

E.1.3 Why GNU Will Be Compatible with Unix

Unix is not my ideal system, but it is not too bad. The essential features of Unix seem to be good ones, and I think I can fill in what Unix lacks without spoiling them. And a system compatible with Unix would be convenient for many other people to adopt.

E.1.4 How GNU Will Be Available

GNU is not in the public domain. Everyone will be permitted to modify and redistribute GNU, but no distributor will be allowed to restrict its further redistribution. That is to say, proprietary modifications will not be allowed. I want to make sure that all versions of GNU remain free.

E.1.5 Why Many Other Programmers Want to Help

I have found many other programmers who are excited about GNU and want to help.

Many programmers are unhappy about the commercialization of system software. It may enable them to make more money, but it requires them to feel in conflict with other programmers in general rather than feel as comrades. The fundamental act of friendship among programmers is the sharing of programs; marketing arrangements now typically used essentially forbid programmers to treat others as friends. The purchaser of software must choose between friendship and obeying the law. Naturally, many decide that friendship is more important. But those who believe in law often do not feel at ease with either choice. They become cynical and think that programming is just a way of making money.

By working on and using GNU rather than proprietary programs, we can be hospitable to everyone and obey the law. In addition, GNU serves as an example to inspire and a banner to rally others to join us in sharing. This can give us a feeling of harmony which is impossible if we use software that is not free. For about half the programmers I talk to, this is an important happiness that money cannot replace.

E.1.6 How You Can Contribute

I am asking computer manufacturers for donations of machines and money. I'm asking individuals for donations of programs and work.

One consequence you can expect if you donate machines is that GNU will run on them at an early date. The machines should be complete, ready to use systems, approved for use in a residential area, and not in need of sophisticated cooling or power.

I have found very many programmers eager to contribute part-time work for GNU. For most projects, such part-time distributed work would be very hard to coordinate; the independently-written parts would not work together. But for the particular task of replacing Unix, this problem is absent. A complete Unix system contains hundreds of utility programs, each of which is documented separately. Most interface specifications are fixed by Unix compatibility. If each contributor can write a compatible replacement for a single Unix utility, and make it work properly in place of the original on a Unix system, then these utilities will work right when put together. Even allowing for Murphy to create a few unexpected problems, assembling these components will be a feasible task. (The kernel will require closer communication and will be worked on by a small, tight group.)

If I get donations of money, I may be able to hire a few people full or part time. The salary won't be high by programmers' standards, but I'm looking for people for whom building community spirit is as important as making money. I view this as a way of enabling dedicated people to devote their full energies to working on GNU by sparing them the need to make a living in another way.

E.1.7 Why All Computer Users Will Benefit

Once GNU is written, everyone will be able to obtain good system software free, just like air.²

This means much more than just saving everyone the price of a Unix license. It means that much wasteful duplication of system programming effort will be avoided. This effort can go instead into advancing the state of the art.

Complete system sources will be available to everyone. As a result, a user who needs changes in the system will always be free to make them himself, or hire any available programmer or company to make them for him. Users will no longer be at the mercy of one programmer or company which owns the sources and is in sole position to make changes.

Schools will be able to provide a much more educational environment by encouraging all students to study and improve the system code. Harvard's computer lab used to have the policy that no program could be installed on the system if its sources were not on public display, and upheld it by actually refusing to install certain programs. I was very much inspired by this.

Finally, the overhead of considering who owns the system software and what one is or is not entitled to do with it will be lifted.

Arrangements to make people pay for using a program, including licensing of copies, always incur a tremendous cost to society through the cumbersome mechanisms necessary to figure out how much (that is, which programs) a person must pay for. And only a police state can force everyone to obey them. Consider a space station where air must be manufactured at great cost: charging each breather per liter of air may be fair, but wearing the metered gas mask all day and all night is intolerable even if everyone can afford to pay the air bill. And the TV cameras everywhere to see if you ever take the mask off are outrageous. It's better to support the air plant with a head tax and chuck the masks.

Copying all or parts of a program is as natural to a programmer as breathing, and as productive. It ought to be as free.

E.1.8 Some Easily Rebutted Objections to GNU's Goals

"Nobody will use it if it is free, because that means they can't rely on any support."

"You have to charge for the program to pay for providing the support."

If people would rather pay for GNU plus service than get GNU free without service, a company to provide just service to people who have obtained GNU free ought to be profitable.³

We must distinguish between support in the form of real programming work and mere hand-holding. The former is something one cannot rely on from a software vendor. If your problem is not shared by enough people, the vendor will tell you to get lost.

If your business needs to be able to rely on support, the only way is to have all the necessary sources and tools. Then you can hire any available person to fix your problem; you are not at the mercy of any individual. With Unix, the price of sources puts this out of consideration for most businesses. With GNU this will be easy. It is still possible for there to be no available competent person, but this problem cannot be blamed on distribution arrangements. GNU does not eliminate all the world's problems, only some of them.

Meanwhile, the users who know nothing about computers need handholding: doing things for them which they could easily do themselves but don't know how.

Such services could be provided by companies that sell just hand-holding and repair service. If it is true that users would rather spend money and get a product with service, they will also

² This is another place I failed to distinguish carefully between the two different meanings of "free". The statement as it stands is not false – you can get copies of GNU software at no charge, from your friends or over the net. But it does suggest the wrong idea.

³ Several such companies now exist.

be willing to buy the service having got the product free. The service companies will compete in quality and price; users will not be tied to any particular one. Meanwhile, those of us who don't need the service should be able to use the program without paying for the service.

"You cannot reach many people without advertising, and you must charge for the program to support that."

"It's no use advertising a program people can get free."

There are various forms of free or very cheap publicity that can be used to inform numbers of computer users about something like GNU. But it may be true that one can reach more microcomputer users with advertising. If this is really so, a business which advertises the service of copying and mailing GNU for a fee ought to be successful enough to pay for its advertising and more. This way, only the users who benefit from the advertising pay for it.

On the other hand, if many people get GNU from their friends, and such companies don't succeed, this will show that advertising was not really necessary to spread GNU. Why is it that free market advocates don't want to let the free market decide this?⁴

"My company needs a proprietary operating system to get a competitive edge."

GNU will remove operating system software from the realm of competition. You will not be able to get an edge in this area, but neither will your competitors be able to get an edge over you. You and they will compete in other areas, while benefiting mutually in this one. If your business is selling an operating system, you will not like GNU, but that's tough on you. If your business is something else, GNU can save you from being pushed into the expensive business of selling operating systems.

I would like to see GNU development supported by gifts from many manufacturers and users, reducing the cost to each.⁵

"Don't programmers deserve a reward for their creativity?"

If anything deserves a reward, it is social contribution. Creativity can be a social contribution, but only in so far as society is free to use the results. If programmers deserve to be rewarded for creating innovative programs, by the same token they deserve to be punished if they restrict the use of these programs.

"Shouldn't a programmer be able to ask for a reward for his creativity?"

There is nothing wrong with wanting pay for work, or seeking to maximize one's income, as long as one does not use means that are destructive. But the means customary in the field of software today are based on destruction.

Extracting money from users of a program by restricting their use of it is destructive because the restrictions reduce the amount and the ways that the program can be used. This reduces the amount of wealth that humanity derives from the program. When there is a deliberate choice to restrict, the harmful consequences are deliberate destruction.

The reason a good citizen does not use such destructive means to become wealthier is that, if everyone did so, we would all become poorer from the mutual destructiveness. This is Kantian ethics; or, the Golden Rule. Since I do not like the consequences that result if everyone hoards information, I am required to consider it wrong for one to do so. Specifically, the desire to be rewarded for one's creativity does not justify depriving the world in general of all or part of that creativity.

"Won't programmers starve?"

⁴ The Free Software Foundation raises most of its funds from a distribution service, although it is a charity rather than a company. If *no one* chooses to obtain copies by ordering from the FSF, it will be unable to do its work. But this does not mean that proprietary restrictions are justified to force every user to pay. If a small fraction of all the users order copies from the FSF, that is sufficient to keep the FSF afloat. So we ask users to choose to support us in this way. Have you done your part?

⁵ A group of computer companies recently pooled funds to support maintenance of the GNU C Compiler.

I could answer that nobody is forced to be a programmer. Most of us cannot manage to get any money for standing on the street and making faces. But we are not, as a result, condemned to spend our lives standing on the street making faces, and starving. We do something else.

But that is the wrong answer because it accepts the questioner's implicit assumption: that without ownership of software, programmers cannot possibly be paid a cent. Supposedly it is all or nothing.

The real reason programmers will not starve is that it will still be possible for them to get paid for programming; just not paid as much as now.

Restricting copying is not the only basis for business in software. It is the most common basis because it brings in the most money. If it were prohibited, or rejected by the customer, software business would move to other bases of organization which are now used less often. There are always numerous ways to organize any kind of business.

Probably programming will not be as lucrative on the new basis as it is now. But that is not an argument against the change. It is not considered an injustice that sales clerks make the salaries that they now do. If programmers made the same, that would not be an injustice either. (In practice they would still make considerably more than that.)

“Don't people have a right to control how their creativity is used?”

“Control over the use of one's ideas” really constitutes control over other people's lives; and it is usually used to make their lives more difficult.

People who have studied the issue of intellectual property rights carefully (such as lawyers) say that there is no intrinsic right to intellectual property. The kinds of supposed intellectual property rights that the government recognizes were created by specific acts of legislation for specific purposes.

For example, the patent system was established to encourage inventors to disclose the details of their inventions. Its purpose was to help society rather than to help inventors. At the time, the life span of 17 years for a patent was short compared with the rate of advance of the state of the art. Since patents are an issue only among manufacturers, for whom the cost and effort of a license agreement are small compared with setting up production, the patents often do not do much harm. They do not obstruct most individuals who use patented products.

The idea of copyright did not exist in ancient times, when authors frequently copied other authors at length in works of non-fiction. This practice was useful, and is the only way many authors' works have survived even in part. The copyright system was created expressly for the purpose of encouraging authorship. In the domain for which it was invented – books, which could be copied economically only on a printing press – it did little harm, and did not obstruct most of the individuals who read the books.

All intellectual property rights are just licenses granted by society because it was thought, rightly or wrongly, that society as a whole would benefit by granting them. But in any particular situation, we have to ask: are we really better off granting such license? What kind of act are we licensing a person to do?

The case of programs today is very different from that of books a hundred years ago. The fact that the easiest way to copy a program is from one neighbor to another, the fact that a program has both source code and object code which are distinct, and the fact that a program is used rather than read and enjoyed, combine to create a situation in which a person who enforces a copyright is harming society as a whole both materially and spiritually; in which a person should not do so regardless of whether the law enables him to.

“Competition makes things get done better.”

The paradigm of competition is a race: by rewarding the winner, we encourage everyone to run faster. When capitalism really works this way, it does a good job; but its defenders are wrong in assuming it always works this way. If the runners forget why the reward is offered and become intent on winning, no matter how, they may find other strategies – such as, attacking other runners. If the runners get into a fist fight, they will all finish late.

Proprietary and secret software is the moral equivalent of runners in a fist fight. Sad to say, the only referee we've got does not seem to object to fights; he just regulates them ("For every ten yards you run, you can fire one shot"). He really ought to break them up, and penalize runners for even trying to fight.

"Won't everyone stop programming without a monetary incentive?"

Actually, many people will program with absolutely no monetary incentive. Programming has an irresistible fascination for some people, usually the people who are best at it. There is no shortage of professional musicians who keep at it even though they have no hope of making a living that way.

But really this question, though commonly asked, is not appropriate to the situation. Pay for programmers will not disappear, only become less. So the right question is, will anyone program with a reduced monetary incentive? My experience shows that they will.

For more than ten years, many of the world's best programmers worked at the Artificial Intelligence Lab for far less money than they could have had anywhere else. They got many kinds of non-monetary rewards: fame and appreciation, for example. And creativity is also fun, a reward in itself.

Then most of them left when offered a chance to do the same interesting work for a lot of money.

What the facts show is that people will program for reasons other than riches; but if given a chance to make a lot of money as well, they will come to expect and demand it. Low-paying organizations do poorly in competition with high-paying ones, but they do not have to do badly if the high-paying ones are banned.

"We need the programmers desperately. If they demand that we stop helping our neighbors, we have to obey."

You're never so desperate that you have to obey this sort of demand. Remember: millions for defense, but not a cent for tribute!

"Programmers need to make a living somehow."

In the short run, this is true. However, there are plenty of ways that programmers could make a living without selling the right to use a program. This way is customary now because it brings programmers and businessmen the most money, not because it is the only way to make a living. It is easy to find other ways if you want to find them. Here are a number of examples.

A manufacturer introducing a new computer will pay for the porting of operating systems onto the new hardware.

The sale of teaching, hand-holding and maintenance services could also employ programmers.

People with new ideas could distribute programs as freeware, asking for donations from satisfied users, or selling hand-holding services. I have met people who are already working this way successfully.

Users with related needs can form users' groups, and pay dues. A group would contract with programming companies to write programs that the group's members would like to use.

All sorts of development can be funded with a Software Tax:

Suppose everyone who buys a computer has to pay x percent of the price as a software tax. The government gives this to an agency like the NSF to spend on software development.

But if the computer buyer makes a donation to software development himself, he can take a credit against the tax. He can donate to the project of his own choosing – often, chosen because he hopes to use the results when it is done. He can take a credit for any amount of donation up to the total tax he had to pay.

The total tax rate could be decided by a vote of the payers of the tax, weighted according to the amount they will be taxed on.

The consequences:

- The computer-using community supports software development.
- This community decides what level of support is needed.
- Users who care which projects their share is spent on can choose this for themselves.

In the long run, making programs free is a step toward the post-scarcity world, where nobody will have to work very hard just to make a living. People will be free to devote themselves to activities that are fun, such as programming, after spending the necessary ten hours a week on required tasks such as legislation, family counseling, robot repair and asteroid prospecting. There will be no need to be able to make a living from programming.

We have already greatly reduced the amount of work that the whole society must do for its actual productivity, but only a little of this has translated itself into leisure for workers because much nonproductive activity is required to accompany productive activity. The main causes of this are bureaucracy and isometric struggles against competition. Free software will greatly reduce these drains in the area of software production. We must do this, in order for technical gains in productivity to translate into less work for us.

E.2 Funding Free Software

If you want to have more free software a few years from now, it makes sense for you to help encourage people to contribute funds for its development. The most effective approach known is to encourage commercial redistributors to donate.

Users of free software systems can boost the pace of development by encouraging for-a-fee distributors to donate part of their selling price to free software developers – the Free Software Foundation, and others.

The way to convince distributors to do this is to demand it and expect it from them. So when you compare distributors, judge them partly by how much they give to free software development. Show distributors they must compete to be the one who gives the most.

To make this approach work, you must insist on numbers that you can compare, such as, “We will donate ten dollars to the Frobnitz project for each disk sold.” Don’t be satisfied with a vague promise, such as “A portion of the profits are donated,” since it doesn’t give a basis for comparison.

Even a precise fraction “of the profits from this disk” is not very meaningful, since creative accounting and unrelated business decisions can greatly alter what fraction of the sales price counts as profit. If the price you pay is \$50, ten percent of the profit is probably less than a dollar; it might be a few cents, or nothing at all.

Some redistributors do development work themselves. This is useful too; but to keep everyone honest, you need to inquire how much they do, and what kind. Some kinds of development make much more long-term difference than others. For example, maintaining a separate version of a program contributes very little; maintaining the standard version of a program for the whole community contributes much. Easy new ports contribute little, since someone else would surely do them; difficult ports such as adding a new CPU to the GNU C compiler contribute more; major new features or packages contribute the most.

By establishing the idea that supporting further development is “the proper thing to do” when distributing free software for a fee, we can assure a steady flow of resources into making more free software.

Copyright (C) 1994 Free Software Foundation, Inc.

Verbatim copying and redistribution of this section is permitted without royalty; alteration is not permitted.

GPC Index

*

| | |
|----|-----|
| * | 123 |
| ** | 123 |

-

| | |
|-----------------------------|---------|
| - | 123 |
| -amtmpfile | 64 |
| -autobuild | 64 |
| -autolink | 64 |
| -automake | 64 |
| -big-endian | 68 |
| -borland-char-constants | 65 |
| -borland-pascal | 63 |
| -cdefine | 68 |
| -classic-pascal | 63 |
| -classic-pascal-level-0 | 63 |
| -csdefine | 68 |
| -debug-automake | 64 |
| -debug-gpi | 64 |
| -debug-source | 64 |
| -debug-tree | 64 |
| -delphi | 63 |
| -delphi-comments | 65 |
| -double-quoted-strings | 66 |
| -exact-compare-strings | 65 |
| -executable-file-name | 67 |
| -executable-path | 67 |
| -extended-pascal | 63 |
| -extended-syntax | 64 |
| -field-widths | 66 |
| -gnu-pascal | 64 |
| -gpc-main | 67, 126 |
| -gpi-destination-path | 68 |
| -ignore-function-results | 65 |
| -implementation-only | 67 |
| -init-modules | 68 |
| -interface-only | 67 |
| -io-checking | 66 |
| -little-endian | 68 |
| -macros | 65 |
| -mixed-comments | 65 |
| -nested-comments | 65 |
| -no-autobuild | 64 |
| -no-autolink | 64 |
| -no-automake | 64 |
| -no-borland-char-constants | 65 |
| -no-debug-info | 64 |
| -no-default-paths | 68 |
| -no-delphi-comments | 65 |
| -no-double-quoted-strings | 66 |
| -no-exact-compare-strings | 65 |
| -no-executable-path | 67 |
| -no-extended-syntax | 64 |
| -no-field-widths | 66 |
| -no-ignore-function-results | 65 |
| -no-io-checking | 66 |
| -no-macros | 65 |
| -no-mixed-comments | 65 |
| -no-nested-comments | 65 |
| -no-object-destination-path | 67 |
| -no-object-path | 67 |
| -no-pedantic | 67 |
| -no-read-base-specifier | 66 |
| -no-read-hex | 66 |
| -no-read-white-space | 66 |
| -no-short-circuit | 65 |
| -no-signed-char | 65 |
| -no-stack-checking | 67 |
| -no-transparent-file-names | 66 |
| -no-truncate-strings | 65 |
| -no-typed-address | 67 |
| -no-unit-destination-path | 67 |
| -no-unit-path | 67 |
| -no-unsigned-char | 65 |
| -no-write-capital-exponent | 66 |
| -no-write-clip-strings | 66 |
| -no-write-real-blank | 66 |
| -object-destination-path | 67 |
| -object-pascal | 63 |
| -object-path | 67 |
| -pascal-sc | 64 |
| -pedantic | 67 |
| -print-needed-options | 68 |
| -progress-bar | 64 |
| -progress-messages | 64 |
| -read-base-specifier | 66 |
| -read-hex | 66 |
| -read-white-space | 66 |
| -setlimit | 67 |
| -short-circuit | 65 |
| -signed-char | 64 |
| -stack-checking | 67 |
| -standard-pascal | 63 |
| -standard-pascal-level-0 | 63 |
| -transparent-file-names | 66 |
| -truncate-strings | 65 |
| -typed-address | 67 |
| -unit-destination-path | 67 |
| -unit-path | 67 |
| -unsigned-char | 65 |
| -uses | 68 |
| -write-capital-exponent | 66 |
| -write-clip-strings | 66 |
| -write-real-blank | 66 |
| -Wfield-name-problem | 68 |
| -Wimplicit-abstract | 68 |
| -Winherited-abstract | 68 |
| -Wmixed-comments | 69 |
| -Wnear-far | 69 |

| | |
|-------------------------|----|
| -Wnested-comments | 69 |
| -Wno-field-name-problem | 68 |
| -Wno-implicit-abstract | 68 |
| -Wno-inherited-abstract | 68 |
| -Wno-mixed-comments | 69 |
| -Wno-near-far | 69 |
| -Wno-nested-comments | 69 |
| -Wno-object-directives | 68 |
| -Wno-semicolon | 69 |
| -Wno-typed-const | 68 |
| -Wno-underscore | 69 |
| -Wno-warnings | 68 |
| -Wobject-directives | 68 |
| -Wsemicolon | 69 |
| -Wtyped-const | 68 |
| -Wunderscore | 69 |
| -Wwarnings | 68 |

/

| | |
|---|-----|
| / | 123 |
|---|-----|

+

| | |
|---|----------|
| + | 120, 123 |
|---|----------|

>

| | |
|----|-----|
| >< | 124 |
|----|-----|

A

| | |
|--------------------------------|---------------|
| Abs | 257 |
| absolute | 258, 427 |
| abstract | 259, 427 |
| Addr | 260 |
| alignment | 260 |
| Alignment, Type Implementation | 106 |
| AlignOf | 260 |
| all | 261, 427 |
| and | 123, 262, 427 |
| and then | 263 |
| and_then | 264, 427 |
| ANSI | 492 |
| AnsiChar | 265 |
| Append | 266 |
| Archives, mailing list | 434 |
| ArcTan | 123, 266 |
| Arg | 123, 267 |
| arguments, command line | 122 |
| array | 268, 427 |
| Array Types, Data Types | 95 |
| array, conformant | 107 |
| array, open | 107 |
| array, slice access | 108 |

| | |
|------------------------------------------|---------------|
| as | 269, 427 |
| asm | 269, 427 |
| asm, Statements, Source Structure | 84 |
| asmname | 125, 269, 427 |
| Assign | 271 |
| Assigned | 271 |
| Assignment, Statements, Source Structure | 80 |
| attribute | 272, 427 |
| AutoMake, internals | 484 |

B

| | |
|-----------------------------------------|----------|
| begin | 272, 427 |
| begin end, Statements, Source Structure | 80 |
| binary distributions, installing | 37 |
| Bind | 118, 273 |
| bindable | 274, 428 |
| Binding | 118, 274 |
| BindingType | 274 |
| bits | 275 |
| BitSizeOf | 275 |
| Blaise Pascal | 491 |
| BlockRead | 276 |
| BlockWrite | 277 |
| Boolean | 277 |
| Boolean, Intrinsic, Data Types | 93 |
| Break | 278 |
| bugs | 433 |
| Bugs, reporting | 435 |
| Built-in | 118 |
| Byte | 278 |
| ByteBool | 279 |
| ByteCard | 280 |
| ByteInt | 280 |

C

| | |
|------------------------------------|---------------|
| C | 125, 126, 281 |
| C language | 126 |
| c_language | 126, 286 |
| Card | 124, 281 |
| Cardinal | 282 |
| case | 283, 428 |
| case, Statements, Source Structure | 81 |
| Char | 284 |
| Char, Intrinsic, Data Types | 93 |
| ChDir | 285 |
| Chr | 286 |
| class | 287, 428 |
| Classic Pascal | 492 |
| Close | 287 |
| Cmplx | 123, 287 |
| command line arguments | 122 |
| command line options | 63 |
| Commercial Support | 434 |

| | |
|------------------------------------------|----------|
| Comp | 288 |
| Compilation notes for specific platforms | 40 |
| Compiler Crashes | 434 |
| compiler directives | 115 |
| Complex | 289 |
| complex numbers, operations | 123 |
| Concat | 120, 289 |
| conformant arrays, internals | 481 |
| Conjugate | 290 |
| const | 290, 428 |
| Constant Declaration, Source Structures | 74 |
| constructor | 291, 428 |
| Continue | 291 |
| contributed units | 26 |
| Contributions | 491 |
| contributors | 487 |
| Copy | 292 |
| Copying | 495, 501 |
| Cos | 123, 292 |
| Crash, of the compiler | 434 |
| cross-compilers | 41 |
| crossbuilding | 41 |
| CRT | 171 |
| Crystal | 492 |
| CString | 293 |
| CString2String | 294 |
| CStringCopyString | 294 |
| curses | 171 |

D

| | |
|------------------------|----------|
| Data Types, Definition | 88 |
| Database | 492 |
| Date | 124, 294 |
| DBM | 492 |
| debugging | 127 |
| Dec | 123, 295 |
| DefineSize | 296 |
| Delete | 296 |
| destructor | 296, 428 |
| Dispose | 122, 297 |
| div | 297, 428 |
| djgpp | 40 |
| do | 298, 428 |
| Dos | 187 |
| DOS, MS- | 40 |
| DosUnix | 192 |
| Double | 92, 298 |
| download | 35 |
| downto | 299, 428 |
| Drawing | 491 |

E

| | |
|------------------------------|---------------|
| Editor | 491 |
| efence | 25 |
| ElectricFence | 25 |
| else | 299, 428 |
| emacs | 26 |
| Empty | 300 |
| EMX | 40 |
| end | 301, 428 |
| endianness | 105 |
| Enumerated Types, Data Types | 94 |
| EOF | 301 |
| EOLn | 302 |
| EpsReal | 302 |
| EQ | 303 |
| Erase | 303 |
| Exclude | 304 |
| Exit | 304 |
| Exp | 123, 305 |
| export | 306, 428 |
| exports | 306, 428 |
| Extend | 306 |
| Extended | 92, 307 |
| Extended Pascal | 492 |
| extern | 126, 308 |
| external | 126, 308, 428 |

F

| | |
|-----------------------------------|---------------|
| Fail | 308 |
| False | 309 |
| FAQ | 23 |
| far | 309 |
| file | 310, 428 |
| File Layout, internals | 485 |
| File Types, Intrinsic, Data Types | 93 |
| FileMode | 310 |
| FilePos | 310 |
| files, operations | 118 |
| FileSize | 311 |
| FileUtils | 194 |
| FillChar | 311 |
| Finalize | 312 |
| Flush | 312 |
| for | 312, 428 |
| for, Statements, Source Structure | 82 |
| FormatString | 314 |
| forward | 314, 428 |
| Frac | 314 |
| FrameAddress | 315 |
| Free Software | 509 |
| Freedom | 493, 495, 501 |
| FreeMem | 122, 315 |
| Frequently Asked Questions | 23 |

front-end, internals 477, 478
 function 316, 428
 function, Subroutine Declaration, Source Structure
 79
 functional type..... 102
 functions as parameters, internals 481
 functions, predefined 118

G

GDBM 492
 GE 316
 General Public License 495
 Get 118, 316
 GetMem 122, 317
 gettext 492
 GetTimeStamp 124, 317
 gmp 25
 GMP 197
 GNU DBM 492
 GNU General Public License 495
 GNU Lesser General Public License 501
 GNU Library General Public License 501
 GNU Pascal command line options 63
 GNU, project 509
 goto 318, 428
 goto, Statements, Source Structure 84
 GPC and other languages 125
 GPC source, internals 475
 GPC, internals 475
 GPCUtil 209
 GPI files, internals 481
 GPL 495
 grammar, internals 477
 Graphics 491, 492
 GRX 491
 GT 318
 GTK 492
 GUI 492

H

Halt 319
 HeapMon 213
 help 433
 High 319
 highlights 5
 HTTP 35

I

IDE 26, 491
 if 320, 428
 if, Statements, Source Structure 81
 Im 123, 321

implementation 322, 429
 import 322, 429
 import part 85, 88
 Import Part, Source Structures 85
 in 323, 429
 Inc 123, 323
 Include 324
 Index 324
 inherited 114, 325, 429
 Initialize 325
 inline 325, 429
 InOutRes 326
 Input 326
 Insert 327
 installing binary distributions 37
 installing GNU Pascal 35
 installing source distributions 38
 Int 327
 Integer 327
 Integer types 89
 integer types, compatibility 90
 integer types, main branch 89
 integer types, natural 89
 integer types, specified size 90
 integer types, summary 91
 integer, operations 123
 interface 328, 429
 intermediate code, internals 478
 Internationalization 492
 interrupt 329, 429
 Intl 215
 IOResult 329
 is 329, 429
 ISO 10206 492
 ISO 7185 492

L

label 330, 429
 Label Declaration, Source Structures 74
 language definition, internals 477
 LastPosition 118, 330
 LE 330
 Length 331
 Lesser General Public License 501
 lexical analyzer, internals 476
 LGPL 501
 libraries 25
 Libraries 70
 library 331, 429
 Library General Public License 501
 linking 126
 Ln 123, 331
 LoCase 332
 LongBool 332

LongCard 333
 LongestBool 333
 LongestCard 334
 LongestInt 335
 LongestReal 335
 LongestWord 336
 LongInt 336
 LongReal 92, 337
 LongWord 338
 Loops, Loop Control Statements 85
 Low 338
 LT 339

M

Machine-dependent Type Implementation 105
 magic, internals 480
 Mailing List 433
 Mailing List Archives 434, 492
 main program 126
 Mark 339
 Max 123, 340
 MaxChar 340
 MaxInt 341
 MaxReal 341
 MD5 219
 MedBool 341
 MedCard 342
 MedInt 343
 MedReal 343
 MedWord 344
 memory management 122
 Min 123, 345
 MinReal 345
 MkDir 345
 mod 346, 429
 module 346, 429
 Modules, source structure 85
 Move 347
 MoveLeft 347
 MoveRight 347
 MS Windows 95/98/NT 37, 40
 MS-DOS 40
 MySQL 492

N

Name 348
 ncurses 25, 171
 NE 348
 near 349
 New 115, 122, 349
 NewCString 350
 news 9
 Newsgroups 434

nil 351, 429
 not 123, 352, 429
 Null 352

O

object 353, 429
 Object Types, Data Types 103
 object-orientated programming 112
 Objects 127
 Odd 354
 of 354, 429
 only 355, 429
 OOP 112
 operations, complex numbers 123
 operations, files 118
 operations, integer and ordinal 123
 operations, sets 124
 operations, string 120
 operator 355, 429
 operator, Subroutine Declaration, Source Structure
 79
 Operators 106
 operators, built-in 106
 operators, user-defined 106
 options, command line 63
 or 123, 355, 429
 or else 357
 or_else 358, 429
 Ord 357
 Ordinal Types, Intrinsic, Data Types 89
 ordinal, operations 123
 OS/2 40
 otherwise 359, 430
 Output 359
 output file option 70
 Overlay 221
 Override 359

P

Pack 360
 packed 360, 430
 Page 361
 PAnsiChar 362
 ParamCount 122, 362
 Parameter List, Subroutine Declaration, Source
 Structure 79
 parameter passing, internals 481
 parameter, protected 107
 ParamStr 122, 363
 parser, internals 477
 Pascal standards 492
 Pascal, Blaise 491
 PChar 363

PDCurses 25, 171
 PENG 27, 491
 Pi 364
 Pipe 222
 PObjectType 364
 Pointer 365
 pointer arithmetics 108
 pointer types 100
 Pointer, Intrinsic, Data Types 94
 Polar 123, 365
 Ports 226
 Pos 366
 Position 118, 366
 PostgreSQL 492
 pow 123, 367, 430
 Pred 123, 367
 preprocessor 115
 Printer 227
 private 368, 430
 procedural parameters, internals 481
 procedural type 102
 procedure 369, 430
 Procedure Call, Statements, Source Structure 84
 procedure, Subroutine Declaration, Source Structure
 78
 procedures, predefined 118
 Professional Support 434
 program 369, 430
 programming in GPC 73
 Programs, source structure 73
 property 369, 430
 protected 126, 370, 430
 protected, parameter 107
 PtrCard 370
 PtrDiffType 371
 PtrInt 371
 PtrWord 372
 public 372, 430
 published 373, 430
 Put 118, 373

Q

qualified 374, 430
 Questions, Frequently Asked 23

R

Random 374
 Randomize 374
 Re 123, 375
 Read 375
 ReadLn 376
 ReadStr 376
 Real 92, 376

record 377, 430
 Record Types, Data Types 95
 record, variant 96
 Redistribution 495, 501
 RegEx 229
 register 379
 Release 379
 Rename 379
 repeat 380, 430
 repeat, Statements, Source Structure 83
 Reporting Bugs 435
 Reset 380
 resident 381, 430
 Resources 491
 restricted 382, 430
 Result 382
 Return 382
 ReturnAddress 383
 Rewrite 383
 RHide 27, 491
 RmDir 384
 Root 385
 Round 385
 routines, predefined 118
 Run Time Library 118, 128
 Run Time System 118, 128
 RunError 386
 rx 25, 229

S

schemata 97
 Seek 386
 SeekRead 118, 387
 SeekUpdate 118, 387
 SeekWrite 118, 387
 segment 388, 430
 Self 388
 set 388, 430
 Set Types, Data Types 100
 SetFileTime 389
 SetLength 389
 sets, operations 124
 SetType 390
 shl 123, 391, 430
 ShortBool 392
 ShortCard 393
 ShortInt 393
 ShortReal 92, 394
 ShortWord 394
 shr 123, 395, 430
 Sin 123, 396
 Single 92, 396
 SizeOf 397
 SizeType 398

Slice access 108
 SmallInt 398
 source distributions, installing 38
 source structures 73
 Sqr 123, 399
 SqRt 123, 400
 Standard Pascal 492
 standard units 171
 StandardError 400
 StandardInput 401
 StandardOutput 401
 Standards 492
 Statements, Source Structures 80
 static 401, 430
 StdErr 402
 Str 402
 String 403
 String, Intrinsic, Data Types 93
 string, slice access 108
 String2CString 403
 Strings 234
 strings, operations 120
 StringUtils 236
 subrange types 94
 Subroutine Declaration, Source Structures 78
 SubStr 404
 Succ 123, 404
 support 433
 Support, professional 434
 svgalib 492
 System 241
 SysUtils 492

T

Test Suite, Running 437
 Test Suite, writing tests 435
 Text 93, 405
 Text editor 491
 TextWritable 406
 TFDD 45
 then 406, 430
 Time 124, 407
 TimeStamp 407
 to 408, 431
 to begin do 408
 to end do 409
 Trap 248
 tree nodes, internals 478
 Trim 409
 True 409
 Trunc 410
 Truncate 410
 Turbo3 250
 type 411, 431

type casts 109
 Type Declaration, Source Structures 76
 Type Definition Possibilities 94
 type of 412
 TypeOf 412
 types, functional 102
 types, initializers 103
 types, Integer 89
 types, pointer 100
 types, procedural 102
 types, real 92
 types, restricted 104
 types, schema 97
 types, schemata 97
 types, subrange 94
 types, variant records 96

U

Unbind 118, 413
 unit 414, 431
 units, contributed 26
 units, included with GPC 171
 Units, source structure 88
 Unpack 414
 until 415, 431
 untyped files 93
 UpCase 415
 Update 118, 415
 uses 416, 431

V

Val 417
 value 417, 431
 var 418, 431
 var, Statements, Source Structure 84
 Variable Declaration, Source Structures 77
 view 419, 431
 virtual 419, 431
 VMT 127
 Void 420
 volatile 420, 431

W

web site 35
 while 421, 431
 while, Statements, Source Structure 83
 WinDos 251
 Windows 95/98/NT, MS 37, 40
 with 422, 431
 with, Statements, Source Structure 84
 Word 422

| | |
|----------------|---------------------|
| WordBool | 423 |
| Write | 423 |
| WriteLn | 424 |
| WriteStr | 424 |
| WWW | 35 |

X

| | |
|--------------|-----------------------------------------------------------------|
| xemacs | 26 |
| xor | 123 , 425 , 431 |
| xwpe | 27 |

Short Contents

| | |
|------------------------------------------------------------------|-----|
| GNU Pascal | 1 |
| Welcome to GNU Pascal | 3 |
| 1 Some of GPC's most interesting features. | 5 |
| 2 New Features of GNU Pascal. | 9 |
| 3 The GNU Pascal Frequently Asked Questions List. | 23 |
| 4 How to download, compile and install GNU Pascal. | 35 |
| 5 A QuickStart Guide from Borland Pascal to GNU Pascal. | 43 |
| 6 Command Line Options supported by GNU Pascal. | 63 |
| 7 The Programmer's Guide to GPC | 73 |
| 8 The Alphabetical GPC Language Reference | 257 |
| 9 Pascal keywords and operators supported by GNU Pascal. | 427 |
| 10 Where to get support for GNU Pascal; how to report bugs. | 433 |
| 11 The GNU Pascal To-Do List. | 439 |
| 12 The GPC Source Reference | 475 |
| Appendix A Contributors to GNU Pascal. | 487 |
| Appendix B Resources For Use With GPC. | 491 |
| Appendix C GNU GENERAL PUBLIC LICENSE | 495 |
| Appendix D GNU LESSER GENERAL PUBLIC LICENSE | 501 |
| Appendix E The GNU Project. | 509 |
| GPC Index | 517 |

Table of Contents

| | |
|------------------------------------------------------------------------------------|----|
| GNU Pascal | 1 |
| Welcome to GNU Pascal | 3 |
| 1 Some of GPC's most interesting features. | 5 |
| 2 New Features of GNU Pascal. | 9 |
| 2.1 General Changes And Possible Incompatibilities with Previous Versions | 9 |
| 2.2 Command Line Options and Compiler Directives | 10 |
| 2.3 Compiler and RTS Built-in Declarations | 12 |
| 2.4 GPC Units | 16 |
| 2.5 GPC Manual..... | 19 |
| 2.6 Demo Programs..... | 20 |
| 2.7 Utilities | 20 |
| 2.8 Test Suite | 20 |
| 2.9 Legend | 21 |
| 3 The GNU Pascal Frequently Asked Questions List. | 23 |
| 3.1 GNU Pascal | 23 |
| 3.1.1 What and why? | 23 |
| 3.1.2 What is the current version? | 23 |
| 3.1.3 Is it compatible with Turbo Pascal (R)? | 23 |
| 3.1.4 Which platforms are supported by GNU Pascal? | 24 |
| 3.2 Installing GPC | 24 |
| 3.2.1 What to read next | 24 |
| 3.2.2 Which components do I need to compile Pascal code? | 24 |
| 3.2.3 How do I debug my Pascal programs? | 25 |
| 3.2.4 What additional libraries should I have? | 25 |
| 3.2.5 Contributed units..... | 26 |
| 3.2.6 Can you recommend an IDE? | 26 |
| 3.3 GNU Pascal on the DJGPP (MS-DOS) platform..... | 27 |
| 3.3.1 What is DJGPP? | 27 |
| 3.3.2 If you need more information | 27 |
| 3.3.3 What do I download? | 27 |
| 3.3.4 How do I install the compiler? | 27 |
| 3.3.5 I cannot read the Info documentation! | 28 |
| 3.3.6 GPC says: no DPML | 28 |
| 3.3.7 I have troubles with assembly code..... | 29 |
| 3.3.8 Tell me how to do DPML, BIOS and other DOS related things. | 29 |
| 3.3.9 I got an exception when accessing an 'array [1 .. 4000000] of Byte' | 30 |
| 3.4 Strings | 31 |
| 3.4.1 What's this confusion about strings? | 31 |
| 3.4.2 Overlaying strings in variant records | 31 |

| | | |
|----------|------------------------------------------------------------------------|-----------|
| 3.4.3 | Why does 's[0]' not contain the length? | 32 |
| 3.4.4 | Watch out when using strings as parameters | 32 |
| 3.4.5 | Support for BP compatible short strings | 32 |
| 3.4.6 | What about C strings? | 32 |
| 3.5 | Getting Help | 33 |
| 3.6 | Miscellaneous | 33 |
| 3.6.1 | I want to contribute; where do I start? | 33 |
| 3.6.2 | Where is the GNU Pascal web site? | 33 |
| 3.6.3 | About this FAQ | 33 |
| 4 | How to download, compile and install GNU Pascal..... | 35 |
| 4.1 | Where and what to download | 35 |
| 4.2 | Installation instructions for a GPC binary distribution | 37 |
| 4.3 | Compiling GPC | 38 |
| 4.4 | Compilation notes for specific platforms | 40 |
| 4.4.1 | MS-DOS with DJGPP | 40 |
| 4.4.2 | MS-DOS or OS/2 with EMX | 40 |
| 4.4.3 | MS Windows 95/98/NT | 40 |
| 4.5 | Building and Installing a cross-compiler | 41 |
| 4.6 | Crossbuilding a compiler | 41 |
| 5 | A QuickStart Guide from Borland Pascal to GNU Pascal..... | 43 |
| 5.1 | BP Compatibility | 43 |
| 5.2 | BP Incompatibilities | 43 |
| 5.2.1 | String type | 43 |
| 5.2.2 | Qualified identifiers | 44 |
| 5.2.3 | Assembler | 44 |
| 5.2.4 | Move; FillChar | 44 |
| 5.2.5 | Real type | 45 |
| 5.2.6 | Graph unit | 45 |
| 5.2.7 | OOP units | 45 |
| 5.2.8 | Keep; GetIntVec; SetIntVec | 45 |
| 5.2.9 | TFDDs | 45 |
| 5.2.10 | Mem; Port; Ptr; Seg; Ofc; PrefixSeg; etc. | 46 |
| 5.2.11 | Endianness assumptions | 46 |
| 5.2.12 | -borland-pascal - disable GPC extensions | 47 |
| 5.2.13 | -w - disable all warnings | 47 |
| 5.2.14 | -uses=System - Swap; HeapError; etc. | 47 |
| 5.2.15 | -D_BP_TYPE_SIZES__ - small integer types etc. | 47 |
| 5.2.16 | -pack-struct - disable structure alignment | 47 |
| 5.2.17 | -D_BP_RANDOM__ - BP compatible pseudo random number generator | 47 |
| 5.2.18 | -D_BP_UNPORTABLE_ROUTINES__ - Intr; DosVersion; etc..... | 48 |
| 5.2.19 | -D_BP_PARAMSTR_0__ - BP compatible ParamStr (0) behaviour | 48 |
| 5.3 | IDE versus command line | 48 |
| 5.4 | Comments | 50 |
| 5.5 | BP Compatible Compiler Directives | 50 |
| 5.6 | Units, GPI files and AutoMake | 50 |
| 5.7 | Optimization | 51 |
| 5.8 | Debugging | 52 |
| 5.9 | Objects | 52 |

| | | |
|------|----------------------------------------|----|
| 5.10 | Strings in BP and GPC..... | 52 |
| 5.11 | Typed Constants..... | 53 |
| 5.12 | Bit, Byte and Memory Manipulation..... | 54 |
| 5.13 | User-defined Operators in GPC..... | 56 |
| 5.14 | Data Types in BP and GPC | 56 |
| 5.15 | BP Procedural Types..... | 57 |
| 5.16 | Files | 58 |
| 5.17 | Built-in Constants..... | 58 |
| 5.18 | Built-in Operators in BP and GPC | 58 |
| 5.19 | Built-in Procedures and Functions..... | 58 |
| 5.20 | Special Parameters | 59 |
| 5.21 | Miscellaneous | 59 |
| 5.22 | BP and Extended Pascal..... | 60 |
| 5.23 | Portability hints..... | 61 |

6 Command Line Options supported by GNU Pascal..... 63

| | | |
|-----|--------------------------------------------|----|
| 6.1 | GPC options besides those of GCC..... | 63 |
| 6.2 | The most commonly used options to GPC..... | 69 |

7 The Programmer's Guide to GPC 73

| | | |
|----------|--------------------------------------------------------------------|----|
| 7.1 | Source Structures | 73 |
| 7.1.1 | The Source Structure of Programs | 73 |
| 7.1.2 | Label Declaration..... | 74 |
| 7.1.3 | Constant Declaration | 74 |
| 7.1.4 | Type Declaration | 76 |
| 7.1.5 | Variable Declaration | 77 |
| 7.1.6 | Subroutine Declaration..... | 78 |
| 7.1.6.1 | The Procedure..... | 78 |
| 7.1.6.2 | The Function | 79 |
| 7.1.6.3 | The Operator..... | 79 |
| 7.1.6.4 | Subroutine Parameter List Declaration..... | 79 |
| 7.1.7 | Statements | 80 |
| 7.1.7.1 | Assignment | 80 |
| 7.1.7.2 | begin end Compound Statement..... | 80 |
| 7.1.7.3 | if Statement | 81 |
| 7.1.7.4 | case Statement..... | 81 |
| 7.1.7.5 | for Statement | 82 |
| 7.1.7.6 | while Statement..... | 83 |
| 7.1.7.7 | repeat Statement..... | 83 |
| 7.1.7.8 | asm Inline | 84 |
| 7.1.7.9 | with Statement | 84 |
| 7.1.7.10 | goto Statement | 84 |
| 7.1.7.11 | Procedure Call..... | 84 |
| 7.1.7.12 | The Declaring Statement | 84 |
| 7.1.7.13 | Loop Control Statements | 85 |
| 7.1.8 | Import Part and Module/Unit Concept..... | 85 |
| 7.1.8.1 | The Source Structure of ISO-10206 Extended Pascal Modules | 85 |
| 7.1.8.2 | The Source Structure of UCSD/Borland Pascal Units..... | 88 |
| 7.2 | Data Types | 88 |
| 7.2.1 | Type Definition..... | 88 |
| 7.2.2 | Ordinal Types | 89 |
| 7.2.3 | Integer Types | 89 |

| | | |
|-----------|-------------------------------------------------------------------------|-----|
| 7.2.3.1 | The CPU's Natural Integer Types | 89 |
| 7.2.3.2 | The Main Branch of Integer Types | 89 |
| 7.2.3.3 | Integer Types with Specified Size | 90 |
| 7.2.3.4 | Integer Types and Compatibility | 90 |
| 7.2.3.5 | Summary of Integer Types | 91 |
| 7.2.4 | Built-in Real (Floating Point) Types | 92 |
| 7.2.5 | Strings Types | 93 |
| 7.2.6 | Character Types | 93 |
| 7.2.7 | File Types | 93 |
| 7.2.8 | Boolean (Intrinsic) | 93 |
| 7.2.9 | Pointer (Intrinsic) | 94 |
| 7.2.10 | Type Definition Possibilities | 94 |
| 7.2.10.1 | Subrange Types | 94 |
| 7.2.10.2 | Enumerated Types | 94 |
| 7.2.10.3 | Array Types | 95 |
| 7.2.10.4 | Record Types | 95 |
| 7.2.10.5 | Variant Records | 96 |
| 7.2.10.6 | EP's Schema Types including 'String' | 97 |
| 7.2.10.7 | Set Types | 100 |
| 7.2.10.8 | Pointer Types | 100 |
| 7.2.10.9 | Procedural and Functional Types | 102 |
| 7.2.10.10 | Object Types | 103 |
| 7.2.10.11 | Initial values to type denoters | 103 |
| 7.2.10.12 | Restricted Types | 104 |
| 7.2.11 | Machine-dependent Type Implementation | 105 |
| 7.2.11.1 | Endianness | 105 |
| 7.2.11.2 | Alignment | 106 |
| 7.3 | Operators | 106 |
| 7.3.1 | Built-in Operators | 106 |
| 7.3.2 | User-defined Operators | 106 |
| 7.4 | Procedure And Function Parameters | 107 |
| 7.4.1 | Parameters declared as 'protected' or 'const' | 107 |
| 7.4.2 | The Standard way to pass arrays of variable size | 107 |
| 7.4.3 | BP's alternative to Conformant Arrays | 107 |
| 7.5 | Accessing parts of strings (and other arrays) | 108 |
| 7.6 | Pointer Arithmetics | 108 |
| 7.7 | Type Casts | 109 |
| 7.8 | Object-Orientated Programming | 112 |
| 7.9 | Compiler Directives And The Preprocessor | 115 |
| 7.10 | Routines Built-in or in the Run Time System | 118 |
| 7.10.1 | File Routines | 118 |
| 7.10.2 | String Operations | 120 |
| 7.10.3 | Accessing Command Line Arguments | 122 |
| 7.10.4 | Memory Management Routines | 122 |
| 7.10.5 | Operations for Integer and Ordinal Types | 123 |
| 7.10.6 | Complex Number Operations | 123 |
| 7.10.7 | Set Operations | 124 |
| 7.10.8 | Date And Time Routines | 124 |
| 7.11 | Interfacing with Other Languages | 125 |
| 7.11.1 | Importing Libraries from Other Languages | 125 |
| 7.11.2 | Exporting GPC Libraries to Other Languages | 127 |
| 7.12 | Notes for Debugging | 127 |
| 7.13 | Pascal declarations for GPC's Run Time System | 128 |
| 7.14 | Units included with GPC | 171 |
| 7.14.1 | BP compatibility: CRT & WinCRT, portable, with many extensions | 171 |

| | | |
|---------|-------------------------------------------------------------------|-----|
| 7.14.2 | BP compatibility: Dos | 187 |
| 7.14.3 | Overcome some differences between Dos and Unix.. | 192 |
| 7.14.4 | Higher level file and directory handling | 194 |
| 7.14.5 | Arithmetic with unlimited size and precision | 197 |
| 7.14.6 | Turbo Power compatibility, etc. | 209 |
| 7.14.7 | Primitive heap checking | 213 |
| 7.14.8 | Internationalization | 215 |
| 7.14.9 | 'MD5' Message Digests | 219 |
| 7.14.10 | BP compatibility: Overlay | 221 |
| 7.14.11 | Start a child process, connected with pipes, also on Dos | 222 |
| 7.14.12 | BP compatibility (partly): 'Port', 'PortW' arrays.. | 226 |
| 7.14.13 | BP compatibility: Printer, portable | 227 |
| 7.14.14 | Regular Expression matching and substituting | 229 |
| 7.14.15 | BP compatibility: Strings | 234 |
| 7.14.16 | Higher level string handling | 236 |
| 7.14.17 | BP compatibility: System | 241 |
| 7.14.18 | Trap runtime errors | 248 |
| 7.14.19 | BP compatibility: Turbo3 | 250 |
| 7.14.20 | BP compatibility: WinDos | 251 |

8 The Alphabetical GPC Language Reference .. 257

| | |
|-------------------|-----|
| Abs | 257 |
| absolute | 258 |
| abstract | 259 |
| Addr | 260 |
| AlignOf | 260 |
| all | 261 |
| and | 262 |
| and then | 263 |
| and_then | 264 |
| AnsiChar | 265 |
| Append | 266 |
| ArcTan | 266 |
| Arg | 267 |
| array | 268 |
| as | 269 |
| asm | 269 |
| asmname | 269 |
| Assign | 271 |
| Assigned | 271 |
| attribute | 272 |
| begin | 272 |
| Bind | 273 |
| bindable | 274 |
| Binding | 274 |
| BindingType | 274 |
| BitSizeOf | 275 |
| BlockRead | 276 |
| BlockWrite | 277 |
| Boolean | 277 |
| Break | 278 |
| Byte | 278 |
| ByteBool | 279 |
| ByteCard | 280 |
| ByteInt | 280 |

| | |
|-------------------|-----|
| C | 281 |
| Card | 281 |
| Cardinal | 282 |
| case | 283 |
| Char | 284 |
| ChDir | 285 |
| Chr | 286 |
| c_language | 286 |
| class | 287 |
| Close | 287 |
| Cmplx | 287 |
| Comp | 288 |
| Complex | 289 |
| Concat | 289 |
| Conjugate | 290 |
| const | 290 |
| constructor | 291 |
| Continue | 291 |
| Copy | 292 |
| Cos | 292 |
| CString | 293 |
| CString2String | 294 |
| CStringCopyString | 294 |
| Date | 294 |
| Dec | 295 |
| DefineSize | 296 |
| Delete | 296 |
| destructor | 296 |
| Dispose | 297 |
| div | 297 |
| do | 298 |
| Double | 298 |
| downto | 299 |
| else | 299 |
| Empty | 300 |
| end | 301 |
| EOF | 301 |
| EOLn | 302 |
| EpsReal | 302 |
| EQ | 303 |
| Erase | 303 |
| Exclude | 304 |
| Exit | 304 |
| Exp | 305 |
| export | 306 |
| exports | 306 |
| Extend | 306 |
| Extended | 307 |
| extern | 308 |
| external | 308 |
| Fail | 308 |
| False | 309 |
| far | 309 |
| file | 310 |
| FileMode | 310 |
| FilePos | 310 |

| | |
|----------------|-----|
| FileSize | 311 |
| FillChar | 311 |
| Finalize | 312 |
| Flush | 312 |
| for | 312 |
| FormatString | 314 |
| forward | 314 |
| Frac | 314 |
| FrameAddress | 315 |
| FreeMem | 315 |
| function | 316 |
| GE | 316 |
| Get | 316 |
| GetMem | 317 |
| GetTimeStamp | 317 |
| goto | 318 |
| GT | 318 |
| Halt | 319 |
| High | 319 |
| if | 320 |
| Im | 321 |
| implementation | 322 |
| import | 322 |
| in | 323 |
| Inc | 323 |
| Include | 324 |
| Index | 324 |
| inherited | 325 |
| Initialize | 325 |
| inline | 325 |
| InOutRes | 326 |
| Input | 326 |
| Insert | 327 |
| Int | 327 |
| Integer | 327 |
| interface | 328 |
| interrupt | 329 |
| IOResult | 329 |
| is | 329 |
| label | 330 |
| LastPosition | 330 |
| LE | 330 |
| Length | 331 |
| library | 331 |
| Ln | 331 |
| LoCase | 332 |
| LongBool | 332 |
| LongCard | 333 |
| LongestBool | 333 |
| LongestCard | 334 |
| LongestInt | 335 |
| LongestReal | 335 |
| LongestWord | 336 |
| LongInt | 336 |
| LongReal | 337 |
| LongWord | 338 |

| | |
|-------------|-----|
| Low | 338 |
| LT | 339 |
| Mark | 339 |
| Max | 340 |
| MaxChar | 340 |
| MaxInt | 341 |
| MaxReal | 341 |
| MedBool | 341 |
| MedCard | 342 |
| MedInt | 343 |
| MedReal | 343 |
| MedWord | 344 |
| Min | 345 |
| MinReal | 345 |
| MkDir | 345 |
| mod | 346 |
| module | 346 |
| Move | 347 |
| MoveLeft | 347 |
| MoveRight | 347 |
| Name | 348 |
| NE | 348 |
| near | 349 |
| New | 349 |
| NewCString | 350 |
| nil | 351 |
| not | 352 |
| Null | 352 |
| object | 353 |
| Odd | 354 |
| of | 354 |
| only | 355 |
| operator | 355 |
| or | 355 |
| Ord | 357 |
| or else | 357 |
| or_else | 358 |
| otherwise | 359 |
| Output | 359 |
| Override | 359 |
| Pack | 360 |
| packed | 360 |
| Page | 361 |
| PAnsiChar | 362 |
| ParamCount | 362 |
| ParamStr | 363 |
| PChar | 363 |
| Pi | 364 |
| PObjectType | 364 |
| Pointer | 365 |
| Polar | 365 |
| Pos | 366 |
| Position | 366 |
| pow | 367 |
| Pred | 367 |
| private | 368 |

| | |
|---------------|-----|
| procedure | 369 |
| program | 369 |
| property | 369 |
| protected | 370 |
| PtrCard | 370 |
| PtrDiffType | 371 |
| PtrInt | 371 |
| PtrWord | 372 |
| public | 372 |
| published | 373 |
| Put | 373 |
| qualified | 374 |
| Random | 374 |
| Randomize | 374 |
| Re | 375 |
| Read | 375 |
| ReadLn | 376 |
| ReadStr | 376 |
| Real | 376 |
| record | 377 |
| register | 379 |
| Release | 379 |
| Rename | 379 |
| repeat | 380 |
| Reset | 380 |
| resident | 381 |
| restricted | 382 |
| Result | 382 |
| Return | 382 |
| ReturnAddress | 383 |
| Rewrite | 383 |
| RmDir | 384 |
| Root | 385 |
| Round | 385 |
| RunError | 386 |
| Seek | 386 |
| SeekRead | 387 |
| SeekUpdate | 387 |
| SeekWrite | 387 |
| segment | 388 |
| Self | 388 |
| set | 388 |
| SetFileTime | 389 |
| SetLength | 389 |
| SetType | 390 |
| shl | 391 |
| ShortBool | 392 |
| ShortCard | 393 |
| ShortInt | 393 |
| ShortReal | 394 |
| ShortWord | 394 |
| shr | 395 |
| Sin | 396 |
| Single | 396 |
| SizeOf | 397 |
| SizeType | 398 |

| | |
|----------------------|-----|
| SmallInt | 398 |
| Sqr | 399 |
| SqRt | 400 |
| StandardError | 400 |
| StandardInput | 401 |
| StandardOutput | 401 |
| static | 401 |
| StdErr | 402 |
| Str | 402 |
| String | 403 |
| String2CString | 403 |
| SubStr | 404 |
| Succ | 404 |
| Text | 405 |
| TextWritable | 406 |
| then | 406 |
| Time | 407 |
| TimeStamp | 407 |
| to | 408 |
| to begin do | 408 |
| to end do | 409 |
| Trim | 409 |
| True | 409 |
| Trunc | 410 |
| Truncate | 410 |
| type | 411 |
| type of | 412 |
| TypeOf | 412 |
| Unbind | 413 |
| unit | 414 |
| Unpack | 414 |
| until | 415 |
| UpCase | 415 |
| Update | 415 |
| uses | 416 |
| Val | 417 |
| value | 417 |
| var | 418 |
| view | 419 |
| virtual | 419 |
| Void | 420 |
| volatile | 420 |
| while | 421 |
| with | 422 |
| Word | 422 |
| WordBool | 423 |
| Write | 423 |
| WriteLn | 424 |
| WriteStr | 424 |
| xor | 425 |

9 Pascal keywords and operators supported by GNU Pascal. 427

| | | |
|-------------------|-----------------------------------------------------------------------|------------|
| 10 | Where to get support for GNU Pascal; how to report bugs..... | 433 |
| 10.1 | The GPC Mailing List | 433 |
| 10.2 | The GPC Mailing List Archives | 434 |
| 10.3 | Newsgroups relevant to GPC | 434 |
| 10.4 | Where to get individual support for GPC | 434 |
| 10.5 | If the compiler crashes | 434 |
| 10.6 | How to report GPC bugs | 435 |
| 10.7 | Running the GPC Test Suite | 437 |
| 11 | The GNU Pascal To-Do List..... | 439 |
| 11.1 | Known bugs in GPC | 439 |
| 11.2 | Features planned for GPC | 440 |
| 11.2.1 | Planned features: Strings..... | 440 |
| 11.2.2 | Planned features: Records/arrays | 441 |
| 11.2.3 | Planned features: Files | 441 |
| 11.2.4 | Planned features: Other types | 442 |
| 11.2.5 | Planned features: Units and modules | 442 |
| 11.2.6 | Planned features: OOP | 443 |
| 11.2.7 | Planned features: Misc | 443 |
| 11.2.8 | Planned features: Utilities | 444 |
| 11.3 | Fixed bugs and implemented features | 445 |
| 11.3.1 | Problems that have been solved | 445 |
| 11.3.2 | Features that have been implemented | 463 |
| 12 | The GPC Source Reference | 475 |
| 12.1 | The Pascal preprocessor | 475 |
| 12.2 | GPC's Lexical Analyzer | 476 |
| 12.3 | Interrelations between the lexer and parser | 477 |
| 12.4 | Language Definition: GPC's Parser | 477 |
| 12.5 | Tree Nodes | 478 |
| 12.6 | Parameter Passing | 481 |
| 12.7 | GPI files – GNU Pascal Interfaces | 481 |
| 12.8 | GPC's AutoMake Mechanism – How it Works | 484 |
| 12.9 | Files that make up GPC; Integrating GNU Pascal in GCC .. | 485 |
| Appendix A | Contributors to GNU Pascal..... | 487 |
| Appendix B | Resources For Use With GPC..... | 491 |
| Appendix C | GNU GENERAL PUBLIC LICENSE | 495 |
| | GPL Preamble | 495 |
| | TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION | 495 |
| | How to Apply These Terms to Your New Programs | 499 |

| | | |
|-------------------|---------------------------------------------------------|------------|
| Appendix D | GNU LESSER GENERAL PUBLIC | |
| | LICENSE | 501 |
| | LGPL Preamble | 501 |
| | TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND | |
| | MODIFICATION | 502 |
| | How to Apply These Terms to Your New Libraries | 508 |
| Appendix E | The GNU Project. | 509 |
| | E.1 The GNU Manifesto | 509 |
| | E.1.1 What's GNU? Gnu's Not Unix! | 510 |
| | E.1.2 Why I Must Write GNU | 510 |
| | E.1.3 Why GNU Will Be Compatible with Unix | 511 |
| | E.1.4 How GNU Will Be Available | 511 |
| | E.1.5 Why Many Other Programmers Want to Help | 511 |
| | E.1.6 How You Can Contribute | 511 |
| | E.1.7 Why All Computer Users Will Benefit | 512 |
| | E.1.8 Some Easily Rebutted Objections to GNU's Goals .. | 512 |
| | E.2 Funding Free Software | 516 |
| | GPC Index | 517 |